

SOP ID: M3640A-GPC cleanup-6, M3665A-Sulfuric Acid Cleanup-7

Clean Up SOP #: GPC Cleanup, Acid Cleanup

Extraction Start Date : 11/04/2024

Matrix : Solid

Extraction Start Time : 10:36

Wegh By: N/A

Extraction By: N/A

Extraction End Date : 11/05/2024

Balance check: N/A

Filter By: N/A

Extraction End Time : 09:55

Balance ID: N/A

pH Meter ID: N/A

Concentration By: RS

pH Strip Lot#: N/A

Hood ID: 6,7

Supervisor By : rajesh

Extraction Method: ☐ Seperatory Funnel ☐ Continious Liquid/Liquid ☐ Sonication ☐ Waste Dilution ☒ Soxhlet

Standard Name	MLS USED	Concentration ug/mL	STD REF. # FROM LOG
GPC Pcb Spike	10.0ML	400 PPB	PP23908
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
MeCl2/Acetone/1:1	N/A	EP2538
Methylene Chloride	N/A	E3823
Hexane	N/A	E3819
H2SO4 1:1	N/A	EP2548
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

No Extraction only GPC Check prepared.

KD Bath ID: Water bath -01

Envap ID: NEVAP-02

KD Bath Temperature: 60 °C


Envap Temperature: 40 °C

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
11/5/24	RP (Ext. Lab)	AS/EST Pcb Lab
10:00	Preparation Group	Analysis Group

Analytical Method: M3640A-GPC cleanup-6, M3665A-Sulfuric Acid Cleanup-7

Concentration Date: 11/05/2024

Sample ID	Client Sample ID	Test	g / mL	PH	Surr/Spike By:		Final Vol. (mL)	JarID	Comments	Prep Pos
					AddedBy	VerifiedBy				
P4676-13	PCB-GPC2-BLANK	PCB	10.0	N/A	RUPESH	rajesh	5			
P4676-14	PCB-GPC2-BLANK-SPIKE	PCB	10.0	N/A	RUPESH	rajesh	5			



* Extracts relinquished on the same date as received.

Handwritten signature and date: 11/5/24