

## DATA PACKAGE

GENERAL CHEMISTRY

### **PROJECT NAME : FT MEADE TIPTON AIRFIELD PARCEL RI - PO 0111169**

WESTON SOLUTIONS 1400 Weston Way PO Box 2653 West Chester, PA - 19380 Phone No: 610-701-7400

ORDER ID : P4692 ATTENTION : David Sembrot



Laboratory Certification ID # 20012







| 1) Signature Page            | 3  |
|------------------------------|----|
| 2) Case Narrative            | 4  |
| 2.1) Genchem- Case Narrative | 4  |
| 3) Qualifier Page            | 5  |
| 4) QA Checklist              | 6  |
| 5) Genchem Data              | 7  |
| 6) Shipping Document         | 21 |
| 6.1) CHAIN OF CUSTODY        | 22 |
| 6.2) Lab Certificate         | 23 |



## **Cover Page**

- **Order ID :** P4692
- Project ID : Ft Meade Tipton Airfield Parcel RI PO 0111169
  - Client : Weston Solutions

## Lab Sample NumberClient Sample NumberP4692-01TAPLPR-SED02-103124-00-T2P4692-02TAPLPR-SED01-103124-00-T2

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature :

Date: 11/15/2024

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

P4692



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

### CASE NARRATIVE

2.1

Weston Solutions Project Name: Ft Meade Tipton Airfield Parcel RI - PO 0111169 Project # N/A Chemtech Project # P4692 Test Name: pH,TOC

### A. Number of Samples and Date of Receipt:

2 Solid samples were received on 11/02/2024.

### **B.** Parameters:

According to the Chain of Custody document, the following analyses were requested: pH and TOC. This data package contains results for pH,TOC.

### **C. Analytical Techniques:**

The analysis of pH was based on method 9045D and The analysis of TOC was based on method Lloyd Kahn.

### **D. QA/ QC Samples:**

The Holding Times were met for all samples except for TAPLPR-SED01-103124-00-T2 of pH, for TAPLPR-SED02-103124-00-T2 of pH as samples were receive out of holding time.

The Blank Spike met requirements for all samples.

The Duplicate analysis met criteria for all samples.

The Matrix Spike analysis met criteria for all samples.

The Matrix Spike Duplicate analysis met criteria for all samples.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

### **E. Additional Comments:**

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature\_\_\_\_\_



## DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following " Results Qualifiers" are used:

| J       | Indicates the reported value was obtained from a reading that was less<br>than the Contract Required Detection Limit (CRDL), but greater than or<br>equal to the Instrument Detection Limit (IDL).   |
|---------|--|
| U       | Indicates the analyte was analyzed for, but not detected.  |
| ND      | Indicates the analyte was analyzed for, but not detected   |
| Ε       | Indicates the reported value is estimated because of the presence of interference  |
| Μ       | Indicates Duplicate injection precision not met.   |
| Ν       | Indicates the spiked sample recovery is not within control limits.   |
| S       | Indicates the reported value was determined by the Method of Standard Addition (MSA).  |
| *       | Indicates that the duplicate analysis is not within control limits.  |
| +       | Indicates the correlation coefficient for the MSA is less than 0.995.  |
| D       | Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.  |
| M<br>OR | <ul> <li>Method qualifiers</li> <li>"P" for ICP instrument</li> <li>"PM" for ICP when Microwave Digestion is used</li> <li>"CV" for Manual Cold Vapor AA</li> <li>"AV" for automated Cold Vapor AA</li> <li>"CA" for MIDI-Distillation Spectrophotometric</li> <li>"AS" for Semi – Automated Spectrophotometric</li> <li>"C" for Manual Spectrophotometric</li> <li>"T" for Titrimetric</li> <li>"NR" for analyte not required to be analyzed</li> <li>Indicates the analyte's concentration exceeds the calibrated range of the instrument for that specific analysis.</li> </ul> |
| Q       | Indicates the LCS did not meet the control limits requirements   |
| Н       | Sample Analysis Out Of Hold Time   |



#### APPENDIX A

#### **QA REVIEW GENERAL DOCUMENTATION**

Project #: P4692

Completed

| For thorough review, the report must have the following:  |          |
|---|----------|
| GENERAL:  |          |
| Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page) | <u> </u> |
| Check chain-of-custody for proper relinquish/return of samples  | <u>✓</u> |
| Is the chain of custody signed and complete   |          |
| Check internal chain-of-custody for proper relinquish/return of samples /sample extracts  | <u> </u> |
| Collect information for each project id from server. Were all requirements followed   | <u> </u> |
| COVER PAGE:   |          |
| Do numbers of samples correspond to the number of samples in the Chain of Custody on login page                                     | <u> </u> |
| Do lab numbers and client Ids on cover page agree with the Chain of Custody   | <u> </u> |
| CHAIN OF CUSTODY:   |          |
| Do requested analyses on Chain of Custody agree with form I results   | <u> </u> |
| Do requested analyses on Chain of Custody agree with the log-in page  |          |
| Were the correct method log-in for analysis according to the Analytical Request and Chain of Castody                                | <u> </u> |
| Were the samples received within hold time  | <u> </u> |
| Were any problems found with the samples at arrival recorded in the Sample Management Laboratory<br>Chronicle                       | <u> </u> |
| ANALYTICAL:   |          |
| Was method requirement followed?  | <u> </u> |
| Was client requirement followed?  | <u> </u> |
| Does the case narrative summarize all QC failure?   | <u> </u> |
| All runlogs and manual integration are reviewed for requirements  |          |
| All manual calculations and /or hand notations verified   | <u>✓</u> |
|   |          |

QA Review Signature: SOHIL JODHANI



## A B C

5

### LAB CHRONICLE

| OrderID:<br>Client:<br>Contact: | P4692<br>Weston Solutions<br>David Sembrot |        |      | OrderDate:<br>Project:<br>Location: | 11/4/2024 10:00<br>Ft Meade Tipto<br>L21 |           | I RI - PO 01111   | 69       |
|---------------------------------|--|--------|------|-------------------------------------|--|-----------|-------------------|----------|
| LabID                           | ClientID                                   | Matrix | Test | Method                              | Sample Date                              | Prep Date | Anal Date         | Received |
| P4692-01                        | TAPLPR-SED02-10312<br>4-00-T2              | SOIL   |      |                                     | 10/31/24<br>14:50                        |           |                   | 11/02/24 |
|                                 |  |        | рН   | 9045D                               |  |           | 11/05/24<br>09:30 |          |
|                                 |  |        | TOC  | Lloyd Kahn                          |  |           | 11/12/24<br>14:09 |          |
| P4692-02                        | TAPLPR-SED01-10312<br>4-00-T2              | SOIL   |      |                                     | 10/31/24<br>16:50                        |           |                   | 11/02/24 |
|                                 |  |        | рН   | 9045D                               |  |           | 11/05/24<br>09:35 |          |
|                                 |  |        | тос  | Lloyd Kahn                          |  |           | 11/12/24<br>16:12 |          |





5

A B C D



### **Report of Analysis**

| pH<br>TOC         | 6.01 H<br>1450 | H 1       | 0<br>8.00  | 0<br>50.0 | 0<br>250        | pH<br>mg/Kg |                 | 11/05/24 09:30<br>11/12/24 14:09 |          |    |
|-------------------|----------------|-----------|------------|-----------|-----------------|-------------|-----------------|----------------------------------|----------|----|
| Parameter         | Conc. Qu       | ua. DI    | F MDL      | LOD       | LOQ / CRQL      | Units       | Prep Date       | Date Ana.                        | Ana Met. |    |
|                   |                |           |            |           |                 | Q           | % Solid:        | 82.5                             |          | J  |
| Lab Sample ID:    | P4692-0        | 01        |            |           |                 | 1           | Matrix:         | SOIL                             |          |    |
| Client Sample ID: | TAPLP          | R-SED0    | 2-103124   | -00-T2    |                 | S           | SDG No.:        | P4692                            |          | 16 |
| Project:          | Ft Mead        | de Tiptor | n Airfield | Parcel I  | RI - PO 0111169 | I           | Date Received:  | 11/02/24                         |          | 15 |
| Client:           | Weston         | Solution  | 15         |           |                 | I           | Date Collected: | 10/31/24 1                       | 4:50     |    |

Comments: pH result reported at temperature 23.5 °C

U = Not Detected

- LOQ = Limit of Quantitation
- MDL = Method Detection Limit
- LOD = Limit of Detection
- D = Dilution
- Q = indicates LCS control criteria did not meet requirements
- H = Sample Analysis Out Of Hold Time

- J = Estimated Value
- B = Analyte Found in Associated Method Blank
- \* = indicates the duplicate analysis is not within control limits.
- E = Indicates the reported value is estimated because of the presence of interference.
- OR = Over Range
- N =Spiked sample recovery not within control limits

9 of 23



### **Report of Analysis**

| Lab Sample ID:P4692-02Matrix:SOIL  | Client Sample ID: TAPLPR-SED01-103124-00-T2 SDG No.: P4692 | P | Lab Sample ID: |    | 592-02<br>Oua. | DF     | MDL | LOD | LOO / CROL |   | fatrix:<br>6 Solid:<br>Prep Date | SOIL<br>80.3<br>Date Ana. | Ana Met. |
|--|--|---|----------------|----|----------------|--------|-----|-----|------------|---|----------------------------------|---------------------------|----------|
| Project:       Ft Meade Tipton Airfield Parcel RI - PO 0111169       Date Received:       11/02/24 |  | L | Client:        | We | ston Sol       | utions |     |     |            | E | Date Collected:                  | 10/31/24 1                | 6:50     |

Comments: pH result reported at temperature 22.7 °C

- U = Not Detected
- LOQ = Limit of Quantitation
- MDL = Method Detection Limit
- LOD = Limit of Detection
- D = Dilution
- Q = indicates LCS control criteria did not meet requirements
- H = Sample Analysis Out Of Hold Time

- J = Estimated Value
- B = Analyte Found in Associated Method Blank
- \* = indicates the duplicate analysis is not within control limits.
- E = Indicates the reported value is estimated because of the presence of interference.
- OR = Over Range
- N =Spiked sample recovery not within control limits



# <u>QC RESULT</u> <u>SUMMARY</u>

5

A B C D



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

### **Initial and Continuing Calibration Verification**

| Client:<br>Project: | Weston Solutions<br>Ft Meade Tipton A | Airfield Parce | el RI - PO 0 | 111169     |               | <b>SDG No.:</b> P4692<br><b>RunNo.:</b> LB133 | 286              |
|---------------------|---------------------------------------|----------------|--------------|------------|---------------|---|------------------|
| Analyte             |                                       | Units          | Result       | True Value | %<br>Recovery | Acceptance<br>Window (%R)                     | Analysis<br>Date |
| Sample ID:<br>H     | ICV                                   | рН             | 7.00         | 7          | 100           | 90-110  | 11/05/2024       |
| Sample ID:<br>H     | CCV1                                  | рН             | 2.02         | 2.00       | 101           | 90-110  | 11/05/2024       |
| Sample ID:<br>H     | CCV2                                  | рН             | 12.02        | 12.00      | 100           | 90-110  | 11/05/2024       |

5

D

P4692



### **Initial and Continuing Calibration Verification**

| Client:<br>Project: | Weston Solutions |       | el RI - PO 0 | 111169     |               | SDG No.:         P4692           RunNo.:         LB133 |                  |
|---------------------|------------------|-------|--------------|------------|---------------|--|------------------|
| Analyte             |                  | Units | Result       | True Value | %<br>Recovery | Acceptance<br>Window (%R)                              | Analysis<br>Date |
| Sample ID:<br>POC   | ICV1             | mg/L  | 934          | 1000       | 93            | 90-110   | 11/12/2024       |
| Sample ID:<br>OC    | CCV1             | mg/L  | 948          | 1000       | 95            | 90-110   | 11/12/2024       |
| Sample ID:<br>OC    | CCV2             | mg/L  | 979          | 1000       | 98            | 90-110   | 11/12/2024       |

5

D

P4692



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

| Client:<br>Project: | Weston Soluti<br>Ft Meade Tipt |       | rcel RI - PO 01 | 11169                |              | SDG N<br>RunNo |     | 403              |
|---------------------|--------------------------------|-------|-----------------|----------------------|--------------|----------------|-----|------------------|
| Analyte             |                                | Units | Result          | Acceptance<br>Limits | Conc<br>Qual | MDL            | RDL | Analysis<br>Date |
| Sample ID:<br>FOC   | ICB1                           | mg/L  | < 125.000       | 0 125.0000           | U            | 32.1           | 250 | 11/12/2024       |
| Sample ID:<br>FOC   | CCB1                           | mg/L  | < 125.000       | 0 125.0000           | U            | 32.1           | 250 | 11/12/2024       |
| Sample ID:          | CCB2                           | mg/L  | < 125.000       | 0 125.0000           | U            | 32.1           | 250 | 11/12/2024       |

### **Initial and Continuing Calibration Blank Summary**

5

A B C

D



D

5

### **Preparation Blank Summary**

| Client:           | Weston Solutions              |                  |                      |              | SDG No.: | P4692 |                  |
|-------------------|-------------------------------|------------------|----------------------|--------------|----------|-------|------------------|
| Project:          | Ft Meade Tipton Airfield Parc | el RI - PO 01111 | 169                  |              |          |       |                  |
| Analyte           | Units                         | Result           | Acceptance<br>Limits | Conc<br>Qual | MDL      | RDL   | Analysis<br>Date |
| Sample ID:<br>TOC | LB133403BLS<br>mg/Kg          | 8.6              | 125.0000             | J            | 8        | 250   | 11/12/2024       |



### **Matrix Spike Summary**

| Client:    | Weston Solutions    |                        |                  |                    | SDG No.          | .:           | P4692          |                    |          |      |                  |
|------------|---------------------|------------------------|------------------|--------------------|------------------|--------------|----------------|--------------------|----------|------|------------------|
| Project:   | Ft Meade Tipton Air | field Parcel RI -      | - PO 011116      | 59                 | Sample l         | D:           | P4692-01       | l                  |          |      |                  |
| Client ID: | TAPLPR-SED02-10312  | 24-00-T2MS             |                  |                    | Percent          | Solids for S | Spike Samj     | ple:               | 82.5     |      |                  |
|            |                     |                        |                  |                    |                  |              |                |                    |          |      |                  |
|            |                     | Acceptance             | Spiked           | Conc.              | Sample           | Conc.        | Spike          | Dilution           | %        |      | Analysis         |
| alyte      | Units               | Acceptance<br>Limit %R | Spiked<br>Result | Conc.<br>Qualifier | Sample<br>Result |              | Spike<br>Added | Dilution<br>Factor | %<br>Rec | Qual | Analysis<br>Date |

B C

D



### **Matrix Spike Summary**

| Client:   | Weston Solutions   |                        | <b>SDG No.:</b> P4692 |                      |                  |       |                |                    |          |      |                  |
|---|--------------------|------------------------|-----------------------|----------------------|------------------|-------|----------------|--------------------|----------|------|------------------|
| <b>Project:</b> Ft Meade Tipton Airfield Parcel RI - PO 0111169 |                    |                        |                       |                      | Sample l         | l     |                |                    |          |      |                  |
| Client ID:  | TAPLPR-SED02-10312 | 24-00-T2MSD            |                       | Percent Solids for S |                  |       | Spike Samj     | ple:               | 82.5     |      |                  |
|   |                    |                        |                       |                      |                  |       |                |                    |          |      |                  |
|   |                    | Acceptance             | Spiked                | Conc.                | Sample           | Conc. | Spike          | Dilution           | %        |      | Analysis         |
| alyte   | Units              | Acceptance<br>Limit %R | Spiked<br>Result      | Conc.<br>Qualifier   | Sample<br>Result |       | Spike<br>Added | Dilution<br>Factor | %<br>Rec | Qual | Analysis<br>Date |

5

A B C

D



pН

+/-20

pН

6.02

1

0.17

### **Duplicate Sample Summary**

| Client:<br>Project: | Weston Solutions<br>Ft Meade Tipton Airfie | ld Parcel RI - PO   | 0111169          |                    | SDG No.:<br>Sample ID: | P46<br>P4          | 592<br>4692-01     |            |      |                  |
|---------------------|--|---------------------|------------------|--------------------|------------------------|--------------------|--------------------|------------|------|------------------|
| Client ID:          | TAPLPR-SED02-10312                         | 24-00-T2DUP         |                  |                    | Percent Sol            | ids for Spik       | ke Sample:         | 82         | .5   |                  |
| Analyte             | Units                                      | Acceptance<br>Limit | Sample<br>Result | Conc.<br>Qualifier | Duplicate<br>Result    | Conc.<br>Qualifier | Dilution<br>Factor | RPD/<br>AD | Qual | Analysis<br>Date |

6.01

5

B C

D

11/05/2024



### **Duplicate Sample Summary**

| OC         | mg/Kg                  | +/-20               | 2460             | <b>Z</b> | 2670                | <b>Z</b>           | 1                  | 8          | <b>2</b> | 11/12/2024       |
|------------|------------------------|---------------------|------------------|----------|---------------------|--------------------|--------------------|------------|----------|------------------|
| nalyte     | Units                  | Acceptance<br>Limit | Sample<br>Result |          | Duplicate<br>Result | Conc.<br>Qualifier | Dilution<br>Factor | RPD/<br>AD | Qual     | Analysis<br>Date |
| Client ID: | TAPLPR-SED02-1031      | 24-00-T2MSD         |                  |          | Percent Sol         | ids for Spil       | e Sample:          | 82         | 2.5      |                  |
| Project:   | Ft Meade Tipton Airfie | Sample ID:          | P                | P4692-01 |                     |                    |                    |            |          |                  |
| Client:    |                        |                     |                  |          |                     | P46                | 592                |            |          |                  |

5

B C

D



| 5 |
|---|
|   |

## A B C D

### Laboratory Control Sample Summary

| Client:<br>Project: | Weston SolutionsSDG No.:Ft Meade Tipton Airfield Parcel RI - PO 0111169Run No.: |       |               | P4692<br>LB133403 |                    |               |                    |                        |                  |
|---------------------|---|-------|---------------|-------------------|--------------------|---------------|--------------------|------------------------|------------------|
| Analyte             |   | Units | True<br>Value | Result            | Conc.<br>Qualifier | %<br>Recovery | Dilution<br>Factor | Acceptance<br>Limit %R | Analysis<br>Date |
| Sample ID<br>TOC    | LB133403BSS   | mg/Kg | 1000          | 963               |                    | 96            | 1                  | 90-110                 | 11/12/2024       |



# <u>SHIPPING</u> DOCUMENTS

6

Weston COC ID Weston\_20241101\_0850

Temperature of cooler when received (°C)

Samples received in good condition?

Labels indicate properly preserved?

Received within holding times?

#

1

2

COC Tape was present and unbroken on outer package?

Discrepancies between sample labels and COC record?

TAPLPR-SED02-103124-00-T2

TAPLPR-SED01-103124-00-T2

Sample ID

### Chain of Custody Record/Lab Work Request

|      |   |    | P | 4692 |
|------|---|----|---|------|
| Page | 1 | of | 1 |      |

6

6.1

| CI           | ent:  | Weston Solutions, Inc.<br>David Sembrot |                             |              |  |  |  |  |
|--------------|-------|---|-----------------------------|--------------|--|--|--|--|
| Project Mana | ger:  |   |                             |              |  |  |  |  |
| Street Addre |       | 1400 Weston Way                         | City:                       | West Chester |  |  |  |  |
| Pho          | one:  | 610-314-5456                            | ST, ZIP:                    | PA, 19038    |  |  |  |  |
| 0-n          | nail: | david.sembrot@v                         | sembrot@westonsolutions.com |              |  |  |  |  |
| Sampled      | By:   | Cheyenne Harrington                     |                             |              |  |  |  |  |

Lab Use Only

G/C

g

g

| ) | lutions, Inc |                               |        |     | Project Name:       | Fort N          | Fort Meade RI   |                                |          | Pn     | oject P  | 0 <b>C</b> : |                             | Natha  | n Fretz |        |                               | 1     | Matrix Codes     |
|---|--------------|-------------------------------|--------|-----|---------------------|-----------------|-----------------|--------------------------------|----------|--------|----------|--------------|-----------------------------|--------|---------|--------|-------------------------------|-------|------------------|
| 2 | Sembrot      |                               |        |     | PO Number           | 011             | 1145            |                                |          |        | Phone    |              |                             | 484-52 | 24-5665 |        |                               | SS -  | Soil             |
|   | City:        | West Ch                       | nester |     | W.O. #:             |                 |                 |                                |          | POC    | ə-mail:  | nathar       | n.fretz@westonsolutions.com |        |         | ns.com |                               | SE -  | Sediment         |
|   | ST, ZIP:     | PA, 19                        | 038    |     | Lab:                | CHEI            | NTECH           |                                |          | L      | ab PO    | <b>&gt;:</b> | Jordan Hedvat               |        |         |        |                               | Solid |                  |
| 6 | estonsolu    | stonsolutions.com TAT (days): |        |     |                     |                 | 21              |                                |          | La     | b Phor   | 1e:          |                             | 908-72 | 28-3144 |        | SL - Sludge                   |       |                  |
|   | Harrington   | Harrington Lab Address: 284   |        |     |                     |                 |                 | Sheffi                         | eld Stre | et Mou | ntainsid | e, NJ 0      | 7092                        |        |         |        |                               | GW    | - Groundwater    |
|   | 14           |                               |        |     |                     |                 |                 | p                              |          |        |          |              |                             |        |         |        |                               | W -   | Water            |
|   |              |                               |        |     |                     |                 | pH by EPA 9045D | ALLIC                          |          |        |          |              |                             |        |         |        |                               | 0 -   | Öil              |
|   |              | _                             | 1      |     | Analyses Requested: |                 |                 | 9060<br>PH                     |          |        |          |              |                             |        |         |        |                               | A -   | Air              |
|   | Y            | N                             | 1      |     |                     |                 |                 | EPA                            |          |        |          |              |                             |        |         |        |                               | DS -  | Drum Solids      |
|   | Y            | N                             |        |     |                     |                 |                 | TOC by EPA 9060A/Lloyd<br>Kahn |          |        |          |              |                             |        |         |        |                               | DL -  | Drum Liquids     |
|   | Y            | N                             | 1      |     |                     |                 |                 | P                              |          |        |          |              |                             |        |         |        | ľ                             | L-    | EP/TCLP Leachate |
|   | Y            | N                             | ĺ.     |     | Container Type:     |                 |                 | Glass                          |          |        |          |              |                             |        |         |        |                               | WI -  | Wipe             |
|   | Y            | N                             | ł.     | Ì   |                     | Container Size: | 8 oz            | 8 oz                           |          |        |          |              |                             |        |         |        | Ì                             | X -   | Other            |
|   |              |                               | 1      |     | Preservative:       | lce to<br>0-6   | lce to<br>0-6   |                                |          |        |          |              |                             |        |         |        | F-                            | Fish  |                  |
|   | Matrix       | # Cont                        | MS/N   | ISD | Date Collected      | Time Collected  | 0.0             | 0.0                            | I        |        |          |              |                             |        |         |        | Special Instructions/Comments |       |                  |
|   | SED          | 1                             | no     |     | 10/31/2024          | 14:50           | x               | х                              |          |        |          |              |                             |        |         |        |                               |       |                  |
|   | SED          | 1                             | по     |     | 10/31/2024          | 16:50           | x               | x                              |          |        |          |              |                             |        |         |        |                               |       |                  |
|   |              |                               |        |     |                     |                 |                 |                                |          |        |          |              |                             |        | -       |        |                               |       |                  |
| 1 |              |                               |        |     |                     |                 |                 |                                |          |        |          |              |                             |        |         |        |                               |       |                  |
|   |              |                               |        |     |                     |                 |                 |                                |          |        |          |              |                             |        |         |        |                               |       |                  |
|   |              |                               |        |     |                     |                 |                 |                                |          |        |          |              |                             |        |         |        | _                             |       |                  |
|   |              |                               |        |     |                     |                 |                 |                                |          |        |          |              |                             |        |         |        |                               |       |                  |
|   |              |                               |        |     |                     |                 |                 |                                |          |        |          |              |                             |        |         |        | 1                             |       |                  |
|   |              |                               |        | -   |                     |                 |                 |                                |          |        |          |              |                             |        |         |        |                               | _     |                  |
| ļ |              |                               |        | -   |                     |                 |                 | -                              |          |        |          |              |                             |        |         |        |                               |       |                  |
|   |              |                               |        | -   |                     |                 |                 |                                |          |        |          |              |                             |        |         |        |                               |       |                  |
| 1 |              |                               |        |     |                     |                 |                 |                                |          |        |          |              | -                           |        |         |        |                               |       |                  |

|     | Shipping Airbill Numbe | 1-746 736 | 1 6810 |             |         |      | Cooler Number: of  |  |  |  |
|-----|------------------------|-----------|--------|-------------|---------|------|--|--|--|--|
|     | Relinquished By        | Date      | Time   | Received By | Date    | Time | Additional Comments  |  |  |  |
| 1.) | limter                 | 11/1/24   | 0900   | lem         | 11 2 24 | 8:00 | QSM 6.0 Compliant<br>Deliverable Requirements: DoD Level IV report, EnviroData EDD, and ERIS-compatible<br>EDD |  |  |  |
| 2.) |                        |           |        |             |         |      |  |  |  |  |
| 3.) |                        |           |        |             |         | 2.3  |  |  |  |  |



## Laboratory Certification

| Certified By         | License No.      |
|----------------------|------------------|
| CAS EPA CLP Contract | 68HERH20D0011    |
| Connecticut          | PH-0830          |
| DOD ELAP (ANAB)      | L2219            |
| Maine                | 2024021          |
| Maryland             | 296              |
| New Hampshire        | 255424 Rev 1     |
| New Jersey           | 20012            |
| New York             | 11376            |
| Pennsylvania         | 68-00548         |
| Soil Permit          | 525-24-234-08441 |
| Texas                | T104704488       |