

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,

Fax: 908 789 8922

Report of Analysis

Client: **PSEG** Date Collected: 11/04/24 12:15 Project: PSEG 69th St Distribution Date Received: 11/04/24 Client Sample ID: SDG No.: P4700 MH-8 Lab Sample ID: P4700-01 Matrix: SOIL % Solid: 91.2

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weigh	nt) Prep Date	Date Ana.	Ana Met.
Hexavalent Chromium	0.43	U	1	0.086	0.43	mg/Kg	11/06/24 12:40	11/06/24 16:06	7196A
Ignitability	NO		1	0	0	oC		11/07/24 10:15	1030
Paint Filter	1.00	U	1	1.00	1.00	ml/100gm		11/05/24 11:55	9095B

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits