

SOP ID : M9030B-Sulfide-12

SDG No : N/A

Start Digest Date: 11/06/2024 Time : 14:30 Temp : N/A

Matrix : SOIL

End Digest Date: 11/06/2024 Time : 16:00 Temp : N/A

Pipette ID : WC

Balance ID : WC SC-4

Hood ID : HOOD#1

Digestion tube ID : M5595

Block Thermometer ID : N/A

Block ID : MC-1,MC-2

Filter paper ID : N/A

Prep Technician Signature: RM

Weigh By : RM

pH Meter ID : N/A

Supervisor Signature: JG

Standardized Name	MLS USED	STD REF. # FROM LOG
PBS003	50.0ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.5M ZINC ACETATE	5.0ML	WP108780
FORMALDEHYDE	2.0ML	W2725
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

11/06/2024 RM

N/A

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/ Nitrite	Comment	Prep Pos
P4700-04	MH-8	5.06	50	N/A	N/A	N/A	N/A	N/A	N/A
P4700-04DUP	MH-8DUP	5.06	50	N/A	N/A	N/A	N/A	N/A	N/A
P4701-04	BP-F3	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
P4701-08	BP-F4	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
P4711-05	CF-613-COMP-16	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
P4711-10	CF-613-COMP-17	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
P4718-03	WB-307-SB02	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
P4719-03	BAYAVE-STOCKPILE	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
P4720-05	JC-701-COMP-01	5.06	50	N/A	N/A	N/A	N/A	N/A	N/A
P4722-04	WC-1(0-6)	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
P4722-09	WC-2(0-6)	5.05	50	N/A	N/A	N/A	N/A	N/A	N/A
P4722-14	WC-3(0-6)	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
PB164675BL	PBS675	5.00	50	N/A	N/A	N/A	N/A	N/A	N/A