

Initial Calibration Report for SequenceID : FC102324AL

AreaCount

Parameter Range	FC067506.D	FC067507.D	FC067508.D	FC067509.D	FC067510.D	
Aliphatic C9-C12	39022992.000	19933185.000	8061570.000	4198329.000	2101198.000	
Aliphatic C12-C16	25467967.000	12990634.000	5208245.000	2702045.000	1358541.000	
Aliphatic C16-C21	36713606.000	18782701.000	7526010.000	3934678.000	1979840.000	
Aliphatic C21-C28	45946180.000	23609090.000	9458827.000	4951672.000	2510279.000	
Aliphatic C28-C40	56250650.000	29316600.000	11954663.000	6283522.000	3289360.000	
Aliphatic EPH	203401395.000	104632210.000	42209315.000	22070246.000	11239218.000	

AVG Response Factor

Parameter Range	AVG RF	% RSD				
Aliphatic C9-C12	135469.6413332	3.265				
Aliphatic C12-C16	131681.73	2.772				
Aliphatic C16-C21	127235.0919996	3.261				
Aliphatic C21-C28	120090.3975	3.678				
Aliphatic C28-C40	101093.1949996	6.133				
Aliphatic EPH	118799.912222	4.081				

Concentration

Parameter Range	FC067506.D	FC067507.D	FC067508.D	FC067509.D	FC067510.D	
Aliphatic C9-C12	300.000	150.000	60.000	30.000	15.000	
Aliphatic C12-C16	200.000	100.000	40.000	20.000	10.000	
Aliphatic C16-C21	300.000	150.000	60.000	30.000	15.000	
Aliphatic C21-C28	400.000	200.000	80.000	40.000	20.000	
Aliphatic C28-C40	600.000	300.000	120.000	60.000	30.000	
Aliphatic EPH	1800.000	900.000	360.000	180.000	90.000	

Response Factor

Parameter Range	FC067506.D	FC067507.D	FC067508.D	FC067509.D	FC067510.D	
Aliphatic C9-C12	130076.640000	132887.900000	134359.500000	139944.300000	140079.866666	
Aliphatic C12-C16	127339.835000	129906.340000	130206.125000	135102.250000	135854.100000	
Aliphatic C16-C21	122378.686666	125218.006666	125433.500000	131155.933333	131989.333333	

Initial Calibration Report for SequenceID : FC102324AL

Aliphatic C21-C28	114865.450000	118045.450000	118235.337500	123791.800000	125513.950000	
Aliphatic C28-C40	93751.083333	97722.000000	99622.191666	104725.366666	109645.333333	
Aliphatic EPH	113000.775000	116258.011111	117248.097222	122612.477777	124880.200000	

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\F102324AL\
 Data File : FC067506.D
 Signal(s) : FID1A.ch
 Acq On : 23 Oct 2024 15:12
 Operator : YP/AJ
 Sample : 100 PPM ALIPHATIC HC STD1
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 FID_C
 ClientSampleId :
 100 PPM ALIPHATIC HC STD1

Integration File: autoint1.e
 Quant Time: Oct 23 17:19:34 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 102324.M
 Quant Title : GC Extractables
 QLast Update : Wed Oct 23 17:19:01 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.506	14037783	98.632 ug/ml
Spiked Amount 50.000		Recovery =	197.26%
12) S 1-chlorooctadecane (S...	12.941	10490435	99.221 ug/ml
Spiked Amount 50.000		Recovery =	198.44%
Target Compounds			
1) T n-Nonane (C9)	3.278	12920314	98.296 ug/ml
2) T n-Decane (C10)	4.343	13085907	98.393 ug/ml
3) T A~Naphthalene (C11.7)	5.922	14394132	98.923 ug/ml
4) T n-Dodecane (C12)	6.360	13016771	98.452 ug/ml
5) T A~2-methylnaphthalene...	6.979	13836866	99.334 ug/ml
6) T n-Tetradecane (C14)	8.152	12659193	98.737 ug/ml
7) T n-Hexadecane (C16)	9.751	12808774	99.036 ug/ml
8) T n-Octadecane (C18)	11.193	12738874	98.786 ug/ml
10) T n-Eicosane (C20)	12.499	12105735	98.678 ug/ml
11) T n-Heneicosane (C21)	13.110	11868997	98.838 ug/ml
13) T n-Docosane (C22)	13.695	11751176	98.736 ug/ml
14) T n-Tetracosane (C24)	14.797	11637443	98.776 ug/ml
15) T n-Hexacosane (C26)	15.816	11410589	98.652 ug/ml
16) T n-Octacosane (C28)	16.765	11146972	98.035 ug/ml
17) T n-Tricontane (C30)	17.651	11224678	97.103 ug/ml
18) T n-Dotriacontane (C32)	18.483	10806351	96.387 ug/ml
19) T n-Tetratriacontane (C34)	19.263	9619727	96.453 ug/ml
20) T n-Hexatriacontane (C36)	20.002	8494635	97.259 ug/ml
21) T n-Octatriacontane (C38)	20.726	8112623	97.297 ug/ml
22) T n-Tetracontane (C40)	21.614	7992636	97.524 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC102324AL\
Data File : FC067506.D
Signal(s) : FID1A.ch
Acq On : 23 Oct 2024 15:12
Operator : YP/AJ
Sample : 100 PPM ALIPHATIC HC STD1
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
FID_C
ClientSampleId :
100 PPM ALIPHATIC HC STD1

Integration File: autoint1.e
Quant Time: Oct 23 17:19:34 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 102324.M
Quant Title : GC Extractables
QLast Update : Wed Oct 23 17:19:01 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#1 n-Nonane (C9)


R.T.: 3.278 min
Delta R.T.: 0.000 min
Response: 12920314
Conc: 98.30 ug/ml

Instrument :
FID_C
ClientSampleId :
100 PPM ALIPHATIC HC STD1




#2 n-Decane (C10)

R.T.: 4.343 min
Delta R.T.: 0.000 min
Response: 13085907
Conc: 98.39 ug/ml




#3 A~Naphthalene (C11.7)

R.T.: 5.922 min
Delta R.T.: 0.000 min
Response: 14394132
Conc: 98.92 ug/ml



#4 n-Dodecane (C12)


R.T.: 6.360 min
Delta R.T.: 0.000 min
Response: 13016771
Conc: 98.45 ug/ml



#5 A~2-methylnaphthalene (C12.89)


R.T.: 6.979 min
Delta R.T.: 0.000 min
Response: 13836866
Conc: 99.33 ug/ml

Instrument :
FID_C
ClientSampleId :
100 PPM ALIPHATIC HC STD1




#6 n-Tetradecane (C14)

R.T.: 8.152 min
Delta R.T.: 0.000 min
Response: 12659193
Conc: 98.74 ug/ml




#7 n-Hexadecane (C16)

R.T.: 9.751 min
Delta R.T.: 0.000 min
Response: 12808774
Conc: 99.04 ug/ml



#8 n-Octadecane (C18)


R.T.: 11.193 min
Delta R.T.: 0.000 min
Response: 12738874
Conc: 98.79 ug/ml



#9 ortho-Terphenyl (SURR)


R.T.: 11.506 min
Delta R.T.: 0.000 min
Response: 14037783
Conc: 98.63 ug/ml

Instrument :
FID_C
ClientSampleId :
100 PPM ALIPHATIC HC STD1




#10 n-Eicosane (C20)

R.T.: 12.499 min
Delta R.T.: 0.000 min
Response: 12105735
Conc: 98.68 ug/ml




#11 n-Heneicosane (C21)

R.T.: 13.110 min
Delta R.T.: 0.000 min
Response: 11868997
Conc: 98.84 ug/ml



#12 1-chlorooctadecane (SURR)


R.T.: 12.941 min
Delta R.T.: 0.000 min
Response: 10490435
Conc: 99.22 ug/ml



#13 n-Docosane (C22)


R.T.: 13.695 min
Delta R.T.: 0.000 min
Response: 11751176
Conc: 98.74 ug/ml

Instrument :
FID_C
ClientSampleId :
100 PPM ALIPHATIC HC STD1




#14 n-Tetracosane (C24)

R.T.: 14.797 min
Delta R.T.: 0.000 min
Response: 11637443
Conc: 98.78 ug/ml




#15 n-Hexacosane (C26)

R.T.: 15.816 min
Delta R.T.: 0.000 min
Response: 11410589
Conc: 98.65 ug/ml



#16 n-Octacosane (C28)


R.T.: 16.765 min
Delta R.T.: 0.000 min
Response: 11146972
Conc: 98.03 ug/ml



#17 n-Tricontane (C30)


R.T.: 17.651 min
Delta R.T.: 0.000 min
Response: 11224678
Conc: 97.10 ug/ml

Instrument :
FID_C
ClientSampleId :
100 PPM ALIPHATIC HC STD1




#18 n-Dotriacontane (C32)

R.T.: 18.483 min
Delta R.T.: 0.000 min
Response: 10806351
Conc: 96.39 ug/ml




#19 n-Tetratriacontane (C34)

R.T.: 19.263 min
Delta R.T.: 0.000 min
Response: 9619727
Conc: 96.45 ug/ml



#20 n-Hexatriacontane (C36)

R.T.: 20.002 min
Delta R.T.: 0.000 min
Response: 8494635
Conc: 97.26 ug/ml



#21 n-Octatriacontane (C38)


R.T.: 20.726 min
Delta R.T.: 0.000 min
Response: 8112623
Conc: 97.30 ug/ml

Instrument :

FID_C

ClientSampleId :

100 PPM ALIPHATIC HC STD1



#22 n-Tetracontane (C40)

R.T.: 21.614 min
Delta R.T.: 0.000 min
Response: 7992636
Conc: 97.52 ug/ml

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC102324AL\
 Data File : FC067506.D
 Signal(s) : FID1A.ch
 Acq On : 23 Oct 2024 15:12
 Sample : 100 PPM ALIPHATIC HC STD1
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 102324.M
 Title : GC Extractables

Signal : FID1A.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.278	3.245	3.345	BB	1482982	12920314	89.76%	5.044%
2	4.343	4.275	4.414	BB	1378444	13085907	90.91%	5.108%
3	5.922	5.852	6.014	BB	1478546	14394132	100.00%	5.619%
4	6.360	6.300	6.427	BB	1268307	13016771	90.43%	5.081%
5	6.979	6.924	7.094	BV	1345672	13836866	96.13%	5.402%
6	8.152	8.077	8.224	BB	1158926	12659193	87.95%	4.942%
7	9.751	9.705	9.842	BB	1114390	12808774	88.99%	5.000%
8	11.193	11.149	11.265	BV	1059950	12738874	88.50%	4.973%
9	11.506	11.437	11.570	BB	1165644	14037783	97.52%	5.480%
10	12.499	12.434	12.565	BB	956464	12105735	84.10%	4.726%
11	12.941	12.872	13.005	BB	861029	10490435	72.88%	4.095%
12	13.110	13.005	13.180	BB	919632	11868997	82.46%	4.633%
13	13.695	13.630	13.759	BB	900624	11751176	81.64%	4.587%
14	14.797	14.717	14.872	BB	888415	11637443	80.85%	4.543%
15	15.816	15.625	15.892	BB	863938	11410589	79.27%	4.454%
16	16.765	16.665	16.867	BB	761325	11146972	77.44%	4.352%
17	17.651	17.592	17.727	BB	765890	11224678	77.98%	4.382%
18	18.483	18.404	18.552	BB	712666	10806351	75.07%	4.219%
19	19.263	19.187	19.330	BB	619243	9619727	66.83%	3.755%
20	20.002	19.937	20.090	BB	565569	8494635	59.01%	3.316%
21	20.726	20.640	20.805	BB	451489	8112623	56.36%	3.167%
22	21.614	21.512	21.744	BB	329592	7992636	55.53%	3.120%
Sum of corrected areas:						256160611		

Aliphatic EPH 102324.M Wed Oct 23 18:20:49 2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\F102324AL\
 Data File : FC067507.D
 Signal(s) : FID1A.ch
 Acq On : 23 Oct 2024 15:48
 Operator : YP/AJ
 Sample : 50 PPM ALIPHATIC HC STD2
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 FID_C
 ClientSampleId :
 50 PPM ALIPHATIC HC STD2

Integration File: autoint1.e
 Quant Time: Oct 23 17:21:14 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 102324.M
 Quant Title : GC Extractables
 QLast Update : Wed Oct 23 17:19:01 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.500	7186867	50.330 ug/ml
Spiked Amount 50.000		Recovery =	100.66%
12) S 1-chlorooctadecane (S...	12.937	5350584	50.403 ug/ml
Spiked Amount 50.000		Recovery =	100.81%
Target Compounds			
1) T n-Nonane (C9)	3.275	6596270	50.122 ug/ml
2) T n-Decane (C10)	4.340	6686022	50.181 ug/ml
3) T A~Naphthalene (C11.7)	5.918	7350672	50.344 ug/ml
4) T n-Dodecane (C12)	6.356	6650893	50.202 ug/ml
5) T A~2-methylnaphthalene...	6.974	7049073	50.402 ug/ml
6) T n-Tetradecane (C14)	8.149	6466785	50.292 ug/ml
7) T n-Hexadecane (C16)	9.747	6523849	50.293 ug/ml
8) T n-Octadecane (C18)	11.188	6511575	50.329 ug/ml
10) T n-Eicosane (C20)	12.495	6199533	50.355 ug/ml
11) T n-Heneicosane (C21)	13.105	6071593	50.372 ug/ml
13) T n-Docosane (C22)	13.691	6022373	50.399 ug/ml
14) T n-Tetracosane (C24)	14.793	5967985	50.435 ug/ml
15) T n-Hexacosane (C26)	15.812	5860085	50.441 ug/ml
16) T n-Octacosane (C28)	16.761	5758647	50.429 ug/ml
17) T n-Tricontane (C30)	17.647	5830292	50.290 ug/ml
18) T n-Dotriacontane (C32)	18.477	5634053	50.168 ug/ml
19) T n-Tetratriacontane (C34)	19.260	5024380	50.251 ug/ml
20) T n-Hexatriacontane (C36)	19.998	4430530	50.483 ug/ml
21) T n-Octatriacontane (C38)	20.720	4230730	50.491 ug/ml
22) T n-Tetracontane (C40)	21.606	4166615	50.557 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC102324AL\
Data File : FC067507.D
Signal(s) : FID1A.ch
Acq On : 23 Oct 2024 15:48
Operator : YP/AJ
Sample : 50 PPM ALIPHATIC HC STD2
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
FID_C
ClientSampleId :
50 PPM ALIPHATIC HC STD2

Integration File: autoint1.e
Quant Time: Oct 23 17:21:14 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 102324.M
Quant Title : GC Extractables
QLast Update : Wed Oct 23 17:19:01 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#1 n-Nonane (C9)


R.T.: 3.275 min
Delta R.T.: 0.000 min
Response: 6596270
Conc: 50.12 ug/ml

Instrument :
FID_C
ClientSampleId :
50 PPM ALIPHATIC HC STD2




#2 n-Decane (C10)

R.T.: 4.340 min
Delta R.T.: 0.000 min
Response: 6686022
Conc: 50.18 ug/ml




#3 A~Naphthalene (C11.7)

R.T.: 5.918 min
Delta R.T.: 0.000 min
Response: 7350672
Conc: 50.34 ug/ml



#4 n-Dodecane (C12)


R.T.: 6.356 min
Delta R.T.: 0.000 min
Response: 6650893
Conc: 50.20 ug/ml



#5 A~2-methylnaphthalene (C12.89)


R.T.: 6.974 min
Delta R.T.: 0.000 min
Response: 7049073
Conc: 50.40 ug/ml

Instrument :
FID_C
ClientSampleId :
50 PPM ALIPHATIC HC STD2




#6 n-Tetradecane (C14)

R.T.: 8.149 min
Delta R.T.: 0.000 min
Response: 6466785
Conc: 50.29 ug/ml




#7 n-Hexadecane (C16)

R.T.: 9.747 min
Delta R.T.: 0.000 min
Response: 6523849
Conc: 50.29 ug/ml



#8 n-Octadecane (C18)


R.T.: 11.188 min
Delta R.T.: 0.000 min
Response: 6511575
Conc: 50.33 ug/ml



#9 ortho-Terphenyl (SURR)


R.T.: 11.500 min
Delta R.T.: 0.000 min
Response: 7186867
Conc: 50.33 ug/ml

Instrument :
FID_C
ClientSampleId :
50 PPM ALIPHATIC HC STD2




#10 n-Eicosane (C20)

R.T.: 12.495 min
Delta R.T.: 0.000 min
Response: 6199533
Conc: 50.36 ug/ml




#11 n-Heneicosane (C21)

R.T.: 13.105 min
Delta R.T.: 0.000 min
Response: 6071593
Conc: 50.37 ug/ml



#12 1-chlorooctadecane (SURR)


R.T.: 12.937 min
Delta R.T.: 0.000 min
Response: 5350584
Conc: 50.40 ug/ml



#13 n-Docosane (C22)


R.T.: 13.691 min
Delta R.T.: 0.000 min
Response: 6022373
Conc: 50.40 ug/ml

Instrument :
FID_C
ClientSampleId :
50 PPM ALIPHATIC HC STD2




#14 n-Tetracosane (C24)

R.T.: 14.793 min
Delta R.T.: 0.000 min
Response: 5967985
Conc: 50.43 ug/ml




#15 n-Hexacosane (C26)

R.T.: 15.812 min
Delta R.T.: 0.000 min
Response: 5860085
Conc: 50.44 ug/ml



#16 n-Octacosane (C28)


R.T.: 16.761 min
Delta R.T.: 0.000 min
Response: 5758647
Conc: 50.43 ug/ml



#17 n-Tricontane (C30)


R.T.: 17.647 min
Delta R.T.: 0.000 min
Response: 5830292
Conc: 50.29 ug/ml

Instrument :
FID_C
ClientSampleId :
50 PPM ALIPHATIC HC STD2




#18 n-Dotriacontane (C32)

R.T.: 18.477 min
Delta R.T.: 0.000 min
Response: 5634053
Conc: 50.17 ug/ml




#19 n-Tetratriacontane (C34)

R.T.: 19.260 min
Delta R.T.: 0.000 min
Response: 5024380
Conc: 50.25 ug/ml



#20 n-Hexatriacontane (C36)


R.T.: 19.998 min
Delta R.T.: 0.000 min
Response: 4430530
Conc: 50.48 ug/ml



#21 n-Octatriacontane (C38)

R.T.: 20.720 min
Delta R.T.: 0.000 min
Response: 4230730
Conc: 50.49 ug/ml

Instrument :
FID_C
ClientSampleId :
50 PPM ALIPHATIC HC STD2



#22 n-Tetracontane (C40)

R.T.: 21.606 min
Delta R.T.: 0.000 min
Response: 4166615
Conc: 50.56 ug/ml

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC102324AL\
Data File : FC067507.D
Signal(s) : FID1A.ch
Acq On : 23 Oct 2024 15:48
Sample : 50 PPM ALIPHATIC HC STD2
Misc :
ALS Vial : 12 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 102324.M
Title : GC Extractables

Signal : FID1A.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.275	3.245	3.343	BB	787475	6596270	89.74%	5.014%
2	4.340	4.278	4.398	BB	725048	6686022	90.96%	5.082%
3	5.918	5.860	6.020	BB	788107	7350672	100.00%	5.587%
4	6.356	6.298	6.412	BB	647440	6650893	90.48%	5.055%
5	6.974	6.923	7.082	BB	708667	7049073	95.90%	5.358%
6	8.149	8.022	8.223	BB	584678	6466785	87.98%	4.915%
7	9.747	9.688	9.835	BB	574143	6523849	88.75%	4.958%
8	11.188	11.143	11.263	BB	557552	6511575	88.58%	4.949%
9	11.500	11.440	11.558	BB	638489	7186867	97.77%	5.462%
10	12.495	12.422	12.562	BB	521546	6199533	84.34%	4.712%
11	12.937	12.873	12.993	BB	438883	5350584	72.79%	4.067%
12	13.105	13.042	13.165	BB	507791	6071593	82.60%	4.615%
13	13.691	13.618	13.763	BB	482823	6022373	81.93%	4.577%
14	14.793	14.728	14.862	BB	460497	5967985	81.19%	4.536%
15	15.812	15.635	15.878	BB	438034	5860085	79.72%	4.454%
16	16.761	16.597	16.828	BB	395517	5758647	78.34%	4.377%
17	17.647	17.578	17.717	BB	427620	5830292	79.32%	4.431%
18	18.477	18.403	18.543	BB	385150	5634053	76.65%	4.282%
19	19.260	19.200	19.330	BB	345032	5024380	68.35%	3.819%
20	19.998	19.947	20.073	VB	291698	4430530	60.27%	3.367%
21	20.720	20.635	20.803	BB	239127	4230730	57.56%	3.216%
22	21.606	21.515	21.730	BB	172709	4166615	56.68%	3.167%
Sum of corrected areas:						131569405		

Aliphatic EPH 102324.M Wed Oct 23 18:21:16 2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC102324AL\
 Data File : FC067508.D
 Signal(s) : FID1A.ch
 Acq On : 23 Oct 2024 16:25
 Operator : YP/AJ
 Sample : 20 PPM ALIPHATIC HC STD3
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 FID_C
 ClientSampleId :
 20 PPM ALIPHATIC HC STD3

Integration File: autoint1.e
 Quant Time: Oct 23 17:17:15 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 102324.M
 Quant Title : GC Extractables
 QLast Update : Wed Oct 23 17:16:59 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.496	2885453	20.000 ug/ml
Spiked Amount 50.000		Recovery =	40.00%
12) S 1-chlorooctadecane (S...	12.935	2131037	20.000 ug/ml
Spiked Amount 50.000		Recovery =	40.00%
Target Compounds			
1) T n-Nonane (C9)	3.275	2673666	20.000 ug/ml
2) T n-Decane (C10)	4.339	2702691	20.000 ug/ml
3) T A~Naphthalene (C11.7)	5.916	2941492	20.000 ug/ml
4) T n-Dodecane (C12)	6.354	2685213	20.000 ug/ml
5) T A~2-methylnaphthalene...	6.971	2804469	20.000 ug/ml
6) T n-Tetradecane (C14)	8.146	2596600	20.000 ug/ml
7) T n-Hexadecane (C16)	9.745	2611645	20.000 ug/ml
8) T n-Octadecane (C18)	11.185	2610385	20.000 ug/ml
10) T n-Eicosane (C20)	12.492	2486010	20.000 ug/ml
11) T n-Heneicosane (C21)	13.103	2429615	20.000 ug/ml
13) T n-Docosane (C22)	13.688	2410406	20.000 ug/ml
14) T n-Tetracosane (C24)	14.790	2385181	20.000 ug/ml
15) T n-Hexacosane (C26)	15.809	2344463	20.000 ug/ml
16) T n-Octacosane (C28)	16.757	2318777	20.000 ug/ml
17) T n-Tricontane (C30)	17.644	2378909	20.000 ug/ml
18) T n-Dotriacontane (C32)	18.475	2323289	20.000 ug/ml
19) T n-Tetratriacontane (C34)	19.258	2065430	20.000 ug/ml
20) T n-Hexatriacontane (C36)	19.995	1794670	20.000 ug/ml
21) T n-Octatriacontane (C38)	20.718	1712685	20.000 ug/ml
22) T n-Tetracontane (C40)	21.604	1679680	20.000 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC102324AL\
Data File : FC067508.D
Signal(s) : FID1A.ch
Acq On : 23 Oct 2024 16:25
Operator : YP/AJ
Sample : 20 PPM ALIPHATIC HC STD3
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
FID_C
ClientSampleId :
20 PPM ALIPHATIC HC STD3

Integration File: autoint1.e
Quant Time: Oct 23 17:17:15 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 102324.M
Quant Title : GC Extractables
QLast Update : Wed Oct 23 17:16:59 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#1 n-Nonane (C9)


R.T.: 3.275 min
Delta R.T.: 0.000 min
Response: 2673666
Conc: 20.00 ug/ml

Instrument :
FID_C
ClientSampleId :
20 PPM ALIPHATIC HC STD3




#2 n-Decane (C10)

R.T.: 4.339 min
Delta R.T.: 0.000 min
Response: 2702691
Conc: 20.00 ug/ml




#3 A~Naphthalene (C11.7)

R.T.: 5.916 min
Delta R.T.: 0.000 min
Response: 2941492
Conc: 20.00 ug/ml



#4 n-Dodecane (C12)


R.T.: 6.354 min
Delta R.T.: 0.000 min
Response: 2685213
Conc: 20.00 ug/ml



#5 A~2-methylnaphthalene (C12.89)


R.T.: 6.971 min
Delta R.T.: 0.000 min
Response: 2804469
Conc: 20.00 ug/ml

Instrument :
FID_C
ClientSampleId :
20 PPM ALIPHATIC HC STD3




#6 n-Tetradecane (C14)

R.T.: 8.146 min
Delta R.T.: 0.000 min
Response: 2596600
Conc: 20.00 ug/ml




#7 n-Hexadecane (C16)

R.T.: 9.745 min
Delta R.T.: 0.000 min
Response: 2611645
Conc: 20.00 ug/ml



#8 n-Octadecane (C18)


R.T.: 11.185 min
Delta R.T.: 0.000 min
Response: 2610385
Conc: 20.00 ug/ml



#9 ortho-Terphenyl (SURR)


R.T.: 11.496 min
Delta R.T.: 0.000 min
Response: 2885453
Conc: 20.00 ug/ml

Instrument :
FID_C
ClientSampleId :
20 PPM ALIPHATIC HC STD3




#10 n-Eicosane (C20)

R.T.: 12.492 min
Delta R.T.: 0.000 min
Response: 2486010
Conc: 20.00 ug/ml




#11 n-Heneicosane (C21)

R.T.: 13.103 min
Delta R.T.: 0.000 min
Response: 2429615
Conc: 20.00 ug/ml



#12 1-chlorooctadecane (SURR)


R.T.: 12.935 min
Delta R.T.: 0.000 min
Response: 2131037
Conc: 20.00 ug/ml



#13 n-Docosane (C22)


R.T.: 13.688 min
Delta R.T.: 0.000 min
Response: 2410406
Conc: 20.00 ug/ml

Instrument :
FID_C
ClientSampleId :
20 PPM ALIPHATIC HC STD3




#14 n-Tetracosane (C24)

R.T.: 14.790 min
Delta R.T.: 0.000 min
Response: 2385181
Conc: 20.00 ug/ml




#15 n-Hexacosane (C26)

R.T.: 15.809 min
Delta R.T.: 0.000 min
Response: 2344463
Conc: 20.00 ug/ml



#16 n-Octacosane (C28)


R.T.: 16.757 min
Delta R.T.: 0.000 min
Response: 2318777
Conc: 20.00 ug/ml



#17 n-Tricontane (C30)


R.T.: 17.644 min
Delta R.T.: 0.000 min
Response: 2378909
Conc: 20.00 ug/ml

Instrument :
FID_C
ClientSampleId :
20 PPM ALIPHATIC HC STD3




#18 n-Dotriacontane (C32)

R.T.: 18.475 min
Delta R.T.: 0.000 min
Response: 2323289
Conc: 20.00 ug/ml




#19 n-Tetratriacontane (C34)

R.T.: 19.258 min
Delta R.T.: 0.000 min
Response: 2065430
Conc: 20.00 ug/ml



#20 n-Hexatriacontane (C36)


R.T.: 19.995 min
Delta R.T.: 0.000 min
Response: 1794670
Conc: 20.00 ug/ml



#21 n-Octatriacontane (C38)

R.T.: 20.718 min
Delta R.T.: 0.000 min
Response: 1712685
Conc: 20.00 ug/ml

Instrument :
FID_C
ClientSampleId :
20 PPM ALIPHATIC HC STD3



#22 n-Tetracontane (C40)

R.T.: 21.604 min
Delta R.T.: 0.000 min
Response: 1679680
Conc: 20.00 ug/ml

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC102324AL\
Data File : FC067508.D
Signal(s) : FID1A.ch
Acq On : 23 Oct 2024 16:25
Sample : 20 PPM ALIPHATIC HC STD3
Misc :
ALS Vial : 13 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 102324.M
Title : GC Extractables

Signal : FID1A.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.275	3.245	3.325	BB	321230	2673666	90.89%	5.047%
2	4.339	4.287	4.399	BB	291890	2702691	91.88%	5.102%
3	5.916	5.860	6.005	BB	318035	2941492	100.00%	5.553%
4	6.354	6.289	6.420	BB	270407	2685213	91.29%	5.069%
5	6.971	6.924	7.074	BB	271627	2804469	95.34%	5.294%
6	8.146	8.082	8.215	BB	241446	2596600	88.27%	4.902%
7	9.745	9.687	9.824	BB	236243	2611645	88.79%	4.930%
8	11.185	11.139	11.262	BB	226739	2610385	88.74%	4.928%
9	11.496	11.437	11.555	BB	253146	2885453	98.09%	5.447%
10	12.492	12.424	12.549	BB	205716	2486010	84.52%	4.693%
11	12.935	12.879	12.997	BB	178352	2131037	72.45%	4.023%
12	13.103	13.037	13.162	BB	194305	2429615	82.60%	4.587%
13	13.688	13.622	13.759	BB	184039	2410406	81.95%	4.550%
14	14.790	14.719	14.854	BB	186782	2385181	81.09%	4.503%
15	15.809	15.747	15.872	BB	171744	2344463	79.70%	4.426%
16	16.757	16.684	16.830	BB	165164	2318777	78.83%	4.377%
17	17.644	17.575	17.707	BB	168160	2378909	80.87%	4.491%
18	18.475	18.417	18.544	BB	168488	2323289	78.98%	4.386%
19	19.258	19.065	19.324	BB	141960	2065430	70.22%	3.899%
20	19.995	19.942	20.054	PB	118336	1794670	61.01%	3.388%
21	20.718	20.667	20.790	BB	94381	1712685	58.23%	3.233%
22	21.604	21.535	21.702	BB	71304	1679680	57.10%	3.171%
Sum of corrected areas:							52971767	

Aliphatic EPH 102324.M Wed Oct 23 18:21:40 2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC102324AL\
 Data File : FC067509.D
 Signal(s) : FID1A.ch
 Acq On : 23 Oct 2024 17:02
 Operator : YP/AJ
 Sample : 10 PPM ALIPHATIC HC STD4
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 FID_C
 ClientSampleId :
 10 PPM ALIPHATIC HC STD4

Integration File: autoint1.e
 Quant Time: Oct 23 17:42:18 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 102324.M
 Quant Title : GC Extractables
 QLast Update : Wed Oct 23 17:42:09 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.495	1516253	10.457 ug/ml
Spiked Amount 50.000		Recovery =	20.91%
12) S 1-chlorooctadecane (S...	12.934	1104370	10.299 ug/ml
Spiked Amount 50.000		Recovery =	20.60%
Target Compounds			
1) T n-Nonane (C9)	3.274	1392325	10.429 ug/ml
2) T n-Decane (C10)	4.338	1408883	10.425 ug/ml
3) T A~Naphthalene (C11.7)	5.916	1523229	10.321 ug/ml
4) T n-Dodecane (C12)	6.353	1397121	10.404 ug/ml
5) T A~2-methylnaphthalene...	6.971	1445653	10.250 ug/ml
6) T n-Tetradecane (C14)	8.146	1348794	10.363 ug/ml
7) T n-Hexadecane (C16)	9.744	1353251	10.321 ug/ml
8) T n-Octadecane (C18)	11.184	1362847	10.395 ug/ml
10) T n-Eicosane (C20)	12.491	1299257	10.409 ug/ml
11) T n-Heneicosane (C21)	13.102	1272574	10.413 ug/ml
13) T n-Docosane (C22)	13.687	1260218	10.404 ug/ml
14) T n-Tetracosane (C24)	14.789	1251574	10.427 ug/ml
15) T n-Hexacosane (C26)	15.808	1226594	10.413 ug/ml
16) T n-Octacosane (C28)	16.756	1213286	10.461 ug/ml
17) T n-Tricontane (C30)	17.643	1249088	10.570 ug/ml
18) T n-Dotriacontane (C32)	18.474	1225099	10.667 ug/ml
19) T n-Tetratriacontane (C34)	19.257	1087201	10.641 ug/ml
20) T n-Hexatriacontane (C36)	19.995	941330	10.535 ug/ml
21) T n-Octatriacontane (C38)	20.719	898154	10.530 ug/ml
22) T n-Tetracontane (C40)	21.604	882650	10.523 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC102324AL\
Data File : FC067509.D
Signal(s) : FID1A.ch
Acq On : 23 Oct 2024 17:02
Operator : YP/AJ
Sample : 10 PPM ALIPHATIC HC STD4
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
FID_C
ClientSampleId :
10 PPM ALIPHATIC HC STD4

Integration File: autoint1.e
Quant Time: Oct 23 17:42:18 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 102324.M
Quant Title : GC Extractables
QLast Update : Wed Oct 23 17:42:09 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#1 n-Nonane (C9)


R.T.: 3.274 min
Delta R.T.: 0.000 min
Response: 1392325
Conc: 10.43 ug/ml

Instrument :
FID_C
ClientSampleId :
10 PPM ALIPHATIC HC STD4




#2 n-Decane (C10)

R.T.: 4.338 min
Delta R.T.: 0.000 min
Response: 1408883
Conc: 10.42 ug/ml




#3 A~Naphthalene (C11.7)

R.T.: 5.916 min
Delta R.T.: 0.000 min
Response: 1523229
Conc: 10.32 ug/ml



#4 n-Dodecane (C12)


R.T.: 6.353 min
Delta R.T.: 0.000 min
Response: 1397121
Conc: 10.40 ug/ml



#5 A~2-methylnaphthalene (C12.89)


R.T.: 6.971 min
Delta R.T.: 0.000 min
Response: 1445653
Conc: 10.25 ug/ml

Instrument :
FID_C
ClientSampleId :
10 PPM ALIPHATIC HC STD4




#6 n-Tetradecane (C14)

R.T.: 8.146 min
Delta R.T.: 0.000 min
Response: 1348794
Conc: 10.36 ug/ml




#7 n-Hexadecane (C16)

R.T.: 9.744 min
Delta R.T.: 0.000 min
Response: 1353251
Conc: 10.32 ug/ml



#8 n-Octadecane (C18)


R.T.: 11.184 min
Delta R.T.: 0.000 min
Response: 1362847
Conc: 10.39 ug/ml



#9 ortho-Terphenyl (SURR)


R.T.: 11.495 min
Delta R.T.: 0.000 min
Response: 1516253
Conc: 10.46 ug/ml

Instrument :
FID_C
ClientSampleId :
10 PPM ALIPHATIC HC STD4




#10 n-Eicosane (C20)

R.T.: 12.491 min
Delta R.T.: 0.000 min
Response: 1299257
Conc: 10.41 ug/ml




#11 n-Heneicosane (C21)

R.T.: 13.102 min
Delta R.T.: 0.000 min
Response: 1272574
Conc: 10.41 ug/ml



#12 1-chlorooctadecane (SURR)


R.T.: 12.934 min
Delta R.T.: 0.000 min
Response: 1104370
Conc: 10.30 ug/ml



#13 n-Docosane (C22)


R.T.: 13.687 min
Delta R.T.: 0.000 min
Response: 1260218
Conc: 10.40 ug/ml

Instrument :
FID_C
ClientSampleId :
10 PPM ALIPHATIC HC STD4




#14 n-Tetracosane (C24)

R.T.: 14.789 min
Delta R.T.: 0.000 min
Response: 1251574
Conc: 10.43 ug/ml




#15 n-Hexacosane (C26)

R.T.: 15.808 min
Delta R.T.: 0.000 min
Response: 1226594
Conc: 10.41 ug/ml



#16 n-Octacosane (C28)


R.T.: 16.756 min
Delta R.T.: 0.000 min
Response: 1213286
Conc: 10.46 ug/ml



#17 n-Tricontane (C30)


R.T.: 17.643 min
Delta R.T.: 0.000 min
Response: 1249088
Conc: 10.57 ug/ml

Instrument :
FID_C
ClientSampleId :
10 PPM ALIPHATIC HC STD4




#18 n-Dotriacontane (C32)

R.T.: 18.474 min
Delta R.T.: 0.000 min
Response: 1225099
Conc: 10.67 ug/ml




#19 n-Tetatriacontane (C34)

R.T.: 19.257 min
Delta R.T.: 0.000 min
Response: 1087201
Conc: 10.64 ug/ml



#20 n-Hexatriacontane (C36)


R.T.: 19.995 min
Delta R.T.: 0.000 min
Response: 941330
Conc: 10.53 ug/ml



#21 n-Octatriacontane (C38)

R.T.: 20.719 min
Delta R.T.: 0.000 min
Response: 898154
Conc: 10.53 ug/ml

Instrument :
FID_C
ClientSampleId :
10 PPM ALIPHATIC HC STD4



#22 n-Tetracontane (C40)

R.T.: 21.604 min
Delta R.T.: 0.000 min
Response: 882650
Conc: 10.52 ug/ml

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC102324AL\
Data File : FC067509.D
Signal(s) : FID1A.ch
Acq On : 23 Oct 2024 17:02
Sample : 10 PPM ALIPHATIC HC STD4
Misc :
ALS Vial : 14 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 102324.M
Title : GC Extractables

Signal : FID1A.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.274	3.245	3.327	BB	163023	1392325	91.41%	5.034%
2	4.338	4.289	4.404	BB	153448	1408883	92.49%	5.094%
3	5.916	5.857	5.999	BB	163420	1523229	100.00%	5.507%
4	6.353	6.292	6.417	BB	139335	1397121	91.72%	5.051%
5	6.971	6.909	7.067	BB	137359	1445653	94.91%	5.227%
6	8.146	8.094	8.210	BB	122199	1348794	88.55%	4.876%
7	9.744	9.682	9.805	BB	117477	1353251	88.84%	4.892%
8	11.184	11.077	11.247	BB	117457	1362847	89.47%	4.927%
9	11.495	11.434	11.554	BB	135385	1516253	99.54%	5.482%
10	12.491	12.422	12.554	BB	101975	1299257	85.30%	4.697%
11	12.934	12.875	12.987	BB	92846	1104370	72.50%	3.993%
12	13.102	13.034	13.167	BB	103848	1272574	83.54%	4.601%
13	13.687	13.622	13.755	BB	98770	1260218	82.73%	4.556%
14	14.789	14.729	14.859	BB	96250	1251574	82.17%	4.525%
15	15.808	15.744	15.872	BB	89337	1226594	80.53%	4.435%
16	16.756	16.694	16.817	BB	91173	1213286	79.65%	4.386%
17	17.643	17.577	17.707	BB	85908	1249088	82.00%	4.516%
18	18.474	18.404	18.530	BB	81392	1225099	80.43%	4.429%
19	19.257	19.182	19.322	BB	75084	1087201	71.37%	3.931%
20	19.995	19.942	20.039	BB	65222	941330	61.80%	3.403%
21	20.719	20.642	20.775	BB	51277	898154	58.96%	3.247%
22	21.604	21.527	21.695	BB	35971	882650	57.95%	3.191%
Sum of corrected areas:						27659751		

Aliphatic EPH 102324.M Wed Oct 23 18:21:58 2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC102324AL\
 Data File : FC067510.D
 Signal(s) : FID1A.ch
 Acq On : 23 Oct 2024 17:38
 Operator : YP/AJ
 Sample : 5 PPM ALIPHATIC HC STD5
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 FID_C
 ClientSampleId :
 5 PPM ALIPHATIC HC STD5

Integration File: autoint1.e
 Quant Time: Oct 23 18:12:12 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 102324.M
 Quant Title : GC Extractables
 QLast Update : Wed Oct 23 18:12:02 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.494	768220	5.236 ug/ml
Spiked Amount 50.000		Recovery =	10.47%
12) S 1-chlorooctadecane (S...	12.933	555182	5.141 ug/ml
Spiked Amount 50.000		Recovery =	10.28%
Target Compounds			
1) T n-Nonane (C9)	3.275	697792	5.180 ug/ml
2) T n-Decane (C10)	4.339	703136	5.161 ug/ml
3) T A~Naphthalene (C11.7)	5.917	752949	5.081 ug/ml
4) T n-Dodecane (C12)	6.354	700270	5.170 ug/ml
5) T A~2-methylnaphthalene...	6.971	709834	5.026 ug/ml
6) T n-Tetradecane (C14)	8.146	678328	5.168 ug/ml
7) T n-Hexadecane (C16)	9.744	680213	5.149 ug/ml
8) T n-Octadecane (C18)	11.184	680709	5.152 ug/ml
10) T n-Eicosane (C20)	12.491	658066	5.215 ug/ml
11) T n-Heneicosane (C21)	13.102	641065	5.194 ug/ml
13) T n-Docosane (C22)	13.687	638712	5.216 ug/ml
14) T n-Tetracosane (C24)	14.789	629495	5.193 ug/ml
15) T n-Hexacosane (C26)	15.808	620443	5.211 ug/ml
16) T n-Octacosane (C28)	16.758	621629	5.284 ug/ml
17) T n-Tricontane (C30)	17.643	658247	5.446 ug/ml
18) T n-Dotriacontane (C32)	18.474	660916	5.586 ug/ml
19) T n-Tetratriacontane (C34)	19.256	574804	5.489 ug/ml
20) T n-Hexatriacontane (C36)	19.994	488556	5.367 ug/ml
21) T n-Octatriacontane (C38)	20.718	459107	5.301 ug/ml
22) T n-Tetracontane (C40)	21.603	447730	5.267 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC102324AL\
Data File : FC067510.D
Signal(s) : FID1A.ch
Acq On : 23 Oct 2024 17:38
Operator : YP/AJ
Sample : 5 PPM ALIPHATIC HC STD5
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
FID_C
ClientSampleId :
5 PPM ALIPHATIC HC STD5

Integration File: autoint1.e
Quant Time: Oct 23 18:12:12 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 102324.M
Quant Title : GC Extractables
QLast Update : Wed Oct 23 18:12:02 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#1 n-Nonane (C9)


R.T.: 3.275 min
Delta R.T.: 0.000 min
Response: 697792
Conc: 5.18 ug/ml

Instrument :
FID_C
ClientSampleId :
5 PPM ALIPHATIC HC STD5




#2 n-Decane (C10)

R.T.: 4.339 min
Delta R.T.: 0.000 min
Response: 703136
Conc: 5.16 ug/ml




#3 A~Naphthalene (C11.7)

R.T.: 5.917 min
Delta R.T.: 0.000 min
Response: 752949
Conc: 5.08 ug/ml



#4 n-Dodecane (C12)


R.T.: 6.354 min
Delta R.T.: 0.000 min
Response: 700270
Conc: 5.17 ug/ml



#5 A~2-methylnaphthalene (C12.89)


R.T.: 6.971 min
Delta R.T.: 0.000 min
Response: 709834
Conc: 5.03 ug/ml

Instrument :
FID_C
ClientSampleId :
5 PPM ALIPHATIC HC STD5




#6 n-Tetradecane (C14)

R.T.: 8.146 min
Delta R.T.: 0.000 min
Response: 678328
Conc: 5.17 ug/ml




#7 n-Hexadecane (C16)

R.T.: 9.744 min
Delta R.T.: 0.000 min
Response: 680213
Conc: 5.15 ug/ml



#8 n-Octadecane (C18)


R.T.: 11.184 min
Delta R.T.: 0.000 min
Response: 680709
Conc: 5.15 ug/ml



#9 ortho-Terphenyl (SURR)


R.T.: 11.494 min
Delta R.T.: 0.000 min
Response: 768220
Conc: 5.24 ug/ml

Instrument :
FID_C
ClientSampleId :
5 PPM ALIPHATIC HC STD5




#10 n-Eicosane (C20)

R.T.: 12.491 min
Delta R.T.: 0.000 min
Response: 658066
Conc: 5.22 ug/ml




#11 n-Heneicosane (C21)

R.T.: 13.102 min
Delta R.T.: 0.000 min
Response: 641065
Conc: 5.19 ug/ml



#12 1-chlorooctadecane (SURR)


R.T.: 12.933 min
Delta R.T.: 0.000 min
Response: 555182
Conc: 5.14 ug/ml



#13 n-Docosane (C22)


R.T.: 13.687 min
Delta R.T.: 0.000 min
Response: 638712
Conc: 5.22 ug/ml

Instrument :
FID_C
ClientSampleId :
5 PPM ALIPHATIC HC STD5




#14 n-Tetracosane (C24)

R.T.: 14.789 min
Delta R.T.: 0.000 min
Response: 629495
Conc: 5.19 ug/ml




#15 n-Hexacosane (C26)

R.T.: 15.808 min
Delta R.T.: 0.000 min
Response: 620443
Conc: 5.21 ug/ml



#16 n-Octacosane (C28)


R.T.: 16.758 min
Delta R.T.: 0.000 min
Response: 621629
Conc: 5.28 ug/ml



#17 n-Tricontane (C30)


R.T.: 17.643 min
Delta R.T.: 0.000 min
Response: 658247
Conc: 5.45 ug/ml

Instrument :
FID_C
ClientSampleId :
5 PPM ALIPHATIC HC STD5




#18 n-Dotriacontane (C32)

R.T.: 18.474 min
Delta R.T.: 0.000 min
Response: 660916
Conc: 5.59 ug/ml




#19 n-Tetratriacontane (C34)

R.T.: 19.256 min
Delta R.T.: 0.000 min
Response: 574804
Conc: 5.49 ug/ml



#20 n-Hexatriacontane (C36)


R.T.: 19.994 min
Delta R.T.: 0.000 min
Response: 488556
Conc: 5.37 ug/ml



#21 n-Octatriacontane (C38)

R.T.: 20.718 min
Delta R.T.: 0.000 min
Response: 459107
Conc: 5.30 ug/ml

Instrument :
FID_C
ClientSampleId :
5 PPM ALIPHATIC HC STD5



#22 n-Tetracontane (C40)

R.T.: 21.603 min
Delta R.T.: 0.000 min
Response: 447730
Conc: 5.27 ug/ml

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC102324AL\
Data File : FC067510.D
Signal(s) : FID1A.ch
Acq On : 23 Oct 2024 17:38
Sample : 5 PPM ALIPHATIC HC STD5
Misc :
ALS Vial : 15 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 102324.M
Title : GC Extractables

Signal : FID1A.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.275	3.245	3.320	BB	82274	697792	90.83%	4.975%
2	4.339	4.282	4.399	BB	74065	703136	91.53%	5.013%
3	5.917	5.867	5.985	BB	77688	752949	98.01%	5.368%
4	6.354	6.292	6.412	BB	68794	700270	91.15%	4.993%
5	6.971	6.919	7.057	BB	65640	709834	92.40%	5.061%
6	8.146	8.084	8.214	BB	60655	678328	88.30%	4.836%
7	9.744	9.687	9.804	BB	58521	680213	88.54%	4.850%
8	11.184	11.129	11.237	BB	55995	680709	88.61%	4.853%
9	11.494	11.440	11.550	BB	71976	768220	100.00%	5.477%
10	12.491	12.432	12.549	BB	54755	658066	85.66%	4.692%
11	12.933	12.869	12.992	BB	45156	555182	72.27%	3.958%
12	13.102	13.045	13.145	BB	52087	641065	83.45%	4.571%
13	13.687	13.627	13.752	BB	50083	638712	83.14%	4.554%
14	14.789	14.732	14.842	BB	47789	629495	81.94%	4.488%
15	15.808	15.750	15.872	BB	43825	620443	80.76%	4.424%
16	16.758	16.690	16.810	BB	44656	621629	80.92%	4.432%
17	17.643	17.500	17.699	BB	47945	658247	85.68%	4.693%
18	18.474	18.404	18.535	BB	48459	660916	86.03%	4.712%
19	19.256	19.192	19.309	BB	38187	574804	74.82%	4.098%
20	19.994	19.950	20.040	BB	32420	488556	63.60%	3.483%
21	20.718	20.654	20.767	BB	25975	459107	59.76%	3.273%
22	21.603	21.525	21.690	BB	18849	447730	58.28%	3.192%
Sum of corrected areas:						14025400		

Aliphatic EPH 102324.M Wed Oct 23 18:22:16 2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC102324AL\
 Data File : FC067511.D
 Signal(s) : FID1A.ch
 Acq On : 23 Oct 2024 18:14
 Operator : YP/AJ
 Sample : 20 PPM ALIPHATIC HC STD ICV
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 FID_C
 ClientSampleId :
 20 PPM ALIPHATIC HC STD ICV

Integration File: autoint1.e
 Quant Time: Oct 23 18:51:58 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 102324.M
 Quant Title : GC Extractables
 QLast Update : Wed Oct 23 18:12:58 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.496	2853188	19.445 ug/ml
Spiked Amount 50.000		Recovery =	38.89%
12) S 1-chlorooctadecane (S...	12.935	2112213	19.560 ug/ml
Spiked Amount 50.000		Recovery =	39.12%
Target Compounds			
1) T n-Nonane (C9)	3.274	2613683	19.401 ug/ml
2) T n-Decane (C10)	4.339	2649286	19.445 ug/ml
3) T A~Naphthalene (C11.7)	5.916	2894144	19.530 ug/ml
4) T n-Dodecane (C12)	6.354	2640477	19.495 ug/ml
5) T A~2-methylnaphthalene...	6.971	2771002	19.622 ug/ml
6) T n-Tetradecane (C14)	8.147	2559793	19.502 ug/ml
7) T n-Hexadecane (C16)	9.744	2585935	19.575 ug/ml
8) T n-Octadecane (C18)	11.185	2593351	19.630 ug/ml
10) T n-Eicosane (C20)	12.493	2466507	19.548 ug/ml
11) T n-Heneicosane (C21)	13.103	2414000	19.560 ug/ml
13) T n-Docosane (C22)	13.688	2390568	19.523 ug/ml
14) T n-Tetracosane (C24)	14.790	2369147	19.546 ug/ml
15) T n-Hexacosane (C26)	15.809	2326770	19.544 ug/ml
16) T n-Octacosane (C28)	16.757	2297199	19.526 ug/ml
17) T n-Tricontane (C30)	17.643	2353840	19.474 ug/ml
18) T n-Dotriacontane (C32)	18.474	2301371	19.450 ug/ml
19) T n-Tetratriacontane (C34)	19.258	2044186	19.519 ug/ml
20) T n-Hexatriacontane (C36)	19.996	1784212	19.601 ug/ml
21) T n-Octatriacontane (C38)	20.719	1698313	19.610 ug/ml
22) T n-Tetracontane (C40)	21.604	1661417	19.544 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC102324AL\
Data File : FC067511.D
Signal(s) : FID1A.ch
Acq On : 23 Oct 2024 18:14
Operator : YP/AJ
Sample : 20 PPM ALIPHATIC HC STD ICV
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
FID_C
ClientSampleId :
20 PPM ALIPHATIC HC STD ICV

Integration File: autoint1.e
Quant Time: Oct 23 18:51:58 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 102324.M
Quant Title : GC Extractables
QLast Update : Wed Oct 23 18:12:58 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um





#1 n-Nonane (C9)


R.T.: 3.274 min
Delta R.T.: 0.000 min
Response: 2613683
Conc: 19.40 ug/ml

Instrument :

FID_C


ClientSampleId :

20 PPM ALIPHATIC HC STD ICV




#2 n-Decane (C10)

R.T.: 4.339 min
Delta R.T.: 0.000 min
Response: 2649286
Conc: 19.44 ug/ml




#3 A~Naphthalene (C11.7)

R.T.: 5.916 min
Delta R.T.: 0.000 min
Response: 2894144
Conc: 19.53 ug/ml



#4 n-Dodecane (C12)


R.T.: 6.354 min
Delta R.T.: 0.000 min
Response: 2640477
Conc: 19.50 ug/ml



#5 A~2-methylnaphthalene (C12.89)


R.T.: 6.971 min
Delta R.T.: 0.000 min
Response: 2771002
Conc: 19.62 ug/ml

Instrument :
FID_C
ClientSampleId :
20 PPM ALIPHATIC HC STD ICV




#6 n-Tetradecane (C14)

R.T.: 8.147 min
Delta R.T.: 0.000 min
Response: 2559793
Conc: 19.50 ug/ml




#7 n-Hexadecane (C16)

R.T.: 9.744 min
Delta R.T.: 0.000 min
Response: 2585935
Conc: 19.58 ug/ml



#8 n-Octadecane (C18)

R.T.: 11.185 min
Delta R.T.: 0.000 min
Response: 2593351
Conc: 19.63 ug/ml



#9 ortho-Terphenyl (SURR)


R.T.: 11.496 min
Delta R.T.: 0.002 min
Response: 2853188
Conc: 19.44 ug/ml

Instrument :

FID_C


ClientSampleId :

20 PPM ALIPHATIC HC STD ICV




#10 n-Eicosane (C20)

R.T.: 12.493 min
Delta R.T.: 0.002 min
Response: 2466507
Conc: 19.55 ug/ml




#11 n-Heneicosane (C21)

R.T.: 13.103 min
Delta R.T.: 0.000 min
Response: 2414000
Conc: 19.56 ug/ml



#12 1-chlorooctadecane (SURR)

R.T.: 12.935 min
Delta R.T.: 0.002 min
Response: 2112213
Conc: 19.56 ug/ml



#13 n-Docosane (C22)


R.T.: 13.688 min
Delta R.T.: 0.000 min
Response: 2390568
Conc: 19.52 ug/ml

Instrument :

FID_C


ClientSampleId :

20 PPM ALIPHATIC HC STD ICV




#14 n-Tetracosane (C24)

R.T.: 14.790 min
Delta R.T.: 0.000 min
Response: 2369147
Conc: 19.55 ug/ml




#15 n-Hexacosane (C26)

R.T.: 15.809 min
Delta R.T.: 0.001 min
Response: 2326770
Conc: 19.54 ug/ml



#16 n-Octacosane (C28)

R.T.: 16.757 min
Delta R.T.: 0.000 min
Response: 2297199
Conc: 19.53 ug/ml



#17 n-Tricontane (C30)


R.T.: 17.643 min
Delta R.T.: 0.000 min
Response: 2353840
Conc: 19.47 ug/ml

Instrument :

FID_C


ClientSampleId :

20 PPM ALIPHATIC HC STD ICV




#18 n-Dotriacontane (C32)

R.T.: 18.474 min
Delta R.T.: 0.000 min
Response: 2301371
Conc: 19.45 ug/ml




#19 n-Tetatriacontane (C34)

R.T.: 19.258 min
Delta R.T.: 0.002 min
Response: 2044186
Conc: 19.52 ug/ml



#20 n-Hexatriacontane (C36)


R.T.: 19.996 min
Delta R.T.: 0.002 min
Response: 1784212
Conc: 19.60 ug/ml



#21 n-Octatriacontane (C38)

R.T.: 20.719 min
Delta R.T.: 0.000 min
Response: 1698313
Conc: 19.61 ug/ml

Instrument :
FID_C
ClientSampleId :
20 PPM ALIPHATIC HC STD ICV



#22 n-Tetracontane (C40)

R.T.: 21.604 min
Delta R.T.: 0.000 min
Response: 1661417
Conc: 19.54 ug/ml

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC102324AL\
Data File : FC067511.D
Signal(s) : FID1A.ch
Acq On : 23 Oct 2024 18:14
Sample : 20 PPM ALIPHATIC HC STD ICV
Misc :
ALS Vial : 16 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 102324.M
Title : GC Extractables

Signal : FID1A.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.274	3.245	3.334	BB	310826	2613683	90.31%	4.990%
2	4.339	4.280	4.410	BB	292955	2649286	91.54%	5.058%
3	5.916	5.865	6.012	BB	308318	2894144	100.00%	5.525%
4	6.354	6.292	6.422	BB	265716	2640477	91.24%	5.041%
5	6.971	6.924	7.080	BB	274073	2771002	95.75%	5.290%
6	8.147	8.085	8.220	BB	244098	2559793	88.45%	4.887%
7	9.744	9.689	9.819	BB	236009	2585935	89.35%	4.937%
8	11.185	11.139	11.262	BB	218367	2593351	89.61%	4.951%
9	11.496	11.429	11.555	BB	264747	2853188	98.58%	5.447%
10	12.493	12.430	12.547	BB	193698	2466507	85.22%	4.709%
11	12.935	12.870	12.995	BB	169232	2112213	72.98%	4.032%
12	13.103	13.039	13.164	BB	187529	2414000	83.41%	4.609%
13	13.688	13.620	13.752	BB	190590	2390568	82.60%	4.564%
14	14.790	14.720	14.859	BB	178398	2369147	81.86%	4.523%
15	15.809	15.749	15.875	BB	181908	2326770	80.40%	4.442%
16	16.757	16.670	16.834	BB	173028	2297199	79.37%	4.386%
17	17.643	17.582	17.709	BB	172064	2353840	81.33%	4.494%
18	18.474	18.412	18.537	BB	160280	2301371	79.52%	4.394%
19	19.258	19.065	19.320	BB	140731	2044186	70.63%	3.903%
20	19.996	19.949	20.062	BB	120232	1784212	61.65%	3.406%
21	20.719	20.647	20.794	BB	100162	1698313	58.68%	3.242%
22	21.604	21.519	21.695	BB	70657	1661417	57.41%	3.172%
Sum of corrected areas:							52380600	

Aliphatic EPH 102324.M Wed Oct 23 18:53:21 2024