

Analytical Sequence

Client: Portal Partners Tri-Venture	SDG No.: P4718
Project: Amtrak Sawtooth Bridges 2024	Instrument ID: ECD_S
GC Column: RTX-CLP	ID: 0.32 (mm) Inst. Calib. Date(s): 11/08/2024 11/08/2024

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

EPA SAMPLE NO.	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCAA RT #	RT #
LBLK	LBLK	11/08/2024	14:25	PS028355.D	7.25	0.00
HSTDICC200	HSTDICC200	11/08/2024	15:13	PS028356.D	7.25	0.00
HSTDICC500	HSTDICC500	11/08/2024	15:46	PS028357.D	7.25	0.00
HSTDICC750	HSTDICC750	11/08/2024	16:10	PS028358.D	7.25	0.00
HSTDICC1000	HSTDICC1000	11/08/2024	16:34	PS028359.D	7.25	0.00
HSTDICC1500	HSTDICC1500	11/08/2024	16:58	PS028360.D	7.25	0.00
LBLK	LBLK	11/12/2024	13:00	PS028450.D	7.24	0.00
HSTDCCC750	HSTDCCC750	11/12/2024	13:25	PS028451.D	7.24	0.00
PB164850BL	PB164850BL	11/12/2024	13:53	PS028452.D	7.25	0.00
PB164850BS	PB164850BS	11/12/2024	14:17	PS028453.D	7.24	0.00
PB164694TB	PB164694TB	11/12/2024	14:49	PS028454.D	7.25	0.00
WB-307-SB02	P4718-03	11/12/2024	15:38	PS028456.D	7.24	0.00
WB-307-SB02MS	P4718-03MS	11/12/2024	16:03	PS028457.D	7.24	0.00
WB-307-SB02MSD	P4718-03MSD	11/12/2024	16:27	PS028458.D	7.24	0.00
LBLK	LBLK	11/12/2024	18:04	PS028462.D	7.24	0.00
HSTDCCC750	HSTDCCC750	11/12/2024	18:29	PS028463.D	7.24	0.00

Analytical Sequence

Client: Portal Partners Tri-Venture	SDG No.: P4718
Project: Amtrak Sawtooth Bridges 2024	Instrument ID: ECD_S
GC Column: RTX-CLP2	ID: 0.32 (mm) Inst. Calib. Date(s): 11/08/2024 11/08/2024

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

EPA SAMPLE NO.	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCAA RT #	RT #
LBLK	LBLK	11/08/2024	14:25	PS028355.D	7.76	0.00
HSTDICC200	HSTDICC200	11/08/2024	15:13	PS028356.D	7.76	0.00
HSTDICC500	HSTDICC500	11/08/2024	15:46	PS028357.D	7.75	0.00
HSTDICC750	HSTDICC750	11/08/2024	16:10	PS028358.D	7.76	0.00
HSTDICC1000	HSTDICC1000	11/08/2024	16:34	PS028359.D	7.76	0.00
HSTDICC1500	HSTDICC1500	11/08/2024	16:58	PS028360.D	7.76	0.00
LBLK	LBLK	11/12/2024	13:00	PS028450.D	7.75	0.00
HSTDCCC750	HSTDCCC750	11/12/2024	13:25	PS028451.D	7.75	0.00
PB164850BL	PB164850BL	11/12/2024	13:53	PS028452.D	7.75	0.00
PB164850BS	PB164850BS	11/12/2024	14:17	PS028453.D	7.75	0.00
PB164694TB	PB164694TB	11/12/2024	14:49	PS028454.D	7.75	0.00
WB-307-SB02	P4718-03	11/12/2024	15:38	PS028456.D	7.75	0.00
WB-307-SB02MS	P4718-03MS	11/12/2024	16:03	PS028457.D	7.75	0.00
WB-307-SB02MSD	P4718-03MSD	11/12/2024	16:27	PS028458.D	7.75	0.00
LBLK	LBLK	11/12/2024	18:04	PS028462.D	7.75	0.00
HSTDCCC750	HSTDCCC750	11/12/2024	18:29	PS028463.D	7.75	0.00