

Report of Analysis

Client:	ENTACT	Date Collected:	11/05/24
Project:	North Point	Date Received:	11/05/24
Client Sample ID:	EX-9-TPH-2MSD	SDG No.:	P4721
Lab Sample ID:	P4721-09MSD	Matrix:	SOIL
Analytical Method:	8015D DRO	% Solid:	85.5
Sample Wt/Vol:	30.07	Units:	g
Soil Aliquot Vol:			uL
Extraction Type:		Final Vol:	1
GPC Factor :		PH :	
Prep Method :	SW3541	Decanted:	
		Test:	Diesel Range Organics
		Injection Volume :	

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
FG014685.D	1	11/07/24 08:30	11/07/24 21:36	PB164744

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
DRO	DRO	11400		216	1950	ug/kg
SURROGATES						
16416-32-3	Tetracosane-d50	11.7		37 - 130	58%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit