

Initial Calibration Report for SequenceID : FD102324AR

AreaCount

Parameter Range	FD048568.D	FD048569.D	FD048570.D	FD048571.D	FD048572.D	
Aromatic C10-C12	34560081.000	17413124.000	7062069.000	3602660.000	1773971.000	
Aromatic C12-C16	51756513.000	26214353.000	10660566.000	5474983.000	2683618.000	
Aromatic C16-C21	64464447.000	32614919.000	13171585.000	6675037.000	3268126.000	
Aromatic C21-C36	134161995.000	67904676.000	27627174.000	14154223.000	6877987.000	
Aromatic EPH	284943036.000	144147072.000	58521394.000	29906903.000	14603702.000	

AVG Response Factor

Parameter Range	AVG RF	% RSD				
Aromatic C10-C12	176202.694	1.627				
Aromatic C12-C16	177273.4926664	2.167				
Aromatic C16-C21	163832.55	1.288				
Aromatic C21-C36	152713.1526664	2.017				
Aromatic EPH	161887.4688884	1.816				

Concentration

Parameter Range	FD048568.D	FD048569.D	FD048570.D	FD048571.D	FD048572.D	
Aromatic C10-C12	200.000	100.000	40.000	20.000	10.000	
Aromatic C12-C16	300.000	150.000	60.000	30.000	15.000	
Aromatic C16-C21	400.000	200.000	80.000	40.000	20.000	
Aromatic C21-C36	900.000	450.000	180.000	90.000	45.000	
Aromatic EPH	1800.000	900.000	360.000	180.000	90.000	

Response Factor

Parameter Range	FD048568.D	FD048569.D	FD048570.D	FD048571.D	FD048572.D	
Aromatic C10-C12	172800.405000	174131.240000	176551.725000	180133.000000	177397.100000	
Aromatic C12-C16	172521.710000	174762.353333	177676.100000	182499.433333	178907.866666	
Aromatic C16-C21	161161.117500	163074.595000	164644.812500	166875.925000	163406.300000	
Aromatic C21-C36	149068.883333	150899.280000	153484.300000	157269.144444	152844.155555	
Aromatic EPH	158301.686666	160163.413333	162559.427777	166149.461111	162263.355555	

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD102324AR\
 Data File : FD048568.D
 Signal(s) : FID2B.ch
 Acq On : 23 Oct 2024 15:12
 Operator : YP/AJ
 Sample : 100 PPM AROMATIC HC STD1
 Misc :
 ALS Vial : 61 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 100 PPM AROMATIC HC STD1

Integration File: autoint1.e
 Quant Time: Oct 23 17:13:28 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 102324.M
 Quant Title : GC Extractables
 QLast Update : Wed Oct 23 17:09:25 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.379	14919837	98.962 ug/ml
Spiked Amount 50.000		Recovery =	197.92%
6) S 2-Fluorobiphenyl (SURR)	8.230	10015694	100.124 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	200.25%#
11) S ortho-Terphenyl (SURR)	11.267	16385129	98.289 ug/ml
Spiked Amount 50.000		Recovery =	196.58%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	4.199	16947170	98.911 ug/ml
2) T Naphthalene (C11.7)	5.719	17612911	98.941 ug/ml
3) T 2-Methylnaphthalene (...)	6.767	17624448	99.004 ug/ml
5) T Acenaphthylene (C15.06)	8.034	17045088	98.400 ug/ml
7) T Acenaphthene (C15.5)	8.331	17086977	98.169 ug/ml
8) T Fluorene (C16.55)	9.109	16673063	98.964 ug/ml
9) T Phenanthrene (C19.36)	10.496	16410378	99.314 ug/ml
10) T Anthracene (C19.43)	10.573	15569819	98.435 ug/ml
12) T Fluoranthene (C21.85)	12.302	15981856	98.532 ug/ml
13) T Pyrene (C20.8)	12.596	15811187	98.991 ug/ml
14) T Benzo[a]anthracene (C...	14.466	14979852	100.189 ug/ml
15) T Chrysene (C27.41)	14.512	15332543	97.081 ug/ml
16) T benzo[b]fluoranthene ...	16.016	15350623	99.928 ug/ml
17) T Bnezo[k]fluoranthene ...	16.054	14161475	97.899 ug/ml
18) T Benzo[a]pyrene (C31.34)	16.395	14921521	99.306 ug/ml
19) T Indeno[1,2,3-cd]pyren...	17.761	14261058	103.933 ug/ml
20) T Dibenz[a,h]anthracene...	17.801	14330700	95.355 ug/ml
21) T Benzo[g,h,i]perylene ...	18.019	14842367	98.211 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD102324AR\
Data File : FD048568.D
Signal(s) : FID2B.ch
Acq On : 23 Oct 2024 15:12
Operator : YP/AJ
Sample : 100 PPM AROMATIC HC STD1
Misc :
ALS Vial : 61 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :
100 PPM AROMATIC HC STD1

Integration File: autoint1.e
Quant Time: Oct 23 17:13:28 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 102324.M
Quant Title : GC Extractables
QLast Update : Wed Oct 23 17:09:25 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#1 1,2,3-Trimethylbenzene (C10.1)


R.T.: 4.199 min
Delta R.T.: 0.000 min
Response: 16947170
Conc: 98.91 ug/ml

Instrument :
FID_D
ClientSampleId :
100 PPM AROMATIC HC STD1




#2 Naphthalene (C11.7)

R.T.: 5.719 min
Delta R.T.: 0.000 min
Response: 17612911
Conc: 98.94 ug/ml




#3 2-Methylnaphthalene (C12.89)

R.T.: 6.767 min
Delta R.T.: 0.000 min
Response: 17624448
Conc: 99.00 ug/ml



#4 2-Bromonaphthalene (SURR)


R.T.: 7.379 min
Delta R.T.: 0.000 min
Response: 14919837
Conc: 98.96 ug/ml



#5 Acenaphthylene (C15.06)


R.T.: 8.034 min
Delta R.T.: 0.000 min
Response: 17045088
Conc: 98.40 ug/ml

Instrument :
FID_D
ClientSampleId :
100 PPM AROMATIC HC STD1




#6 2-Fluorobiphenyl (SURR)

R.T.: 8.230 min
Delta R.T.: 0.000 min
Response: 10015694
Conc: 100.12 ug/ml




#7 Acenaphthene (C15.5)

R.T.: 8.331 min
Delta R.T.: 0.000 min
Response: 17086977
Conc: 98.17 ug/ml



#8 Fluorene (C16.55)

R.T.: 9.109 min
Delta R.T.: 0.000 min
Response: 16673063
Conc: 98.96 ug/ml



#9 Phenanthrene (C19.36)


R.T.: 10.496 min
Delta R.T.: 0.000 min
Response: 16410378
Conc: 99.31 ug/ml

Instrument :

FID_D


ClientSampleId :

100 PPM AROMATIC HC STD1




#10 Anthracene (C19.43)

R.T.: 10.573 min
Delta R.T.: 0.000 min
Response: 15569819
Conc: 98.44 ug/ml




#11 ortho-Terphenyl (SURR)

R.T.: 11.267 min
Delta R.T.: 0.000 min
Response: 16385129
Conc: 98.29 ug/ml



#12 Fluoranthene (C21.85)

R.T.: 12.302 min
Delta R.T.: 0.000 min
Response: 15981856
Conc: 98.53 ug/ml



#13 Pyrene (C20.8)


R.T.: 12.596 min
Delta R.T.: 0.000 min
Response: 15811187
Conc: 98.99 ug/ml

Instrument :

FID_D


ClientSampleId :

100 PPM AROMATIC HC STD1




#14 Benzo[a]anthracene (C26.37)

R.T.: 14.466 min
Delta R.T.: 0.000 min
Response: 14979852
Conc: 100.19 ug/ml




#15 Chrysene (C27.41)

R.T.: 14.512 min
Delta R.T.: 0.000 min
Response: 15332543
Conc: 97.08 ug/ml



#16 benzo[b]fluoranthene (C30.41)

R.T.: 16.016 min
Delta R.T.: 0.000 min
Response: 15350623
Conc: 99.93 ug/ml



#17 Bnezo[k]fluoranthene (C30.14)


R.T.: 16.054 min
Delta R.T.: -0.001 min
Response: 14161475
Conc: 97.90 ug/ml

Instrument :

FID_D


ClientSampleId :

100 PPM AROMATIC HC STD1




#18 Benzo[a]pyrene (C31.34)

R.T.: 16.395 min
Delta R.T.: 0.000 min
Response: 14921521
Conc: 99.31 ug/ml




#19 Indeno[1,2,3-cd]pyrene (C35.01)

R.T.: 17.761 min
Delta R.T.: 0.000 min
Response: 14261058
Conc: 103.93 ug/ml



#20 Dibenz[a,h]anthracene (C30.36)

R.T.: 17.801 min
Delta R.T.: -0.002 min
Response: 14330700
Conc: 95.35 ug/ml



#21 Benzo[g,h,i]perylene (C34.01)

R.T.: 18.019 min

Delta R.T.: 0.000 min

Response: 14842367

Conc: 98.21 ug/ml

Instrument :

FID_D

ClientSampleId :

100 PPM AROMATIC HC STD1

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD102324AR\
 Data File : FD048568.D
 Signal(s) : FID2B.ch
 Acq On : 23 Oct 2024 15:12
 Sample : 100 PPM AROMATIC HC STD1
 Misc :
 ALS Vial : 61 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 102324.M
 Title : GC Extractables

Signal : FID2B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.199	4.161	4.256	BV	1903452	16947170	96.16%	5.194%
2	5.719	5.644	5.881	BV	1794310	17612911	99.93%	5.398%
3	6.767	6.724	6.878	PV	1721582	17624448	100.00%	5.402%
4	7.379	7.268	7.471	PV	1511924	14919837	84.65%	4.573%
5	8.034	7.994	8.184	BB	1618840	17045088	96.71%	5.224%
6	8.230	8.188	8.294	BV	985430	10015694	56.83%	3.070%
7	8.331	8.294	8.464	VB	1571009	17086977	96.95%	5.237%
8	9.109	9.031	9.231	BB	1435050	16673063	94.60%	5.110%
9	10.496	10.388	10.533	BV	1431777	16410378	93.11%	5.030%
10	10.573	10.533	10.771	VB	1362012	15569819	88.34%	4.772%
11	11.267	11.221	11.371	BV	1423748	16385129	92.97%	5.022%
12	12.302	12.249	12.444	VV	1225147	15981856	90.68%	4.898%
13	12.596	12.544	12.624	BV	1267297	15811187	89.71%	4.846%
14	14.466	14.418	14.483	PV	976483	14979852	84.99%	4.591%
15	14.512	14.483	14.648	VB	1164623	15332543	87.00%	4.699%
16	16.016	15.961	16.031	BV	945594	15350623	87.10%	4.705%
17	16.054	16.031	16.151	VB	1101985	14161475	80.35%	4.340%
18	16.395	16.241	16.453	BV	941300	14921521	84.66%	4.573%
19	17.761	17.701	17.774	BV	810590	14261058	80.92%	4.371%
20	17.801	17.774	17.951	VV	963681	14330700	81.31%	4.392%
21	18.019	17.951	18.178	VV	811340	14842367	84.21%	4.549%
Sum of corrected areas:						326263695		

Aromatic EPH 102324.M Wed Oct 23 18:16:59 2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD102324AR\
 Data File : FD048569.D
 Signal(s) : FID2B.ch
 Acq On : 23 Oct 2024 15:48
 Operator : YP/AJ
 Sample : 50 PPM AROMATIC HC STD2
 Misc :
 ALS Vial : 62 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 50 PPM AROMATIC HC STD2

Integration File: autoint1.e
 Quant Time: Oct 23 17:15:21 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 102324.M
 Quant Title : GC Extractables
 QLast Update : Wed Oct 23 17:09:25 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.375	7529591	49.962 ug/ml
Spiked Amount 50.000		Recovery =	99.92%
6) S 2-Fluorobiphenyl (SURR)	8.225	5021501	50.132 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	100.26%
11) S ortho-Terphenyl (SURR)	11.261	8334280	49.996 ug/ml
Spiked Amount 50.000		Recovery =	99.99%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	4.196	8539641	49.894 ug/ml
2) T Naphthalene (C11.7)	5.715	8873483	49.898 ug/ml
3) T 2-Methylnaphthalene (...)	6.762	8891978	49.967 ug/ml
5) T Acenaphthylene (C15.06)	8.029	8649197	49.954 ug/ml
7) T Acenaphthene (C15.5)	8.324	8673178	49.886 ug/ml
8) T Fluorene (C16.55)	9.102	8428307	50.018 ug/ml
9) T Phenanthrene (C19.36)	10.489	8272929	50.044 ug/ml
10) T Anthracene (C19.43)	10.565	7888616	49.915 ug/ml
12) T Fluoranthene (C21.85)	12.294	8076662	49.863 ug/ml
13) T Pyrene (C20.8)	12.587	8025067	50.162 ug/ml
14) T Benzo[a]anthracene (C...	14.456	7527575	50.230 ug/ml
15) T Chrysene (C27.41)	14.500	7833293	49.731 ug/ml
16) T benzo[b]fluoranthene ...	16.005	7671770	49.961 ug/ml
17) T Bnezo[k]fluoranthene ...	16.039	7231888	49.599 ug/ml
18) T Benzo[a]pyrene (C31.34)	16.381	7547267	50.152 ug/ml
19) T Indeno[1,2,3-cd]pyren...	17.747	6949708	50.431 ug/ml
20) T Dibenz[a,h]anthracene...	17.785	7539487	49.466 ug/ml
21) T Benzo[g,h,i]perylene ...	18.000	7527026	49.870 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD102324AR\
Data File : FD048569.D
Signal(s) : FID2B.ch
Acq On : 23 Oct 2024 15:48
Operator : YP/AJ
Sample : 50 PPM AROMATIC HC STD2
Misc :
ALS Vial : 62 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :
50 PPM AROMATIC HC STD2

Integration File: autoint1.e
Quant Time: Oct 23 17:15:21 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 102324.M
Quant Title : GC Extractables
QLast Update : Wed Oct 23 17:09:25 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#1 1,2,3-Trimethylbenzene (C10.1)


R.T.: 4.196 min
Delta R.T.: 0.000 min
Response: 8539641
Conc: 49.89 ug/ml

Instrument :
FID_D
ClientSampleId :
50 PPM AROMATIC HC STD2




#2 Naphthalene (C11.7)

R.T.: 5.715 min
Delta R.T.: 0.000 min
Response: 8873483
Conc: 49.90 ug/ml




#3 2-Methylnaphthalene (C12.89)

R.T.: 6.762 min
Delta R.T.: 0.000 min
Response: 8891978
Conc: 49.97 ug/ml



#4 2-Bromonaphthalene (SURR)


R.T.: 7.375 min
Delta R.T.: 0.000 min
Response: 7529591
Conc: 49.96 ug/ml



#5 Acenaphthylene (C15.06)


R.T.: 8.029 min
Delta R.T.: 0.000 min
Response: 8649197
Conc: 49.95 ug/ml

Instrument :
FID_D
ClientSampleId :
50 PPM AROMATIC HC STD2




#6 2-Fluorobiphenyl (SURR)

R.T.: 8.225 min
Delta R.T.: 0.000 min
Response: 5021501
Conc: 50.13 ug/ml




#7 Acenaphthene (C15.5)

R.T.: 8.324 min
Delta R.T.: 0.000 min
Response: 8673178
Conc: 49.89 ug/ml



#8 Fluorene (C16.55)


R.T.: 9.102 min
Delta R.T.: 0.000 min
Response: 8428307
Conc: 50.02 ug/ml



#9 Phenanthrene (C19.36)


R.T.: 10.489 min
Delta R.T.: 0.000 min
Response: 8272929
Conc: 50.04 ug/ml

Instrument :
FID_D
ClientSampleId :
50 PPM AROMATIC HC STD2




#10 Anthracene (C19.43)

R.T.: 10.565 min
Delta R.T.: 0.000 min
Response: 7888616
Conc: 49.92 ug/ml




#11 ortho-Terphenyl (SURR)

R.T.: 11.261 min
Delta R.T.: 0.000 min
Response: 8334280
Conc: 50.00 ug/ml



#12 Fluoranthene (C21.85)


R.T.: 12.294 min
Delta R.T.: 0.000 min
Response: 8076662
Conc: 49.86 ug/ml



#13 Pyrene (C20.8)


R.T.: 12.587 min
Delta R.T.: 0.000 min
Response: 8025067
Conc: 50.16 ug/ml

Instrument :
FID_D
ClientSampleId :
50 PPM AROMATIC HC STD2




#14 Benzo[a]anthracene (C26.37)

R.T.: 14.456 min
Delta R.T.: 0.000 min
Response: 7527575
Conc: 50.23 ug/ml




#15 Chrysene (C27.41)

R.T.: 14.500 min
Delta R.T.: 0.000 min
Response: 7833293
Conc: 49.73 ug/ml



#16 benzo[b]fluoranthene (C30.41)


R.T.: 16.005 min
Delta R.T.: 0.000 min
Response: 7671770
Conc: 49.96 ug/ml



#17 Bnezo[k]fluoranthene (C30.14)


R.T.: 16.039 min
Delta R.T.: 0.000 min
Response: 7231888
Conc: 49.60 ug/ml

Instrument :
FID_D
ClientSampleId :
50 PPM AROMATIC HC STD2




#18 Benzo[a]pyrene (C31.34)

R.T.: 16.381 min
Delta R.T.: 0.000 min
Response: 7547267
Conc: 50.15 ug/ml




#19 Indeno[1,2,3-cd]pyrene (C35.01)

R.T.: 17.747 min
Delta R.T.: 0.000 min
Response: 6949708
Conc: 50.43 ug/ml



#20 Dibenz[a,h]anthracene (C30.36)

R.T.: 17.785 min
Delta R.T.: 0.000 min
Response: 7539487
Conc: 49.47 ug/ml



#21 Benzo[g,h,i]perylene (C34.01)

R.T.: 18.000 min
Delta R.T.: 0.000 min
Response: 7527026
Conc: 49.87 ug/ml

Instrument :
FID_D
ClientSampleId :
50 PPM AROMATIC HC STD2

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD102324AR\
 Data File : FD048569.D
 Signal(s) : FID2B.ch
 Acq On : 23 Oct 2024 15:48
 Sample : 50 PPM AROMATIC HC STD2
 Misc :
 ALS Vial : 62 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 102324.M
 Title : GC Extractables

Signal : FID2B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.196	4.161	4.255	BV	998732	8539641	96.04%	5.175%
2	5.715	5.631	5.868	BB	961300	8873483	99.79%	5.377%
3	6.762	6.724	6.872	PV	916254	8891978	100.00%	5.388%
4	7.375	7.304	7.471	BB	788165	7529591	84.68%	4.562%
5	8.029	7.988	8.148	BB	861509	8649197	97.27%	5.241%
6	8.225	8.161	8.290	BV	502069	5021501	56.47%	3.043%
7	8.324	8.290	8.438	VB	874209	8673178	97.54%	5.255%
8	9.102	8.991	9.234	BV	799296	8428307	94.79%	5.107%
9	10.489	10.378	10.534	BV	757282	8272929	93.04%	5.013%
10	10.565	10.534	10.751	VB	727764	7888616	88.72%	4.780%
11	11.261	11.221	11.368	BB	773174	8334280	93.73%	5.050%
12	12.294	12.247	12.401	PB	711390	8076662	90.83%	4.894%
13	12.587	12.541	12.627	BV	714458	8025067	90.25%	4.863%
14	14.456	14.408	14.475	PV	588127	7527575	84.66%	4.561%
15	14.500	14.475	14.661	VB	663541	7833293	88.09%	4.747%
16	16.005	15.961	16.020	BV	559367	7671770	86.28%	4.649%
17	16.039	16.020	16.104	VV	611862	7231888	81.33%	4.382%
18	16.381	16.288	16.453	BV	574389	7547267	84.88%	4.573%
19	17.747	17.701	17.762	BV	512967	6949708	78.16%	4.211%
20	17.785	17.762	17.954	VV	532723	7539487	84.79%	4.568%
21	18.000	17.954	18.171	VV	519884	7527026	84.65%	4.561%
Sum of corrected areas:						165032443		

Aromatic EPH 102324.M Wed Oct 23 18:18:22 2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD102324AR\
 Data File : FD048570.D
 Signal(s) : FID2B.ch
 Acq On : 23 Oct 2024 16:25
 Operator : YP/AJ
 Sample : 20 PPM AROMATIC HC STD3
 Misc :
 ALS Vial : 63 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 20 PPM AROMATIC HC STD3

Integration File: autoint1.e
 Quant Time: Oct 23 17:10:51 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 102324.M
 Quant Title : GC Extractables
 QLast Update : Wed Oct 23 17:09:25 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.372	3046545	20.000 ug/ml
Spiked Amount 50.000		Recovery =	40.00%
6) S 2-Fluorobiphenyl (SURR)	8.222	1998164	20.000 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	40.00%
11) S ortho-Terphenyl (SURR)	11.258	3391146	20.000 ug/ml
Spiked Amount 50.000		Recovery =	40.00%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	4.195	3464073	20.000 ug/ml
2) T Naphthalene (C11.7)	5.713	3597996	20.000 ug/ml
3) T 2-Methylnaphthalene (...)	6.760	3595810	20.000 ug/ml
5) T Acenaphthylene (C15.06)	8.025	3519888	20.000 ug/ml
7) T Acenaphthene (C15.5)	8.319	3544868	20.000 ug/ml
8) T Fluorene (C16.55)	9.097	3404430	20.000 ug/ml
9) T Phenanthrene (C19.36)	10.485	3327445	20.000 ug/ml
10) T Anthracene (C19.43)	10.560	3212978	20.000 ug/ml
12) T Fluoranthene (C21.85)	12.288	3291616	20.000 ug/ml
13) T Pyrene (C20.8)	12.581	3226732	20.000 ug/ml
14) T Benzo[a]anthracene (C...	14.451	2984688	20.000 ug/ml
15) T Chrysene (C27.41)	14.492	3250919	20.000 ug/ml
16) T benzo[b]fluoranthene ...	15.997	3074553	20.000 ug/ml
17) T Bnezo[k]fluoranthene ...	16.027	3023398	20.000 ug/ml
18) T Benzo[a]pyrene (C31.34)	16.372	3026012	20.000 ug/ml
19) T Indeno[1,2,3-cd]pyren...	17.737	2636324	20.000 ug/ml
20) T Dibenz[a,h]anthracene...	17.777	3263027	20.000 ug/ml
21) T Benzo[g,h,i]perylene ...	17.987	3076637	20.000 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD102324AR\
Data File : FD048570.D
Signal(s) : FID2B.ch
Acq On : 23 Oct 2024 16:25
Operator : YP/AJ
Sample : 20 PPM AROMATIC HC STD3
Misc :
ALS Vial : 63 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :
20 PPM AROMATIC HC STD3

Integration File: autoint1.e
Quant Time: Oct 23 17:10:51 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 102324.M
Quant Title : GC Extractables
QLast Update : Wed Oct 23 17:09:25 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#1 1,2,3-Trimethylbenzene (C10.1)


R.T.: 4.195 min
Delta R.T.: 0.000 min
Response: 3464073
Conc: 20.00 ug/ml

Instrument :
FID_D
ClientSampleId :
20 PPM AROMATIC HC STD3




#2 Naphthalene (C11.7)

R.T.: 5.713 min
Delta R.T.: 0.000 min
Response: 3597996
Conc: 20.00 ug/ml




#3 2-Methylnaphthalene (C12.89)

R.T.: 6.760 min
Delta R.T.: 0.000 min
Response: 3595810
Conc: 20.00 ug/ml



#4 2-Bromonaphthalene (SURR)


R.T.: 7.372 min
Delta R.T.: 0.000 min
Response: 3046545
Conc: 20.00 ug/ml



#5 Acenaphthylene (C15.06)


R.T.: 8.025 min
Delta R.T.: 0.000 min
Response: 3519888
Conc: 20.00 ug/ml

Instrument :
FID_D
ClientSampleId :
20 PPM AROMATIC HC STD3




#6 2-Fluorobiphenyl (SURR)

R.T.: 8.222 min
Delta R.T.: 0.000 min
Response: 1998164
Conc: 20.00 ug/ml




#7 Acenaphthene (C15.5)

R.T.: 8.319 min
Delta R.T.: 0.000 min
Response: 3544868
Conc: 20.00 ug/ml



#8 Flouorene (C16.55)


R.T.: 9.097 min
Delta R.T.: 0.000 min
Response: 3404430
Conc: 20.00 ug/ml



#9 Phenanthrene (C19.36)


R.T.: 10.485 min
Delta R.T.: 0.000 min
Response: 3327445
Conc: 20.00 ug/ml

Instrument :
FID_D
ClientSampleId :
20 PPM AROMATIC HC STD3




#10 Anthracene (C19.43)

R.T.: 10.560 min
Delta R.T.: 0.000 min
Response: 3212978
Conc: 20.00 ug/ml




#11 ortho-Terphenyl (SURR)

R.T.: 11.258 min
Delta R.T.: 0.000 min
Response: 3391146
Conc: 20.00 ug/ml



#12 Fluoranthene (C21.85)


R.T.: 12.288 min
Delta R.T.: 0.000 min
Response: 3291616
Conc: 20.00 ug/ml



#13 Pyrene (C20.8)


R.T.: 12.581 min
Delta R.T.: 0.000 min
Response: 3226732
Conc: 20.00 ug/ml

Instrument :
FID_D
ClientSampleId :
20 PPM AROMATIC HC STD3




#14 Benzo[a]anthracene (C26.37)

R.T.: 14.451 min
Delta R.T.: 0.000 min
Response: 2984688
Conc: 20.00 ug/ml




#15 Chrysene (C27.41)

R.T.: 14.492 min
Delta R.T.: 0.000 min
Response: 3250919
Conc: 20.00 ug/ml



#16 benzo[b]fluoranthene (C30.41)


R.T.: 15.997 min
Delta R.T.: 0.000 min
Response: 3074553
Conc: 20.00 ug/ml



#17 Bnezo[k]fluoranthene (C30.14)


R.T.: 16.027 min
Delta R.T.: 0.000 min
Response: 3023398
Conc: 20.00 ug/ml

Instrument :
FID_D
ClientSampleId :
20 PPM AROMATIC HC STD3




#18 Benzo[a]pyrene (C31.34)

R.T.: 16.372 min
Delta R.T.: 0.000 min
Response: 3026012
Conc: 20.00 ug/ml




#19 Indeno[1,2,3-cd]pyrene (C35.01)

R.T.: 17.737 min
Delta R.T.: 0.000 min
Response: 2636324
Conc: 20.00 ug/ml



#20 Dibenz[a,h]anthracene (C30.36)

R.T.: 17.777 min
Delta R.T.: 0.000 min
Response: 3263027
Conc: 20.00 ug/ml



#21 Benzo[g,h,i]perylene (C34.01)

R.T.: 17.987 min
Delta R.T.: 0.000 min
Response: 3076637
Conc: 20.00 ug/ml

Instrument :
FID_D
ClientSampleId :
20 PPM AROMATIC HC STD3

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD102324AR\
Data File : FD048570.D
Signal(s) : FID2B.ch
Acq On : 23 Oct 2024 16:25
Sample : 20 PPM AROMATIC HC STD3
Misc :
ALS Vial : 63 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 102324.M
Title : GC Extractables

Signal : FID2B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.195	4.161	4.257	BV	402734	3464073	96.28%	5.174%
2	5.713	5.678	5.868	PB	378310	3597996	100.00%	5.374%
3	6.760	6.714	6.884	PV	369607	3595810	99.94%	5.370%
4	7.372	7.284	7.511	BB	309427	3046545	84.67%	4.550%
5	8.025	7.971	8.174	BV	366415	3519888	97.83%	5.257%
6	8.222	8.188	8.290	PV	185974	1998164	55.54%	2.984%
7	8.319	8.290	8.438	VB	358996	3544868	98.52%	5.294%
8	9.097	9.021	9.244	BB	332486	3404430	94.62%	5.084%
9	10.485	10.388	10.531	BV	311516	3327445	92.48%	4.970%
10	10.560	10.531	10.731	VB	280274	3212978	89.30%	4.799%
11	11.258	11.174	11.324	BB	316403	3391146	94.25%	5.065%
12	12.288	12.248	12.431	PB	284432	3291616	91.48%	4.916%
13	12.581	12.534	12.633	PV	290024	3226732	89.68%	4.819%
14	14.451	14.414	14.470	PV	256334	2984688	82.95%	4.458%
15	14.492	14.470	14.658	VB	259225	3250919	90.35%	4.855%
16	15.997	15.961	16.012	BV	257955	3074553	85.45%	4.592%
17	16.027	16.012	16.171	VB	245800	3023398	84.03%	4.515%
18	16.372	16.294	16.458	BV	230365	3026012	84.10%	4.519%
19	17.737	17.701	17.755	BV	213338	2636324	73.27%	3.937%
20	17.777	17.755	17.954	VV	197036	3263027	90.69%	4.873%
21	17.987	17.954	18.151	VB	213971	3076637	85.51%	4.595%
Sum of corrected areas:							66957247	

Aromatic EPH 102324.M Wed Oct 23 18:18:39 2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD102324AR\
 Data File : FD048571.D
 Signal(s) : FID2B.ch
 Acq On : 23 Oct 2024 17:02
 Operator : YP/AJ
 Sample : 10 PPM AROMATIC HC STD4
 Misc :
 ALS Vial : 64 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 10 PPM AROMATIC HC STD4

Integration File: autoint1.e
 Quant Time: Oct 23 17:44:21 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 102324.M
 Quant Title : GC Extractables
 QLast Update : Wed Oct 23 17:44:12 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.373	1535833	10.143 ug/ml
Spiked Amount 50.000		Recovery =	20.29%
6) S 2-Fluorobiphenyl (SURR)	8.224	998081	9.973 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	19.95%
11) S ortho-Terphenyl (SURR)	11.257	1758096	10.404 ug/ml
Spiked Amount 50.000		Recovery =	20.81%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	4.196	1780007	10.297 ug/ml
2) T Naphthalene (C11.7)	5.714	1822653	10.186 ug/ml
3) T 2-Methylnaphthalene (...)	6.760	1826622	10.197 ug/ml
5) T Acenaphthylene (C15.06)	8.025	1809718	10.335 ug/ml
7) T Acenaphthene (C15.5)	8.318	1838643	10.425 ug/ml
8) T Fluorene (C16.55)	9.098	1719817	10.154 ug/ml
9) T Phenanthrene (C19.36)	10.484	1680489	10.124 ug/ml
10) T Anthracene (C19.43)	10.560	1635709	10.260 ug/ml
12) T Fluoranthene (C21.85)	12.288	1671203	10.236 ug/ml
13) T Pyrene (C20.8)	12.581	1639022	10.183 ug/ml
14) T Benzo[a]anthracene (C...	14.450	1472368	9.868 ug/ml
15) T Chrysene (C27.41)	14.491	1725560	10.700 ug/ml
16) T benzo[b]fluoranthene ...	15.995	1544713	10.045 ug/ml
17) T Bnezo[k]fluoranthene ...	16.026	1579300	10.611 ug/ml
18) T Benzo[a]pyrene (C31.34)	16.374	1518079	10.066 ug/ml
19) T Indeno[1,2,3-cd]pyren...	17.737	1259393	9.340 ug/ml
20) T Dibenz[a,h]anthracene...	17.779	1780079	11.209 ug/ml
21) T Benzo[g,h,i]perylene ...	17.986	1603528	10.461 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD102324AR\
Data File : FD048571.D
Signal(s) : FID2B.ch
Acq On : 23 Oct 2024 17:02
Operator : YP/AJ
Sample : 10 PPM AROMATIC HC STD4
Misc :
ALS Vial : 64 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :
10 PPM AROMATIC HC STD4

Integration File: autoint1.e
Quant Time: Oct 23 17:44:21 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 102324.M
Quant Title : GC Extractables
QLast Update : Wed Oct 23 17:44:12 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#1 1,2,3-Trimethylbenzene (C10.1)


R.T.: 4.196 min
Delta R.T.: 0.000 min
Response: 1780007
Conc: 10.30 ug/ml

Instrument :
FID_D
ClientSampleId :
10 PPM AROMATIC HC STD4




#2 Naphthalene (C11.7)

R.T.: 5.714 min
Delta R.T.: 0.000 min
Response: 1822653
Conc: 10.19 ug/ml




#3 2-Methylnaphthalene (C12.89)

R.T.: 6.760 min
Delta R.T.: 0.000 min
Response: 1826622
Conc: 10.20 ug/ml



#4 2-Bromonaphthalene (SURR)


R.T.: 7.373 min
Delta R.T.: 0.000 min
Response: 1535833
Conc: 10.14 ug/ml



#5 Acenaphthylene (C15.06)


R.T.: 8.025 min
Delta R.T.: 0.000 min
Response: 1809718
Conc: 10.34 ug/ml

Instrument :
FID_D
ClientSampleId :
10 PPM AROMATIC HC STD4




#6 2-Fluorobiphenyl (SURR)

R.T.: 8.224 min
Delta R.T.: 0.000 min
Response: 998081
Conc: 9.97 ug/ml




#7 Acenaphthene (C15.5)

R.T.: 8.318 min
Delta R.T.: 0.000 min
Response: 1838643
Conc: 10.43 ug/ml



#8 Flouorene (C16.55)


R.T.: 9.098 min
Delta R.T.: 0.000 min
Response: 1719817
Conc: 10.15 ug/ml



#9 Phenanthrene (C19.36)


R.T.: 10.484 min
Delta R.T.: 0.000 min
Response: 1680489
Conc: 10.12 ug/ml

Instrument :
FID_D
ClientSampleId :
10 PPM AROMATIC HC STD4




#10 Anthracene (C19.43)

R.T.: 10.560 min
Delta R.T.: 0.000 min
Response: 1635709
Conc: 10.26 ug/ml




#11 ortho-Terphenyl (SURR)

R.T.: 11.257 min
Delta R.T.: 0.000 min
Response: 1758096
Conc: 10.40 ug/ml



#12 Fluoranthene (C21.85)


R.T.: 12.288 min
Delta R.T.: 0.000 min
Response: 1671203
Conc: 10.24 ug/ml



#13 Pyrene (C20.8)


R.T.: 12.581 min
Delta R.T.: 0.000 min
Response: 1639022
Conc: 10.18 ug/ml

Instrument :
FID_D
ClientSampleId :
10 PPM AROMATIC HC STD4




#14 Benzo[a]anthracene (C26.37)

R.T.: 14.450 min
Delta R.T.: 0.000 min
Response: 1472368
Conc: 9.87 ug/ml




#15 Chrysene (C27.41)

R.T.: 14.491 min
Delta R.T.: 0.000 min
Response: 1725560
Conc: 10.70 ug/ml



#16 benzo[b]fluoranthene (C30.41)


R.T.: 15.995 min
Delta R.T.: 0.000 min
Response: 1544713
Conc: 10.04 ug/ml



#17 Bnezo[k]fluoranthene (C30.14)


R.T.: 16.026 min
Delta R.T.: 0.000 min
Response: 1579300
Conc: 10.61 ug/ml

Instrument :
FID_D
ClientSampleId :
10 PPM AROMATIC HC STD4




#18 Benzo[a]pyrene (C31.34)

R.T.: 16.374 min
Delta R.T.: 0.000 min
Response: 1518079
Conc: 10.07 ug/ml




#19 Indeno[1,2,3-cd]pyrene (C35.01)

R.T.: 17.737 min
Delta R.T.: 0.000 min
Response: 1259393
Conc: 9.34 ug/ml



#20 Dibenz[a,h]anthracene (C30.36)

R.T.: 17.779 min
Delta R.T.: 0.000 min
Response: 1780079
Conc: 11.21 ug/ml



#21 Benzo[g,h,i]perylene (C34.01)

R.T.: 17.986 min

Delta R.T.: 0.000 min

Response: 1603528

Conc: 10.46 ug/ml

Instrument :

FID_D

ClientSampleId :

10 PPM AROMATIC HC STD4

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD102324AR\
Data File : FD048571.D
Signal(s) : FID2B.ch
Acq On : 23 Oct 2024 17:02
Sample : 10 PPM AROMATIC HC STD4
Misc :
ALS Vial : 64 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 102324.M
Title : GC Extractables

Signal : FID2B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.196	4.161	4.261	BV	201703	1780007	96.81%	5.205%
2	5.714	5.488	5.858	BB	181375	1822653	99.13%	5.330%
3	6.760	6.701	6.885	BB	175216	1826622	99.35%	5.341%
4	7.373	7.238	7.461	BB	154245	1535833	83.53%	4.491%
5	8.025	7.978	8.145	BB	181606	1809718	98.43%	5.292%
6	8.224	8.155	8.295	BV	87703	998081	54.28%	2.918%
7	8.318	8.295	8.431	VV	180640	1838643	100.00%	5.376%
8	9.098	8.978	9.208	BB	155949	1719817	93.54%	5.029%
9	10.484	10.385	10.533	BV	153275	1680489	91.40%	4.914%
10	10.560	10.533	10.735	VB	125868	1635709	88.96%	4.783%
11	11.257	11.068	11.325	BB	168238	1758096	95.62%	5.141%
12	12.288	12.258	12.415	BB	138726	1671203	90.89%	4.887%
13	12.581	12.518	12.645	BV	140018	1639022	89.14%	4.793%
14	14.450	14.421	14.470	PV	124977	1472368	80.08%	4.305%
15	14.491	14.470	14.645	VB	122848	1725560	93.85%	5.046%
16	15.995	15.961	16.010	BV	131640	1544713	84.01%	4.517%
17	16.026	16.010	16.151	VB	114804	1579300	85.89%	4.618%
18	16.374	16.205	16.468	BV	111460	1518079	82.57%	4.439%
19	17.737	17.705	17.758	BV	94271	1259393	68.50%	3.683%
20	17.779	17.758	17.955	VV	83223	1780079	96.81%	5.205%
21	17.986	17.955	18.175	VB	101691	1603528	87.21%	4.689%
Sum of corrected areas:						34198912		

Aromatic EPH 102324.M Wed Oct 23 18:19:08 2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD102324AR\
 Data File : FD048572.D
 Signal(s) : FID2B.ch
 Acq On : 23 Oct 2024 17:38
 Operator : YP/AJ
 Sample : 5 PPM AROMATIC HC STD5
 Misc :
 ALS Vial : 65 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 5 PPM AROMATIC HC STD5

Integration File: autoint1.e
 Quant Time: Oct 23 18:14:13 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 102324.M
 Quant Title : GC Extractables
 QLast Update : Wed Oct 23 18:14:05 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.375	765966	5.047 ug/ml
Spiked Amount 50.000		Recovery =	10.09%
6) S 2-Fluorobiphenyl (SURR)	8.228	453280	4.616 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	9.23%
11) S ortho-Terphenyl (SURR)	11.257	878976	5.160 ug/ml
Spiked Amount 50.000		Recovery =	10.32%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	4.197	891941	5.127 ug/ml
2) T Naphthalene (C11.7)	5.716	882030	4.943 ug/ml
3) T 2-Methylnaphthalene (...)	6.762	888953	4.970 ug/ml
5) T Acenaphthylene (C15.06)	8.026	887785	5.056 ug/ml
7) T Acenaphthene (C15.5)	8.319	906880	5.113 ug/ml
8) T Fluorene (C16.55)	9.101	838419	4.960 ug/ml
9) T Phenanthrene (C19.36)	10.487	812730	4.917 ug/ml
10) T Anthracene (C19.43)	10.565	809302	5.061 ug/ml
12) T Fluoranthene (C21.85)	12.291	849157	5.160 ug/ml
13) T Pyrene (C20.8)	12.583	807675	5.014 ug/ml
14) T Benzo[a]anthracene (C...	14.453	671281	4.591 ug/ml
15) T Chrysene (C27.41)	14.493	886842	5.391 ug/ml
16) T benzo[b]fluoranthene ...	15.998	725025	4.769 ug/ml
17) T Bnezo[k]fluoranthene ...	16.030	780831	5.195 ug/ml
18) T Benzo[a]pyrene (C31.34)	16.381	746043	4.957 ug/ml
19) T Indeno[1,2,3-cd]pyren...	17.744	565150	4.331 ug/ml
20) T Dibenz[a,h]anthracene...	17.787	892102	5.482 ug/ml
21) T Benzo[g,h,i]perylene ...	17.990	761556	4.974 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD102324AR\
Data File : FD048572.D
Signal(s) : FID2B.ch
Acq On : 23 Oct 2024 17:38
Operator : YP/AJ
Sample : 5 PPM AROMATIC HC STD5
Misc :
ALS Vial : 65 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :
5 PPM AROMATIC HC STD5

Integration File: autoint1.e
Quant Time: Oct 23 18:14:13 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 102324.M
Quant Title : GC Extractables
QLast Update : Wed Oct 23 18:14:05 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#1 1,2,3-Trimethylbenzene (C10.1)


R.T.: 4.197 min
Delta R.T.: 0.000 min
Response: 891941
Conc: 5.13 ug/ml

Instrument :
FID_D
ClientSampleId :
5 PPM AROMATIC HC STD5




#2 Naphthalene (C11.7)

R.T.: 5.716 min
Delta R.T.: 0.000 min
Response: 882030
Conc: 4.94 ug/ml




#3 2-Methylnaphthalene (C12.89)

R.T.: 6.762 min
Delta R.T.: 0.000 min
Response: 888953
Conc: 4.97 ug/ml



#4 2-Bromonaphthalene (SURR)


R.T.: 7.375 min
Delta R.T.: 0.000 min
Response: 765966
Conc: 5.05 ug/ml



#5 Acenaphthylene (C15.06)


R.T.: 8.026 min
Delta R.T.: 0.000 min
Response: 887785
Conc: 5.06 ug/ml

Instrument :
FID_D
ClientSampleId :
5 PPM AROMATIC HC STD5




#6 2-Fluorobiphenyl (SURR)

R.T.: 8.228 min
Delta R.T.: 0.000 min
Response: 453280
Conc: 4.62 ug/ml




#7 Acenaphthene (C15.5)

R.T.: 8.319 min
Delta R.T.: 0.000 min
Response: 906880
Conc: 5.11 ug/ml



#8 Fluorene (C16.55)


R.T.: 9.101 min
Delta R.T.: 0.000 min
Response: 838419
Conc: 4.96 ug/ml



#9 Phenanthrene (C19.36)


R.T.: 10.487 min
Delta R.T.: 0.000 min
Response: 812730
Conc: 4.92 ug/ml

Instrument :
FID_D
ClientSampleId :
5 PPM AROMATIC HC STD5




#10 Anthracene (C19.43)

R.T.: 10.565 min
Delta R.T.: 0.000 min
Response: 809302
Conc: 5.06 ug/ml




#11 ortho-Terphenyl (SURR)

R.T.: 11.257 min
Delta R.T.: 0.000 min
Response: 878976
Conc: 5.16 ug/ml



#12 Fluoranthene (C21.85)


R.T.: 12.291 min
Delta R.T.: 0.000 min
Response: 849157
Conc: 5.16 ug/ml



#13 Pyrene (C20.8)


R.T.: 12.583 min
Delta R.T.: 0.000 min
Response: 807675
Conc: 5.01 ug/ml

Instrument :
FID_D
ClientSampleId :
5 PPM AROMATIC HC STD5




#14 Benzo[a]anthracene (C26.37)

R.T.: 14.453 min
Delta R.T.: 0.000 min
Response: 671281
Conc: 4.59 ug/ml




#15 Chrysene (C27.41)

R.T.: 14.493 min
Delta R.T.: 0.000 min
Response: 886842
Conc: 5.39 ug/ml



#16 benzo[b]fluoranthene (C30.41)


R.T.: 15.998 min
Delta R.T.: 0.000 min
Response: 725025
Conc: 4.77 ug/ml



#17 Bnezo[k]fluoranthene (C30.14)


R.T.: 16.030 min
Delta R.T.: 0.000 min
Response: 780831
Conc: 5.20 ug/ml

Instrument :
FID_D
ClientSampleId :
5 PPM AROMATIC HC STD5




#18 Benzo[a]pyrene (C31.34)

R.T.: 16.381 min
Delta R.T.: 0.000 min
Response: 746043
Conc: 4.96 ug/ml




#19 Indeno[1,2,3-cd]pyrene (C35.01)

R.T.: 17.744 min
Delta R.T.: 0.000 min
Response: 565150
Conc: 4.33 ug/ml



#20 Dibenz[a,h]anthracene (C30.36)

R.T.: 17.787 min
Delta R.T.: 0.000 min
Response: 892102
Conc: 5.48 ug/ml



#21 Benzo[g,h,i]perylene (C34.01)

R.T.: 17.990 min
Delta R.T.: 0.000 min
Response: 761556
Conc: 4.97 ug/ml

Instrument :

FID_D

ClientSampleId :

5 PPM AROMATIC HC STD5

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD102324AR\
Data File : FD048572.D
Signal(s) : FID2B.ch
Acq On : 23 Oct 2024 17:38
Sample : 5 PPM AROMATIC HC STD5
Misc :
ALS Vial : 65 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 102324.M
Title : GC Extractables

Signal : FID2B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.197	4.161	4.291	BB	99856	891941	98.35%	5.340%
2	5.716	5.604	5.851	BB	84500	882030	97.26%	5.281%
3	6.762	6.601	6.884	BB	80288	888953	98.02%	5.322%
4	7.375	7.314	7.468	BB	70282	765966	84.46%	4.586%
5	8.026	7.978	8.128	BB	83372	887785	97.89%	5.315%
6	8.228	8.138	8.293	BV	33723	453280	49.98%	2.714%
7	8.319	8.293	8.398	VB	87190	906880	100.00%	5.430%
8	9.101	9.008	9.218	BB	71759	838419	92.45%	5.020%
9	10.487	10.388	10.539	BV	70612	812730	89.62%	4.866%
10	10.565	10.539	10.744	VB	54403	809302	89.24%	4.846%
11	11.257	11.211	11.344	BB	80592	878976	96.92%	5.263%
12	12.291	12.168	12.428	BB	61860	849157	93.64%	5.084%
13	12.583	12.551	12.651	BV	61467	807675	89.06%	4.836%
14	14.453	14.428	14.474	PV	51289	671281	74.02%	4.019%
15	14.493	14.474	14.641	VB	56549	886842	97.79%	5.310%
16	15.998	15.964	16.014	BV	60013	725025	79.95%	4.341%
17	16.030	16.014	16.106	VV	49388	780831	86.10%	4.675%
18	16.381	16.348	16.478	BV	47621	746043	82.26%	4.467%
19	17.744	17.714	17.766	BV	39855	565150	62.32%	3.384%
20	17.787	17.766	17.954	VB	34397	892102	98.37%	5.341%
21	17.990	17.964	18.151	BB	42474	761556	83.98%	4.560%
Sum of corrected areas:						16701921		

Aromatic EPH 102324.M Wed Oct 23 18:19:26 2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD102324AR\
 Data File : FD048573.D
 Signal(s) : FID2B.ch
 Acq On : 23 Oct 2024 18:14
 Operator : YP/AJ
 Sample : 20 PPM AROMATIC HC STD ICV
 Misc :
 ALS Vial : 66 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 20 PPM AROMATIC HC STD ICV

Integration File: autoint1.e
 Quant Time: Oct 23 18:50:32 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 102324.M
 Quant Title : GC Extractables
 QLast Update : Wed Oct 23 18:14:59 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.372	3035391	19.999 ug/ml
Spiked Amount 50.000		Recovery =	40.00%
6) S 2-Fluorobiphenyl (SURR)	8.222	2009011	20.460 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	40.92%
11) S ortho-Terphenyl (SURR)	11.258	3418196	20.067 ug/ml
Spiked Amount 50.000		Recovery =	40.13%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	4.195	3511974	20.187 ug/ml
2) T Naphthalene (C11.7)	5.713	3621999	20.299 ug/ml
3) T 2-Methylnaphthalene (...)	6.760	3629138	20.290 ug/ml
5) T Acenaphthylene (C15.06)	8.025	3549708	20.216 ug/ml
7) T Acenaphthene (C15.5)	8.319	3566386	20.108 ug/ml
8) T Fluorene (C16.55)	9.098	3449130	20.405 ug/ml
9) T Phenanthrene (C19.36)	10.485	3337748	20.191 ug/ml
10) T Anthracene (C19.43)	10.560	3166872	19.804 ug/ml
12) T Fluoranthene (C21.85)	12.288	3304952	20.082 ug/ml
13) T Pyrene (C20.8)	12.581	3231023	20.059 ug/ml
14) T Benzo[a]anthracene (C...	14.450	2986450	20.425 ug/ml
15) T Chrysene (C27.41)	14.492	3268283	19.869 ug/ml
16) T benzo[b]fluoranthene ...	15.997	3076351	20.235 ug/ml
17) T Bnezo[k]fluoranthene ...	16.029	3007230	20.008 ug/ml
18) T Benzo[a]pyrene (C31.34)	16.372	3055729	20.304 ug/ml
19) T Indeno[1,2,3-cd]pyren...	17.737	2639364	20.228 ug/ml
20) T Dibenz[a,h]anthracene...	17.776	3309486	20.337 ug/ml
21) T Benzo[g,h,i]perylene ...	17.987	3030209	19.793 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD102324AR\
Data File : FD048573.D
Signal(s) : FID2B.ch
Acq On : 23 Oct 2024 18:14
Operator : YP/AJ
Sample : 20 PPM AROMATIC HC STD ICV
Misc :
ALS Vial : 66 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :
20 PPM AROMATIC HC STD ICV

Integration File: autoint1.e
Quant Time: Oct 23 18:50:32 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 102324.M
Quant Title : GC Extractables
QLast Update : Wed Oct 23 18:14:59 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#1 1,2,3-Trimethylbenzene (C10.1)


R.T.: 4.195 min
Delta R.T.: -0.002 min
Response: 3511974
Conc: 20.19 ug/ml

Instrument :
FID_D
ClientSampleId :
20 PPM AROMATIC HC STD ICV




#2 Naphthalene (C11.7)

R.T.: 5.713 min
Delta R.T.: -0.002 min
Response: 3621999
Conc: 20.30 ug/ml




#3 2-Methylnaphthalene (C12.89)

R.T.: 6.760 min
Delta R.T.: -0.003 min
Response: 3629138
Conc: 20.29 ug/ml



#4 2-Bromonaphthalene (SURR)

R.T.: 7.372 min
Delta R.T.: -0.002 min
Response: 3035391
Conc: 20.00 ug/ml



#5 Acenaphthylene (C15.06)


R.T.: 8.025 min
Delta R.T.: -0.001 min
Response: 3549708
Conc: 20.22 ug/ml

Instrument :

FID_D


ClientSampleId :

20 PPM AROMATIC HC STD ICV




#6 2-Fluorobiphenyl (SURR)

R.T.: 8.222 min
Delta R.T.: -0.006 min
Response: 2009011
Conc: 20.46 ug/ml




#7 Acenaphthene (C15.5)

R.T.: 8.319 min
Delta R.T.: 0.000 min
Response: 3566386
Conc: 20.11 ug/ml



#8 Fluorene (C16.55)

R.T.: 9.098 min
Delta R.T.: -0.003 min
Response: 3449130
Conc: 20.40 ug/ml



#9 Phenanthrene (C19.36)


R.T.: 10.485 min
Delta R.T.: -0.003 min
Response: 3337748
Conc: 20.19 ug/ml

Instrument :

FID_D


ClientSampleId :

20 PPM AROMATIC HC STD ICV




#10 Anthracene (C19.43)

R.T.: 10.560 min
Delta R.T.: -0.004 min
Response: 3166872
Conc: 19.80 ug/ml




#11 ortho-Terphenyl (SURRE)

R.T.: 11.258 min
Delta R.T.: 0.000 min
Response: 3418196
Conc: 20.07 ug/ml



#12 Fluoranthene (C21.85)

R.T.: 12.288 min
Delta R.T.: -0.003 min
Response: 3304952
Conc: 20.08 ug/ml



#13 Pyrene (C20.8)


R.T.: 12.581 min
Delta R.T.: -0.002 min
Response: 3231023
Conc: 20.06 ug/ml

Instrument :

FID_D


ClientSampleId :

20 PPM AROMATIC HC STD ICV




#14 Benzo[a]anthracene (C26.37)

R.T.: 14.450 min
Delta R.T.: -0.003 min
Response: 2986450
Conc: 20.42 ug/ml




#15 Chrysene (C27.41)

R.T.: 14.492 min
Delta R.T.: -0.002 min
Response: 3268283
Conc: 19.87 ug/ml



#16 benzo[b]fluoranthene (C30.41)

R.T.: 15.997 min
Delta R.T.: 0.000 min
Response: 3076351
Conc: 20.24 ug/ml



#17 Bnezo[k]fluoranthene (C30.14)


R.T.: 16.029 min
Delta R.T.: 0.000 min
Response: 3007230
Conc: 20.01 ug/ml

Instrument :

FID_D


ClientSampleId :

20 PPM AROMATIC HC STD ICV




#18 Benzo[a]pyrene (C31.34)

R.T.: 16.372 min
Delta R.T.: -0.008 min
Response: 3055729
Conc: 20.30 ug/ml




#19 Indeno[1,2,3-cd]pyrene (C35.01)

R.T.: 17.737 min
Delta R.T.: -0.007 min
Response: 2639364
Conc: 20.23 ug/ml



#20 Dibenz[a,h]anthracene (C30.36)

R.T.: 17.776 min
Delta R.T.: -0.011 min
Response: 3309486
Conc: 20.34 ug/ml



#21 Benzo[g,h,i]perylene (C34.01)

R.T.: 17.987 min
Delta R.T.: -0.003 min
Response: 3030209
Conc: 19.79 ug/ml

Instrument :
FID_D
ClientSampleId :
20 PPM AROMATIC HC STD ICV

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD102324AR\
Data File : FD048573.D
Signal(s) : FID2B.ch
Acq On : 23 Oct 2024 18:14
Sample : 20 PPM AROMATIC HC STD ICV
Misc :
ALS Vial : 66 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 102324.M
Title : GC Extractables

Signal : FID2B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.195	4.161	4.288	BB	411534	3511974	96.77%	5.226%
2	5.713	5.674	5.868	BB	387327	3621999	99.80%	5.390%
3	6.760	6.714	6.881	BV	365701	3629138	100.00%	5.400%
4	7.372	7.161	7.461	BB	308815	3035391	83.64%	4.517%
5	8.025	7.978	8.154	BB	351890	3549708	97.81%	5.282%
6	8.222	8.168	8.290	BV	187045	2009011	55.36%	2.989%
7	8.319	8.290	8.424	VB	365720	3566386	98.27%	5.307%
8	9.098	9.064	9.241	PB	328779	3449130	95.04%	5.132%
9	10.485	10.384	10.531	BV	326000	3337748	91.97%	4.967%
10	10.560	10.531	10.741	VB	271677	3166872	87.26%	4.712%
11	11.258	11.214	11.344	BB	324343	3418196	94.19%	5.086%
12	12.288	12.247	12.444	PB	286640	3304952	91.07%	4.918%
13	12.581	12.534	12.633	BV	297215	3231023	89.03%	4.808%
14	14.450	14.417	14.470	VV	260406	2986450	82.29%	4.444%
15	14.492	14.470	14.621	VB	257062	3268283	90.06%	4.863%
16	15.997	15.961	16.012	BV	254462	3076351	84.77%	4.578%
17	16.029	16.012	16.102	VV	249107	3007230	82.86%	4.475%
18	16.372	16.264	16.458	BV	231238	3055729	84.20%	4.547%
19	17.737	17.701	17.755	BV	208961	2639364	72.73%	3.927%
20	17.776	17.755	17.951	VV	196335	3309486	91.19%	4.924%
21	17.987	17.951	18.104	VV	224512	3030209	83.50%	4.509%
Sum of corrected areas:						67204630		

Aromatic EPH 102324.M Wed Oct 23 18:51:40 2024