

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB110724\
Data File : FB031130.D
Signal(s) : FID2B.CH
Acq On : 7 Nov 2024 11:48
Sample : BSF1107S1
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 4 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB102824.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.720	4.582	4.881	BV	14625	1090902	75.97%	13.459%
2	7.426	7.223	7.648	PV	14371	1332487	92.80%	16.440%
3	7.755	7.648	7.823	VV	7477	426042	29.67%	5.256%
4	7.893	7.823	8.150	VV	9308	521151	36.29%	6.430%
5	8.794	8.648	9.049	BV	7664	443219	30.87%	5.468%
6	10.622	10.505	10.947	VV	27280	1435896	100.00%	17.716%
7	13.059	12.890	13.119	BV	8862	416715	29.02%	5.141%
8	13.192	13.119	13.422	VV	17571	905203	63.04%	11.168%
9	13.920	13.747	14.067	PV	16612	838013	58.36%	10.339%
10	16.195	16.066	16.403	PBA	15699	695485	48.44%	8.581%

Sum of corrected areas: 8105112

FB102824.M Fri Nov 08 03:58:19 2024