

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_B\Data\FB110624\  
Data File : FB031114.D  
Signal(s) : FID2B.CH  
Acq On : 6 Nov 2024 18:54  
Sample : BSF1106S2  
Misc : 5.00G/5.00 ML DI WATER  
ALS Vial : 11 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_B\Method\FB102824.M  
Title :

Signal : FID2B.CH

| peak<br># | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-----------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1         | 4.722       | 4.582        | 4.900      | BBA      | 16426          | 1211566      | 78.80%         | 13.977%       |
| 2         | 7.431       | 7.220        | 7.645      | BV       | 15525          | 1422905      | 92.55%         | 16.415%       |
| 3         | 7.756       | 7.645        | 7.825      | VV       | 8080           | 463102       | 30.12%         | 5.343%        |
| 4         | 7.896       | 7.825        | 8.181      | VV       | 10080          | 563403       | 36.64%         | 6.500%        |
| 5         | 8.796       | 8.609        | 9.041      | BV       | 7493           | 431249       | 28.05%         | 4.975%        |
| 6         | 10.625      | 10.502       | 10.948     | VV       | 29643          | 1537520      | 100.00%        | 17.738%       |
| 7         | 13.061      | 12.879       | 13.122     | BV       | 9589           | 451618       | 29.37%         | 5.210%        |
| 8         | 13.194      | 13.122       | 13.419     | VV       | 18794          | 967099       | 62.90%         | 11.157%       |
| 9         | 13.922      | 13.661       | 14.051     | PV       | 17888          | 908058       | 59.06%         | 10.476%       |
| 10        | 16.198      | 16.092       | 16.323     | PV       | 16174          | 711596       | 46.28%         | 8.209%        |

Sum of corrected areas: 8668116

FB102824.M Thu Nov 07 02:42:28 2024