

Report of Analysis

Client:	Walsh Construction Company II, LLC	Date Collected:	11/05/24
Project:	NYCDEP C547A - Shafts 17B-1 & 18B-1 Stage 2	Date Received:	11/05/24
Client Sample ID:	WC-1(0-6)	SDG No.:	P4722
Lab Sample ID:	P4722-05	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	155		1	28.3	50.0	ug/L	11/11/24 10:30	11/14/24 18:58	SW6010	SW3010
7440-36-0	Antimony	3.34	J	1	2.06	25.0	ug/L	11/11/24 10:30	11/14/24 18:58	SW6010	SW3010
7440-38-2	Arsenic	3.48	U	1	3.48	10.0	ug/L	11/11/24 10:30	11/14/24 18:58	SW6010	SW3010
7440-39-3	Barium	109		1	6.28	50.0	ug/L	11/11/24 10:30	11/14/24 18:58	SW6010	SW3010
7440-41-7	Beryllium	0.13	U	1	0.13	3.00	ug/L	11/11/24 10:30	11/14/24 18:58	SW6010	SW3010
7440-43-9	Cadmium	0.21	J	1	0.094	3.00	ug/L	11/11/24 10:30	11/14/24 18:58	SW6010	SW3010
7440-70-2	Calcium	158000		1	33.0	1000	ug/L	11/11/24 10:30	11/14/24 18:58	SW6010	SW3010
7440-47-3	Chromium	4.63	J	1	0.66	5.00	ug/L	11/11/24 10:30	11/14/24 18:58	SW6010	SW3010
7440-48-4	Cobalt	1.75	J	1	0.50	15.0	ug/L	11/11/24 10:30	11/14/24 18:58	SW6010	SW3010
7440-50-8	Copper	7.87	J	1	7.07	10.0	ug/L	11/11/24 10:30	11/14/24 18:58	SW6010	SW3010
7439-89-6	Iron	363		1	18.5	50.0	ug/L	11/11/24 10:30	11/14/24 18:58	SW6010	SW3010
7439-92-1	Lead	6.83		1	3.51	6.00	ug/L	11/11/24 10:30	11/14/24 18:58	SW6010	SW3010
7439-95-4	Magnesium	6200		1	39.4	1000	ug/L	11/11/24 10:30	11/14/24 18:58	SW6010	SW3010
7439-96-5	Manganese	321		1	1.46	10.0	ug/L	11/11/24 10:30	11/14/24 18:58	SW6010	SW3010
7439-97-6	Mercury	0.081	U	1	0.081	0.20	ug/L	11/11/24 16:33	11/12/24 14:53	SW7470A	
7440-02-0	Nickel	2.99	J	1	0.85	20.0	ug/L	11/11/24 10:30	11/14/24 18:58	SW6010	SW3010
7440-09-7	Potassium	4180		1	685	1000	ug/L	11/11/24 10:30	11/14/24 18:58	SW6010	SW3010
7782-49-2	Selenium	5.88	U	1	5.88	10.0	ug/L	11/11/24 10:30	11/14/24 18:58	SW6010	SW3010
7440-22-4	Silver	0.58	U	1	0.58	5.00	ug/L	11/11/24 10:30	11/14/24 18:58	SW6010	SW3010
7440-23-5	Sodium	10400		1	237	1000	ug/L	11/11/24 10:30	11/14/24 18:58	SW6010	SW3010
7440-28-0	Thallium	2.32	U	1	2.32	20.0	ug/L	11/11/24 10:30	11/14/24 18:58	SW6010	SW3010
7440-62-2	Vanadium	3.06	U	1	3.06	20.0	ug/L	11/11/24 10:30	11/14/24 18:58	SW6010	SW3010
7440-66-6	Zinc	67.9		1	1.75	20.0	ug/L	11/11/24 10:30	11/14/24 18:58	SW6010	SW3010

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP ICP Metals			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits