

Analytical Sequence

Client: Walsh Construction Company II, LLC	SDG No.: P4722
Project: NYCDEP C547A - Shafts 17B-1 & 18B-1 Sta;	Instrument ID: ECD_S
GC Column: RTX-CLP	ID: 0.32 (mm) Inst. Calib. Date(s): 11/08/2024 11/08/2024

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

EPA SAMPLE NO.	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCAA RT #	RT #
IBLK	IBLK	11/08/2024	14:25	PS028355.D	7.25	0.00
HSTDICC200	HSTDICC200	11/08/2024	15:13	PS028356.D	7.25	0.00
HSTDICC500	HSTDICC500	11/08/2024	15:46	PS028357.D	7.25	0.00
HSTDICC750	HSTDICC750	11/08/2024	16:10	PS028358.D	7.25	0.00
HSTDICC1000	HSTDICC1000	11/08/2024	16:34	PS028359.D	7.25	0.00
HSTDICC1500	HSTDICC1500	11/08/2024	16:58	PS028360.D	7.25	0.00
IBLK	IBLK	11/08/2024	17:46	PS028362.D	7.25	0.00
HSTDCCC750	HSTDCCC750	11/08/2024	18:10	PS028363.D	7.25	0.00
PB164754BL	PB164754BL	11/08/2024	19:46	PS028367.D	7.25	0.00
PB164754BS	PB164754BS	11/08/2024	20:10	PS028368.D	7.25	0.00
WC-2(0-6)	P4722-08	11/08/2024	20:58	PS028370.D	7.25	0.00
TP-14MS	P4739-01MS	11/08/2024	22:10	PS028373.D	7.25	0.00
TP-14MSD	P4739-01MSD	11/08/2024	22:34	PS028374.D	7.25	0.00
IBLK	IBLK	11/09/2024	00:10	PS028378.D	7.25	0.00
HSTDCCC750	HSTDCCC750	11/09/2024	00:34	PS028379.D	7.25	0.00
IBLK	IBLK	11/12/2024	01:47	PS028429.D	7.24	0.00
HSTDCCC750	HSTDCCC750	11/12/2024	02:11	PS028430.D	7.24	0.00
WC-1(0-6)	P4722-03	11/12/2024	05:23	PS028438.D	7.24	0.00
WC-3(0-6)	P4722-13	11/12/2024	05:47	PS028439.D	7.24	0.00
IBLK	IBLK	11/12/2024	06:35	PS028441.D	7.24	0.00
HSTDCCC750	HSTDCCC750	11/12/2024	06:59	PS028442.D	7.24	0.00

Analytical Sequence

Client: Walsh Construction Company II, LLC	SDG No.: P4722
Project: NYCDEP C547A - Shafts 17B-1 & 18B-1 Sta;	Instrument ID: ECD_S
GC Column: RTX-CLP2	ID: 0.32 (mm) Inst. Calib. Date(s): 11/08/2024 11/08/2024

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

EPA SAMPLE NO.	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCAA RT #	RT #
IBLK	IBLK	11/08/2024	14:25	PS028355.D	7.76	0.00
HSTDICC200	HSTDICC200	11/08/2024	15:13	PS028356.D	7.76	0.00
HSTDICC500	HSTDICC500	11/08/2024	15:46	PS028357.D	7.75	0.00
HSTDICC750	HSTDICC750	11/08/2024	16:10	PS028358.D	7.76	0.00
HSTDICC1000	HSTDICC1000	11/08/2024	16:34	PS028359.D	7.76	0.00
HSTDICC1500	HSTDICC1500	11/08/2024	16:58	PS028360.D	7.76	0.00
IBLK	IBLK	11/08/2024	17:46	PS028362.D	7.76	0.00
HSTDCCC750	HSTDCCC750	11/08/2024	18:10	PS028363.D	7.75	0.00
PB164754BL	PB164754BL	11/08/2024	19:46	PS028367.D	7.75	0.00
PB164754BS	PB164754BS	11/08/2024	20:10	PS028368.D	7.75	0.00
WC-2(0-6)	P4722-08	11/08/2024	20:58	PS028370.D	7.75	0.00
TP-14MS	P4739-01MS	11/08/2024	22:10	PS028373.D	7.75	0.00
TP-14MSD	P4739-01MSD	11/08/2024	22:34	PS028374.D	7.75	0.00
IBLK	IBLK	11/09/2024	00:10	PS028378.D	7.75	0.00
HSTDCCC750	HSTDCCC750	11/09/2024	00:34	PS028379.D	7.75	0.00
IBLK	IBLK	11/12/2024	01:47	PS028429.D	7.75	0.00
HSTDCCC750	HSTDCCC750	11/12/2024	02:11	PS028430.D	7.75	0.00
WC-1(0-6)	P4722-03	11/12/2024	05:23	PS028438.D	7.75	0.00
WC-3(0-6)	P4722-13	11/12/2024	05:47	PS028439.D	7.75	0.00
IBLK	IBLK	11/12/2024	06:35	PS028441.D	7.75	0.00
HSTDCCC750	HSTDCCC750	11/12/2024	06:59	PS028442.D	7.75	0.00