

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: P4722

Client: Walsh Construction Company II, LLC

Analytical Method: SW8260-Low

Datafile : VN084822.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VN1113WBS01	Dichlorodifluoromethane	20	17.7	ug/L	89			69	116	
	Chloromethane	20	15.0	ug/L	75			65	116	
	Vinyl chloride	20	20.1	ug/L	101			65	117	
	Bromomethane	20	19.6	ug/L	98			58	125	
	Chloroethane	20	20.9	ug/L	104			56	128	
	Trichlorofluoromethane	20	18.3	ug/L	92			73	115	
	1,1,2-Trichlorotrifluoroethane	20	18.4	ug/L	92			80	112	
	1,1-Dichloroethene	20	17.5	ug/L	88			74	110	
	Acetone	100	89.8	ug/L	90			60	125	
	Carbon disulfide	20	15.6	ug/L	78			64	112	
	Methyl tert-butyl Ether	20	18.8	ug/L	94			78	114	
	Methyl Acetate	20	13.3	ug/L	67			67	125	
	Methylene Chloride	20	17.5	ug/L	88			72	114	
	trans-1,2-Dichloroethene	20	17.5	ug/L	88			75	108	
	1,1-Dichloroethane	20	18.0	ug/L	90			78	112	
	Cyclohexane	20	18.1	ug/L	91			75	110	
	2-Butanone	100	91.6	ug/L	92			65	122	
	Carbon Tetrachloride	20	20.1	ug/L	101			77	113	
	cis-1,2-Dichloroethene	20	18.3	ug/L	92			77	110	
	Bromochloromethane	20	20.9	ug/L	104			70	124	
	Chloroform	20	18.9	ug/L	95			79	113	
	1,1,1-Trichloroethane	20	18.9	ug/L	95			80	108	
	Methylcyclohexane	20	19.8	ug/L	99			72	115	
	Benzene	20	18.5	ug/L	93			82	109	
	1,2-Dichloroethane	20	19.0	ug/L	95			80	115	
	Trichloroethene	20	19.2	ug/L	96			77	113	
	1,2-Dichloropropane	20	19.3	ug/L	97			83	111	
	Bromodichloromethane	20	19.3	ug/L	97			83	110	
	4-Methyl-2-Pentanone	100	98.0	ug/L	98			74	118	
	Toluene	20	20.0	ug/L	100			82	110	
	t-1,3-Dichloropropene	20	18.2	ug/L	91			79	110	
	cis-1,3-Dichloropropene	20	19.2	ug/L	96			82	110	
	1,1,2-Trichloroethane	20	19.5	ug/L	98			83	112	
	2-Hexanone	100	99.3	ug/L	99			73	117	
	Dibromochloromethane	20	19.6	ug/L	98			82	110	
	1,2-Dibromoethane	20	19.1	ug/L	96			81	110	
	Tetrachloroethene	20	20.6	ug/L	103			67	123	
	Chlorobenzene	20	18.9	ug/L	95			82	109	
	Ethyl Benzene	20	19.7	ug/L	99			83	109	
	m/p-Xylenes	40	39.9	ug/L	100			82	110	
	o-Xylene	20	20.9	ug/L	104			83	109	
	Styrene	20	19.8	ug/L	99			80	111	
	Bromoform	20	19.5	ug/L	98			79	109	
	Isopropylbenzene	20	19.1	ug/L	96			83	112	
	1,1,2,2-Tetrachloroethane	20	17.5	ug/L	88			76	118	
	1,3-Dichlorobenzene	20	16.9	ug/L	85			82	108	
	1,4-Dichlorobenzene	20	18.5	ug/L	93			82	107	
	1,2-Dichlorobenzene	20	17.8	ug/L	89			82	109	

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: P4722

Client: Walsh Construction Company II, LLC

Analytical Method: SW8260-Low

Datafile : VN084822.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VN1113WBS01	1,2-Dibromo-3-Chloropropane	20	16.2	ug/L	81			68	112	
	1,2,4-Trichlorobenzene	20	16.1	ug/L	81			75	113	
	1,2,3-Trichlorobenzene	20	15.7	ug/L	79			76	114	