

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: P4722

Client: Walsh Construction Company II, LLC

Analytical Method: SW8260D

Datafile : VY020198.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VY1107SBS01	Dichlorodifluoromethane	20	18.5	ug/Kg	93			64	136	
	Chloromethane	20	20.8	ug/Kg	104			70	130	
	Vinyl chloride	20	21.4	ug/Kg	107			72	129	
	Bromomethane	20	22.2	ug/Kg	111			58	141	
	Chloroethane	20	22.8	ug/Kg	114			69	130	
	Trichlorofluoromethane	20	21.9	ug/Kg	110			69	134	
	1,1,2-Trichlorotrifluoroethane	20	21.5	ug/Kg	108			81	123	
	1,1-Dichloroethene	20	21.1	ug/Kg	106			79	121	
	Acetone	100	100	ug/Kg	100			60	131	
	Carbon disulfide	20	19.5	ug/Kg	98			45	154	
	Methyl tert-butyl Ether	20	21.5	ug/Kg	108			77	129	
	Methyl Acetate	20	22.4	ug/Kg	112			69	149	
	Methylene Chloride	20	20.3	ug/Kg	102			56	174	
	trans-1,2-Dichloroethene	20	21.0	ug/Kg	105			80	123	
	1,1-Dichloroethane	20	21.1	ug/Kg	106			82	123	
	Cyclohexane	20	20.0	ug/Kg	100			76	122	
	2-Butanone	100	110	ug/Kg	110			69	131	
	Carbon Tetrachloride	20	21.3	ug/Kg	106			76	129	
	cis-1,2-Dichloroethene	20	21.0	ug/Kg	105			82	123	
	Bromochloromethane	20	20.7	ug/Kg	104			80	127	
	Chloroform	20	21.5	ug/Kg	108			82	125	
	1,1,1-Trichloroethane	20	21.4	ug/Kg	107			80	126	
	Methylcyclohexane	20	19.9	ug/Kg	100			77	123	
	Benzene	20	21.0	ug/Kg	105			84	121	
	1,2-Dichloroethane	20	21.9	ug/Kg	110			81	126	
	Trichloroethene	20	20.8	ug/Kg	104			83	122	
	1,2-Dichloropropane	20	21.7	ug/Kg	109			83	122	
	Bromodichloromethane	20	20.9	ug/Kg	104			82	123	
	4-Methyl-2-Pentanone	100	110	ug/Kg	110			70	135	
	Toluene	20	21.4	ug/Kg	107			83	122	
	t-1,3-Dichloropropene	20	20.7	ug/Kg	104			78	124	
	cis-1,3-Dichloropropene	20	21.3	ug/Kg	106			81	122	
	1,1,2-Trichloroethane	20	23.0	ug/Kg	115			82	125	
	2-Hexanone	100	110	ug/Kg	110			66	138	
	Dibromochloromethane	20	21.5	ug/Kg	108			79	125	
	1,2-Dibromoethane	20	21.4	ug/Kg	107			80	125	
	Tetrachloroethene	20	21.0	ug/Kg	105			83	125	
	Chlorobenzene	20	21.0	ug/Kg	105			84	122	
	Ethyl Benzene	20	20.7	ug/Kg	104			82	124	
	m/p-Xylenes	40	42.1	ug/Kg	105			83	124	
	o-Xylene	20	21.1	ug/Kg	106			83	123	
	Styrene	20	21.4	ug/Kg	107			82	124	
	Bromoform	20	21.7	ug/Kg	109			75	127	
	Isopropylbenzene	20	21.2	ug/Kg	106			82	124	
	1,1,2,2-Tetrachloroethane	20	21.1	ug/Kg	106			77	127	
	1,3-Dichlorobenzene	20	21.5	ug/Kg	108			83	122	
	1,4-Dichlorobenzene	20	21.6	ug/Kg	108			84	121	
	1,2-Dichlorobenzene	20	21.7	ug/Kg	109			83	124	

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: P4722

Client: Walsh Construction Company II, LLC

Analytical Method: SW8260D

Datafile : VY020198.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits	RPD
									High	
VY1107SBS01	1,2-Dibromo-3-Chloropropane	20	21.4	ug/Kg	107			66	134	
	1,2,4-Trichlorobenzene	20	20.7	ug/Kg	104			78	127	
	1,2,3-Trichlorobenzene	20	20.0	ug/Kg	100			70	137	