

## Analytical Sequence

**Client:** Furino and Sons, Inc.

**SDG No.:** P4732

**Project:** PPE Contamination

**Instrument ID:** ECD\_L

**GC Column:** ZB-MR2

**ID:** 0.32 (mm)

**Inst. Calib. Date(s):** 10/28/2024

10/28/2024

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,  
AND STANDARDS IS GIVEN BELOW:

| EPA<br>SAMPLE NO. | LAB<br>SAMPLE ID | DATE<br>ANALYZED | TIME<br>ANALYZED | DATAFILE   | DCB<br>RT # | TCX<br>RT # |
|-------------------|------------------|------------------|------------------|------------|-------------|-------------|
| IBLK              | IBLK             | 10/28/2024       | 13:55            | PL092652.D | 9.05        | 3.54        |
| PEM               | PEM              | 10/28/2024       | 14:16            | PL092653.D | 9.06        | 3.55        |
| RESCHK            | RESCHK           | 10/28/2024       | 14:29            | PL092654.D | 9.05        | 3.54        |
| PSTDICC100        | PSTDICC100       | 10/28/2024       | 14:43            | PL092655.D | 9.05        | 3.54        |
| PSTDICC075        | PSTDICC075       | 10/28/2024       | 14:56            | PL092656.D | 9.05        | 3.54        |
| PSTDICC050        | PSTDICC050       | 10/28/2024       | 15:09            | PL092657.D | 9.05        | 3.54        |
| PSTDICC025        | PSTDICC025       | 10/28/2024       | 15:23            | PL092658.D | 9.05        | 3.54        |
| PSTDICC005        | PSTDICC005       | 10/28/2024       | 15:36            | PL092659.D | 9.05        | 3.54        |
| PCHLORICC500      | PCHLORICC500     | 10/28/2024       | 16:16            | PL092662.D | 9.06        | 3.54        |
| PTOXICC500        | PTOXICC500       | 10/28/2024       | 17:23            | PL092667.D | 9.05        | 3.54        |
| IBLK              | IBLK             | 11/11/2024       | 09:35            | PL092941.D | 9.06        | 3.54        |
| PEM               | PEM              | 11/11/2024       | 09:49            | PL092942.D | 9.06        | 3.54        |
| PSTDCCC050        | PSTDCCC050       | 11/11/2024       | 11:58            | PL092943.D | 9.06        | 3.54        |
| PB164849BL        | PB164849BL       | 11/11/2024       | 12:12            | PL092944.D | 9.06        | 3.54        |
| PB164849BS        | PB164849BS       | 11/11/2024       | 12:26            | PL092945.D | 9.06        | 3.54        |
| PB164694TB        | PB164694TB       | 11/11/2024       | 12:40            | PL092946.D | 9.06        | 3.54        |
| IBLK              | IBLK             | 11/11/2024       | 16:35            | PL092959.D | 9.07        | 3.55        |
| PSTDCCC050        | PSTDCCC050       | 11/11/2024       | 16:49            | PL092960.D | 9.06        | 3.54        |
| IBLK              | IBLK             | 11/11/2024       | 19:46            | PL092971.D | 9.06        | 3.54        |
| PEM               | PEM              | 11/11/2024       | 20:00            | PL092972.D | 9.06        | 3.54        |
| PSTDCCC050        | PSTDCCC050       | 11/11/2024       | 20:14            | PL092973.D | 9.06        | 3.54        |
| WB-307-SB02MS     | P4718-03MS       | 11/11/2024       | 23:01            | PL092984.D | 9.06        | 3.54        |
| WB-307-SB02MSD    | P4718-03MSD      | 11/11/2024       | 23:14            | PL092985.D | 9.06        | 3.54        |
| PPE-COMP          | P4732-02         | 11/12/2024       | 00:10            | PL092989.D | 9.06        | 3.54        |
| IBLK              | IBLK             | 11/12/2024       | 00:52            | PL092992.D | 9.06        | 3.54        |
| PSTDCCC050        | PSTDCCC050       | 11/12/2024       | 01:06            | PL092993.D | 9.06        | 3.54        |

## Analytical Sequence

**Client:** Furino and Sons, Inc.

**SDG No.:** P4732

**Project:** PPE Contamination

**Instrument ID:** ECD\_L

**GC Column:** ZB-MR1

**ID:** 0.32 (mm)

**Inst. Calib. Date(s):** 10/28/2024

10/28/2024

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,  
AND STANDARDS IS GIVEN BELOW:

| EPA<br>SAMPLE NO. | LAB<br>SAMPLE ID | DATE<br>ANALYZED | TIME<br>ANALYZED | DATAFILE   | DCB<br>RT # | TCX<br>RT # |
|-------------------|------------------|------------------|------------------|------------|-------------|-------------|
| IBLK              | IBLK             | 10/28/2024       | 13:55            | PL092652.D | 7.92        | 2.78        |
| PEM               | PEM              | 10/28/2024       | 14:16            | PL092653.D | 7.92        | 2.78        |
| RESCHK            | RESCHK           | 10/28/2024       | 14:29            | PL092654.D | 7.92        | 2.78        |
| PSTDICC100        | PSTDICC100       | 10/28/2024       | 14:43            | PL092655.D | 7.92        | 2.78        |
| PSTDICC075        | PSTDICC075       | 10/28/2024       | 14:56            | PL092656.D | 7.92        | 2.78        |
| PSTDICC050        | PSTDICC050       | 10/28/2024       | 15:09            | PL092657.D | 7.92        | 2.78        |
| PSTDICC025        | PSTDICC025       | 10/28/2024       | 15:23            | PL092658.D | 7.92        | 2.78        |
| PSTDICC005        | PSTDICC005       | 10/28/2024       | 15:36            | PL092659.D | 7.92        | 2.78        |
| PCHLORICC500      | PCHLORICC500     | 10/28/2024       | 16:16            | PL092662.D | 7.92        | 2.78        |
| PTOXICC500        | PTOXICC500       | 10/28/2024       | 17:23            | PL092667.D | 7.92        | 2.78        |
| IBLK              | IBLK             | 11/11/2024       | 09:35            | PL092941.D | 7.92        | 2.78        |
| PEM               | PEM              | 11/11/2024       | 09:49            | PL092942.D | 7.92        | 2.78        |
| PSTDCCC050        | PSTDCCC050       | 11/11/2024       | 11:58            | PL092943.D | 7.92        | 2.78        |
| PB164849BL        | PB164849BL       | 11/11/2024       | 12:12            | PL092944.D | 7.92        | 2.78        |
| PB164849BS        | PB164849BS       | 11/11/2024       | 12:26            | PL092945.D | 7.92        | 2.78        |
| PB164694TB        | PB164694TB       | 11/11/2024       | 12:40            | PL092946.D | 7.92        | 2.78        |
| IBLK              | IBLK             | 11/11/2024       | 16:35            | PL092959.D | 7.92        | 2.78        |
| PSTDCCC050        | PSTDCCC050       | 11/11/2024       | 16:49            | PL092960.D | 7.92        | 2.78        |
| IBLK              | IBLK             | 11/11/2024       | 19:46            | PL092971.D | 7.92        | 2.78        |
| PEM               | PEM              | 11/11/2024       | 20:00            | PL092972.D | 7.92        | 2.78        |
| PSTDCCC050        | PSTDCCC050       | 11/11/2024       | 20:14            | PL092973.D | 7.92        | 2.78        |
| WB-307-SB02MS     | P4718-03MS       | 11/11/2024       | 23:01            | PL092984.D | 7.92        | 2.78        |
| WB-307-SB02MSD    | P4718-03MSD      | 11/11/2024       | 23:14            | PL092985.D | 7.92        | 2.78        |
| PPE-COMP          | P4732-02         | 11/12/2024       | 00:10            | PL092989.D | 7.92        | 2.78        |
| IBLK              | IBLK             | 11/12/2024       | 00:52            | PL092992.D | 7.92        | 2.78        |
| PSTDCCC050        | PSTDCCC050       | 11/12/2024       | 01:06            | PL092993.D | 7.92        | 2.78        |