

Report of Analysis

Client:	Furino and Sons, Inc.	Date Collected:	
Project:	PPE Contamination	Date Received:	
Client Sample ID:	PB164750BS	SDG No.:	P4732
Lab Sample ID:	PB164750BS	Matrix:	SOIL
Analytical Method:	SW8270	% Solid:	100
Sample Wt/Vol:	30.01 Units: g	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF140288.D	1	11/07/24 09:20	11/08/24 10:28	PB164750

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
100-52-7	Benzaldehyde	240	J	180	330	ug/Kg
108-95-2	Phenol	1400		82.9	170	ug/Kg
111-44-4	bis(2-Chloroethyl)ether	1400		83.7	170	ug/Kg
95-57-8	2-Chlorophenol	1400		83.5	170	ug/Kg
95-48-7	2-Methylphenol	1400		80.6	170	ug/Kg
108-60-1	2,2-oxybis(1-Chloropropane)	1300		90.9	170	ug/Kg
98-86-2	Acetophenone	1300		86.9	170	ug/Kg
65794-96-9	3+4-Methylphenols	1400		79.8	330	ug/Kg
621-64-7	n-Nitroso-di-n-propylamine	1400		40.3	80.0	ug/Kg
67-72-1	Hexachloroethane	1300		83.0	170	ug/Kg
98-95-3	Nitrobenzene	1200		90.8	170	ug/Kg
78-59-1	Isophorone	1400		84.6	170	ug/Kg
88-75-5	2-Nitrophenol	1500		94.5	170	ug/Kg
105-67-9	2,4-Dimethylphenol	1700		93.2	170	ug/Kg
111-91-1	bis(2-Chloroethoxy)methane	1300		85.8	170	ug/Kg
120-83-2	2,4-Dichlorophenol	1400		75.5	170	ug/Kg
91-20-3	Naphthalene	1300		82.6	170	ug/Kg
106-47-8	4-Chloroaniline	1300		82.6	170	ug/Kg
87-68-3	Hexachlorobutadiene	1300		83.3	170	ug/Kg
105-60-2	Caprolactam	1300		86.8	330	ug/Kg
59-50-7	4-Chloro-3-methylphenol	1400		77.5	170	ug/Kg
91-57-6	2-Methylnaphthalene	1400		82.5	170	ug/Kg
77-47-4	Hexachlorocyclopentadiene	5500	E	160	330	ug/Kg
88-06-2	2,4,6-Trichlorophenol	1400		71.4	170	ug/Kg
95-95-4	2,4,5-Trichlorophenol	1400		74.0	170	ug/Kg
92-52-4	1,1-Biphenyl	1300		87.4	170	ug/Kg
91-58-7	2-Chloronaphthalene	1300		83.3	170	ug/Kg
88-74-4	2-Nitroaniline	1300		95.0	170	ug/Kg
131-11-3	Dimethylphthalate	1400		81.7	170	ug/Kg

Report of Analysis

Client:	Furino and Sons, Inc.	Date Collected:	
Project:	PPE Contamination	Date Received:	
Client Sample ID:	PB164750BS	SDG No.:	P4732
Lab Sample ID:	PB164750BS	Matrix:	SOIL
Analytical Method:	SW8270	% Solid:	100
Sample Wt/Vol:	30.01 Units: g	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF140288.D	1	11/07/24 09:20	11/08/24 10:28	PB164750

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
208-96-8	Acenaphthylene	1400		86.5	170	ug/Kg
606-20-2	2,6-Dinitrotoluene	1400		83.2	170	ug/Kg
99-09-2	3-Nitroaniline	1200		89.2	170	ug/Kg
83-32-9	Acenaphthene	1500		81.1	170	ug/Kg
51-28-5	2,4-Dinitrophenol	3200	E	240	330	ug/Kg
100-02-7	4-Nitrophenol	3100	E	120	330	ug/Kg
132-64-9	Dibenzofuran	1300		84.4	170	ug/Kg
121-14-2	2,4-Dinitrotoluene	1400		86.2	170	ug/Kg
84-66-2	Diethylphthalate	1400		80.1	170	ug/Kg
7005-72-3	4-Chlorophenyl-phenylether	1300		85.6	170	ug/Kg
86-73-7	Fluorene	1300		85.5	170	ug/Kg
100-01-6	4-Nitroaniline	1500		110	170	ug/Kg
534-52-1	4,6-Dinitro-2-methylphenol	1700		120	330	ug/Kg
86-30-6	n-Nitrosodiphenylamine	1300		81.6	170	ug/Kg
101-55-3	4-Bromophenyl-phenylether	1400		78.9	170	ug/Kg
118-74-1	Hexachlorobenzene	1400		85.0	170	ug/Kg
1912-24-9	Atrazine	1600		91.4	170	ug/Kg
87-86-5	Pentachlorophenol	3100	E	77.3	330	ug/Kg
85-01-8	Phenanthrene	1400		84.0	170	ug/Kg
120-12-7	Anthracene	1400		84.4	170	ug/Kg
86-74-8	Carbazole	1400		80.3	170	ug/Kg
84-74-2	Di-n-butylphthalate	1400		84.3	170	ug/Kg
206-44-0	Fluoranthene	1400		81.7	170	ug/Kg
129-00-0	Pyrene	1400		83.0	170	ug/Kg
85-68-7	Butylbenzylphthalate	1500		96.8	170	ug/Kg
91-94-1	3,3-Dichlorobenzidine	1300		98.6	330	ug/Kg
56-55-3	Benzo(a)anthracene	1400		80.7	170	ug/Kg
218-01-9	Chrysene	1400		79.5	170	ug/Kg
117-81-7	Bis(2-ethylhexyl)phthalate	1500		91.0	170	ug/Kg
117-84-0	Di-n-octyl phthalate	1500		110	330	ug/Kg
205-99-2	Benzo(b)fluoranthene	1500		81.1	170	ug/Kg

Report of Analysis

Client:	Furino and Sons, Inc.	Date Collected:	
Project:	PPE Contamination	Date Received:	
Client Sample ID:	PB164750BS	SDG No.:	P4732
Lab Sample ID:	PB164750BS	Matrix:	SOIL
Analytical Method:	SW8270	% Solid:	100
Sample Wt/Vol:	30.01 Units: g	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF140288.D	1	11/07/24 09:20	11/08/24 10:28	PB164750

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
207-08-9	Benzo(k)fluoranthene	1400		82.6	170	ug/Kg
50-32-8	Benzo(a)pyrene	1500		93.0	170	ug/Kg
193-39-5	Indeno(1,2,3-cd)pyrene	1500		78.1	170	ug/Kg
53-70-3	Dibenzo(a,h)anthracene	1400		81.2	170	ug/Kg
191-24-2	Benzo(g,h,i)perylene	1300		80.1	170	ug/Kg
95-94-3	1,2,4,5-Tetrachlorobenzene	1300		86.8	170	ug/Kg
123-91-1	1,4-Dioxane	1000		110	170	ug/Kg
58-90-2	2,3,4,6-Tetrachlorophenol	1600		74.7	170	ug/Kg
SURROGATES						
367-12-4	2-Fluorophenol	114		18 - 112	76%	SPK: 150
13127-88-3	Phenol-d6	112		15 - 107	75%	SPK: 150
4165-60-0	Nitrobenzene-d5	76.4		18 - 107	76%	SPK: 100
321-60-8	2-Fluorobiphenyl	75.1		20 - 109	75%	SPK: 100
118-79-6	2,4,6-Tribromophenol	144		10 - 116	96%	SPK: 150
1718-51-0	Terphenyl-d14	84.5		10 - 105	84%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	196000	6.881			
1146-65-2	Naphthalene-d8	766000	8.157			
15067-26-2	Acenaphthene-d10	474000	9.922			
1517-22-2	Phenanthrene-d10	882000	11.41			
1719-03-5	Chrysene-d12	554000	14.063			
1520-96-3	Perylene-d12	455000	15.562			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products