

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: **P4732**

Client: **Furino and Sons, Inc.**

Analytical Method: **SW8260D**

Datafile : VN084720.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VN1107MBS01	Dichlorodifluoromethane	2000	2000	ug/Kg	100	0		64	136	20
	Chloromethane	2000	1800	ug/Kg	90	6		70	130	20
	Vinyl chloride	2000	2000	ug/Kg	100	0		72	129	20
	Bromomethane	2000	2100	ug/Kg	105	5		58	141	20
	Chloroethane	2000	2100	ug/Kg	105	5		69	130	20
	Trichlorofluoromethane	2000	2100	ug/Kg	105	5		69	134	20
	1,1,2-Trichlorotrifluoroethane	2000	2200	ug/Kg	110	5		81	123	20
	1,1-Dichloroethene	2000	2000	ug/Kg	100	5		79	121	20
	Acetone	10000	11700	ug/Kg	117	0		60	131	20
	Carbon disulfide	2000	1800	ug/Kg	90	6		45	154	20
	Methyl tert-butyl Ether	2000	2200	ug/Kg	110	5		77	129	20
	Methyl Acetate	2000	1900	ug/Kg	95	11		69	149	20
	Methylene Chloride	2000	2100	ug/Kg	105	5		56	174	20
	trans-1,2-Dichloroethene	2000	2000	ug/Kg	100	5		80	123	20
	1,1-Dichloroethane	2000	2100	ug/Kg	105	5		82	123	20
	Cyclohexane	2000	2000	ug/Kg	100	0		76	122	20
	2-Butanone	10000	11100	ug/Kg	111	5		69	131	20
	Carbon Tetrachloride	2000	2200	ug/Kg	110	5		76	129	20
	cis-1,2-Dichloroethene	2000	2100	ug/Kg	105	5		82	123	20
	Bromochloromethane	2000	2600	ug/Kg	130	4	*	80	127	20
	Chloroform	2000	2200	ug/Kg	110	5		82	125	20
	1,1,1-Trichloroethane	2000	2200	ug/Kg	110	5		80	126	20
	Methylcyclohexane	2000	2200	ug/Kg	110	10		77	123	20
	Benzene	2000	2200	ug/Kg	110	5		84	121	20
	1,2-Dichloroethane	2000	2200	ug/Kg	110	5		81	126	20
	Trichloroethene	2000	2200	ug/Kg	110	5		83	122	20
	1,2-Dichloropropane	2000	2200	ug/Kg	110	5		83	122	20
	Bromodichloromethane	2000	2200	ug/Kg	110	0		82	123	20
	4-Methyl-2-Pentanone	10000	11700	ug/Kg	117	3		70	135	20
	Toluene	2000	2300	ug/Kg	115	4		83	122	20
	t-1,3-Dichloropropene	2000	2100	ug/Kg	105	5		78	124	20
	cis-1,3-Dichloropropene	2000	2200	ug/Kg	110	5		81	122	20
	1,1,2-Trichloroethane	2000	2300	ug/Kg	115	4		82	125	20
	2-Hexanone	10000	12000	ug/Kg	120	3		66	138	20
	Dibromochloromethane	2000	2400	ug/Kg	120	4		79	125	20
	1,2-Dibromoethane	2000	2200	ug/Kg	110	5		80	125	20
	Tetrachloroethene	2000	2200	ug/Kg	110	10		83	125	20
	Chlorobenzene	2000	2100	ug/Kg	105	5		84	122	20
	Ethyl Benzene	2000	2200	ug/Kg	110	5		82	124	20
	m/p-Xylenes	4000	4500	ug/Kg	113	7		83	124	20
	o-Xylene	2000	2300	ug/Kg	115	4		83	123	20
	Styrene	2000	2200	ug/Kg	110	0		82	124	20
	Bromoform	2000	2400	ug/Kg	120	9		75	127	20
	Isopropylbenzene	2000	2100	ug/Kg	105	0		82	124	20
	1,1,2,2-Tetrachloroethane	2000	2100	ug/Kg	105	10		77	127	20
	1,3-Dichlorobenzene	2000	2000	ug/Kg	100	11		83	122	20
	1,4-Dichlorobenzene	2000	2100	ug/Kg	105	10		84	121	20
	1,2-Dichlorobenzene	2000	2000	ug/Kg	100	5		83	124	20

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: P4732

Client: Furino and Sons, Inc.

Analytical Method: SW8260D

Datafile : VN084720.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VN1107MBSD01	1,2-Dibromo-3-Chloropropane	2000	1800	ug/Kg	90	5		66	134	20
	1,2,4-Trichlorobenzene	2000	1800	ug/Kg	90	6		78	127	20
	1,2,3-Trichlorobenzene	2000	1800	ug/Kg	90	6		70	137	20