

SOP ID : M200.7-Trace Elements-22

SDG No : N/A

Matrix : WATER

Pipette ID: ICP A

Balance ID : N/A

Filter paper ID : N/A

pH Strip ID : M6069

Hood ID : #3

Block ID: 1. HOT BLOCK #1 2. N/A

Start Digest Date: 11/08/2024 Time : 09:00 Temp : 95 °C

End Digest Date: 11/08/2024 Time : 12:10 Temp : 95 °C

Digestion tube ID: M5595

Block thermometer ID: MET-DIG. #1

Dig Technician Signature: *JSP*

Supervisor Signature: *[Signature]*

Temp : 1. 95°C 2. N/A

Standard Name	MLS USED	STD REF. # FROM LOG
LFS-1	0.25	M6000
LFS-2	0.25	M6009
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
1:1 HNO3	1.00	MP83122
1:1 HCL	0.50	MP83105
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

Hot Block # 1 Cell # 50 Temp: 95 C

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
11/8/24 12:30	<i>JSP Met dig</i> Preparation Group	<i>[Signature]</i> Analysis Group

Lab Sample ID	Client Sample ID	pH	Initial Vol (ml)	Final Vol (ml)	Color Before	Color After	Clarity Before	Clarity After	Comment	Prep Pos
P4757-01	001-WILLETS-BLVD(SEP)	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	1
P4757-02	002-35TH-AVE(SEP)	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	2
P4757-03	001-WILLETS-BLVD(OCT)	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	3
P4757-04	002-35TH-AVE(OCT)	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	4
P4762-02	EFF-WW	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	5
P4762-02MS	EFF-WWMS	<2	50	25	Colorless	Colorless	Clear	Clear	M6000,M6009	7
P4762-02MSD	EFF-WWMSD	<2	50	25	Colorless	Colorless	Clear	Clear	M6000,M6009	8
P4762-02DUP	EFF-WWDUP	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	6
PB164782BL	PBW782	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	9
PB164782BS	LCS782	<2	50	25	Colorless	Colorless	Clear	Clear	M6000, M6009	10