

5B

SEMIVOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK  
DECAFLUOROTRIPHENYLPHOSPHINE (DFTPP)

Lab Name: CHEMTECH

Contract: JPCL01

Lab Code: CHEM

SAS No.: P4768

SDG NO.: P4768

Lab File ID: BF140331.D

DFTPP Injection Date: 11/13/2024

Instrument ID: BNA\_F

DFTPP Injection Time: 08:35

| m/e | ION ABUNDANCE CRITERIA             | % RELATIVE ABUNDANCE |
|-----|------------------------------------|----------------------|
| 51  | 10.0 - 80.0% of mass 198           | 36.9                 |
| 68  | Less than 2.0% of mass 69          | 0.7 ( 1.8 ) 1        |
| 69  | Mass 69 relative abundance         | 38                   |
| 70  | Less than 2.0% of mass 69          | 0.2 ( 0.6 ) 1        |
| 127 | 10.0 - 80.0% of mass 198           | 48.6                 |
| 197 | Less than 2.0% of mass 198         | 0.0                  |
| 198 | Base Peak, 100% relative abundance | 100                  |
| 199 | 5.0 to 9.0% of mass 198            | 6.4                  |
| 275 | 10.0 - 60.0% of mass 198           | 28.3                 |
| 365 | Greater than 1% of mass 198        | 3.5                  |
| 441 | Present, but less than mass 443    | 14                   |
| 442 | Greater than 50% of mass 198       | 100                  |
| 443 | 15.0 - 24.0% of mass 442           | 16.7 (18.8) 2        |

1-Value is % mass 69

2-Value is % mass 442

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

| EPA<br>SAMPLE NO. | LAB<br>SAMPLE ID | LAB<br>FILE ID | DATE<br>ANALYZED | TIME<br>ANALYZED |
|-------------------|------------------|----------------|------------------|------------------|
| SSTDICC2.5        | SSTDICC2.5       | BF140332.D     | 11/13/2024       | 09:01            |
| SSTDICC005        | SSTDICC005       | BF140333.D     | 11/13/2024       | 09:27            |
| SSTDICC010        | SSTDICC010       | BF140334.D     | 11/13/2024       | 09:53            |
| SSTDICC020        | SSTDICC020       | BF140335.D     | 11/13/2024       | 10:29            |
| SSTDICC050        | SSTDICC050       | BF140337.D     | 11/13/2024       | 11:21            |
| SSTDICC060        | SSTDICC060       | BF140338.D     | 11/13/2024       | 11:47            |
| SSTDICC080        | SSTDICC080       | BF140339.D     | 11/13/2024       | 12:13            |
| SSTDICCC040       | SSTDICCC040      | BF140340.D     | 11/13/2024       | 12:48            |