

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: P4768

Client: JPCL Engineering

Analytical Method: SW8260D

Datafile : VY020242.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VY1111SBSD01	Dichlorodifluoromethane	20	19.1	ug/Kg	96	17		64	136	20
	Chloromethane	20	19.2	ug/Kg	96	14		70	130	20
	Vinyl chloride	20	19.6	ug/Kg	98	11		72	129	20
	Bromomethane	20	21.3	ug/Kg	106	16		58	141	20
	Chloroethane	20	21.0	ug/Kg	105	13		69	130	20
	Trichlorofluoromethane	20	20.9	ug/Kg	104	9		69	134	20
	1,1,2-Trichlorotrifluoroethane	20	21.1	ug/Kg	106	2		81	123	20
	1,1-Dichloroethene	20	20.8	ug/Kg	104	7		79	121	20
	Acetone	100	110	ug/Kg	110	21	*	60	131	20
	Carbon disulfide	20	17.8	ug/Kg	89	3		45	154	20
	Methyl tert-butyl Ether	20	22.3	ug/Kg	112	8		77	129	20
	Methyl Acetate	20	21.5	ug/Kg	108	12		69	149	20
	Methylene Chloride	20	18.9	ug/Kg	95	3		56	174	20
	trans-1,2-Dichloroethene	20	20.3	ug/Kg	102	2		80	123	20
	1,1-Dichloroethane	20	20.7	ug/Kg	104	2		82	123	20
	Cyclohexane	20	18.6	ug/Kg	93	0		76	122	20
	2-Butanone	100	110	ug/Kg	110	17		69	131	20
	Carbon Tetrachloride	20	20.3	ug/Kg	102	1		76	129	20
	cis-1,2-Dichloroethene	20	20.8	ug/Kg	104	2		82	123	20
	Bromochloromethane	20	20.1	ug/Kg	101	8		80	127	20
	Chloroform	20	21.5	ug/Kg	108	4		82	125	20
	1,1,1-Trichloroethane	20	21.5	ug/Kg	108	1		80	126	20
	Methylcyclohexane	20	18.6	ug/Kg	93	2		77	123	20
	Benzene	20	20.3	ug/Kg	102	0		84	121	20
	1,2-Dichloroethane	20	21.4	ug/Kg	107	5		81	126	20
	Trichloroethene	20	20.6	ug/Kg	103	1		83	122	20
	1,2-Dichloropropane	20	21.1	ug/Kg	106	3		83	122	20
	Bromodichloromethane	20	21.4	ug/Kg	107	3		82	123	20
	4-Methyl-2-Pentanone	100	110	ug/Kg	110	15		70	135	20
	Toluene	20	20.4	ug/Kg	102	0		83	122	20
	t-1,3-Dichloropropene	20	20.8	ug/Kg	104	3		78	124	20
	cis-1,3-Dichloropropene	20	20.8	ug/Kg	104	0		81	122	20
	1,1,2-Trichloroethane	20	21.8	ug/Kg	109	3		82	125	20
	2-Hexanone	100	110	ug/Kg	110	15		66	138	20
	Dibromochloromethane	20	21.8	ug/Kg	109	6		79	125	20
	1,2-Dibromoethane	20	22.0	ug/Kg	110	10		80	125	20
	Tetrachloroethene	20	21.5	ug/Kg	108	0		83	125	20
	Chlorobenzene	20	20.7	ug/Kg	104	0		84	122	20
	Ethyl Benzene	20	20.0	ug/Kg	100	3		82	124	20
	m/p-Xylenes	40	40.9	ug/Kg	102	4		83	124	20
	o-Xylene	20	20.3	ug/Kg	102	3		83	123	20
	Styrene	20	20.6	ug/Kg	103	2		82	124	20
	Bromoform	20	22.1	ug/Kg	111	5		75	127	20
	Isopropylbenzene	20	20.5	ug/Kg	103	3		82	124	20
	1,1,2,2-Tetrachloroethane	20	20.8	ug/Kg	104	3		77	127	20
	1,3-Dichlorobenzene	20	20.8	ug/Kg	104	1		83	122	20
	1,4-Dichlorobenzene	20	20.9	ug/Kg	104	1		84	121	20
	1,2-Dichlorobenzene	20	21.5	ug/Kg	108	2		83	124	20

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: P4768

Client: JPCL Engineering

Analytical Method: SW8260D

Datafile : VY020242.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VY1111SBSD01	1,2-Dibromo-3-Chloropropane	20	21.7	ug/Kg	109	10		66	134	20
	1,2,4-Trichlorobenzene	20	20.0	ug/Kg	100	4		78	127	20
	1,2,3-Trichlorobenzene	20	20.0	ug/Kg	100	6		70	137	20