

Report of Analysis

Client:	JPCL Engineering	Date Collected:	11/07/24
Project:	Trenton Youth Wrestling	Date Received:	11/07/24
Client Sample ID:	B-6-2	SDG No.:	P4768
Lab Sample ID:	P4768-06	Matrix:	SOIL
Analytical Method:	SW8260	% Solid:	94.3
Sample Wt/Vol:	2.32 Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY020248.D	1		11/11/24 15:12	VY111124

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
75-71-8	Dichlorodifluoromethane	3.80	U	3.80	11.4	ug/Kg
74-87-3	Chloromethane	2.70	U	2.70	11.4	ug/Kg
75-01-4	Vinyl Chloride	1.80	U	1.80	11.4	ug/Kg
74-83-9	Bromomethane	2.40	U	2.40	11.4	ug/Kg
75-00-3	Chloroethane	2.30	U	2.30	11.4	ug/Kg
75-69-4	Trichlorofluoromethane	2.10	U	2.10	11.4	ug/Kg
76-13-1	1,1,2-Trichlorotrifluoroethane	2.40	U	2.40	11.4	ug/Kg
75-35-4	1,1-Dichloroethene	1.80	U	1.80	11.4	ug/Kg
67-64-1	Acetone	14.3	U	14.3	57.1	ug/Kg
75-15-0	Carbon Disulfide	2.90	U	2.90	11.4	ug/Kg
1634-04-4	Methyl tert-butyl Ether	1.50	U	1.50	11.4	ug/Kg
79-20-9	Methyl Acetate	4.10	U	4.10	11.4	ug/Kg
75-09-2	Methylene Chloride	7.80	U	7.80	22.9	ug/Kg
156-60-5	trans-1,2-Dichloroethene	1.90	U	1.90	11.4	ug/Kg
75-34-3	1,1-Dichloroethane	1.40	U	1.40	11.4	ug/Kg
110-82-7	Cyclohexane	1.60	U	1.60	11.4	ug/Kg
78-93-3	2-Butanone	13.0	U	13.0	57.1	ug/Kg
56-23-5	Carbon Tetrachloride	2.00	U	2.00	11.4	ug/Kg
156-59-2	cis-1,2-Dichloroethene	1.40	U	1.40	11.4	ug/Kg
74-97-5	Bromochloromethane	5.50	U	5.50	11.4	ug/Kg
67-66-3	Chloroform	1.50	U	1.50	11.4	ug/Kg
71-55-6	1,1,1-Trichloroethane	1.80	U	1.80	11.4	ug/Kg
108-87-2	Methylcyclohexane	2.00	U	2.00	11.4	ug/Kg
71-43-2	Benzene	1.60	U	1.60	11.4	ug/Kg
107-06-2	1,2-Dichloroethane	1.40	U	1.40	11.4	ug/Kg
79-01-6	Trichloroethene	1.70	U	1.70	11.4	ug/Kg
78-87-5	1,2-Dichloropropane	1.50	U	1.50	11.4	ug/Kg
75-27-4	Bromodichloromethane	1.30	U	1.30	11.4	ug/Kg
108-10-1	4-Methyl-2-Pentanone	9.90	U	9.90	57.1	ug/Kg
108-88-3	Toluene	1.50	U	1.50	11.4	ug/Kg

Report of Analysis

Client:	JPCL Engineering	Date Collected:	11/07/24
Project:	Trenton Youth Wrestling	Date Received:	11/07/24
Client Sample ID:	B-6-2	SDG No.:	P4768
Lab Sample ID:	P4768-06	Matrix:	SOIL
Analytical Method:	SW8260	% Solid:	94.3
Sample Wt/Vol:	2.32 Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY020248.D	1		11/11/24 15:12	VY111124

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
10061-02-6	t-1,3-Dichloropropene	1.40	U	1.40	11.4	ug/Kg
10061-01-5	cis-1,3-Dichloropropene	1.30	U	1.30	11.4	ug/Kg
79-00-5	1,1,2-Trichloroethane	1.90	U	1.90	11.4	ug/Kg
591-78-6	2-Hexanone	10.9	U	10.9	57.1	ug/Kg
124-48-1	Dibromochloromethane	1.50	U	1.50	11.4	ug/Kg
106-93-4	1,2-Dibromoethane	1.80	U	1.80	11.4	ug/Kg
127-18-4	Tetrachloroethene	2.00	U	2.00	11.4	ug/Kg
108-90-7	Chlorobenzene	1.70	U	1.70	11.4	ug/Kg
100-41-4	Ethyl Benzene	1.40	U	1.40	11.4	ug/Kg
179601-23-1	m/p-Xylenes	4.40	J	3.10	22.9	ug/Kg
95-47-6	o-Xylene	1.60	U	1.60	11.4	ug/Kg
100-42-5	Styrene	1.40	U	1.40	11.4	ug/Kg
75-25-2	Bromoform	1.90	U	1.90	11.4	ug/Kg
98-82-8	Isopropylbenzene	1.50	U	1.50	11.4	ug/Kg
79-34-5	1,1,2,2-Tetrachloroethane	2.50	U	2.50	11.4	ug/Kg
541-73-1	1,3-Dichlorobenzene	1.70	U	1.70	11.4	ug/Kg
106-46-7	1,4-Dichlorobenzene	1.80	U	1.80	11.4	ug/Kg
95-50-1	1,2-Dichlorobenzene	1.30	U	1.30	11.4	ug/Kg
96-12-8	1,2-Dibromo-3-Chloropropane	3.60	U	3.60	11.4	ug/Kg
120-82-1	1,2,4-Trichlorobenzene	1.80	U	1.80	11.4	ug/Kg
87-61-6	1,2,3-Trichlorobenzene	1.80	U	1.80	11.4	ug/Kg
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	57.1		50 - 163	114%	SPK: 50
1868-53-7	Dibromofluoromethane	52.2		54 - 147	104%	SPK: 50
2037-26-5	Toluene-d8	48.9		58 - 134	98%	SPK: 50
460-00-4	4-Bromofluorobenzene	46.0		29 - 146	92%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	190000	7.713			
540-36-3	1,4-Difluorobenzene	400000	8.616			
3114-55-4	Chlorobenzene-d5	366000	11.414			
3855-82-1	1,4-Dichlorobenzene-d4	128000	13.346			

Report of Analysis

Client:	JPCL Engineering	Date Collected:	11/07/24
Project:	Trenton Youth Wrestling	Date Received:	11/07/24
Client Sample ID:	B-6-2	SDG No.:	P4768
Lab Sample ID:	P4768-06	Matrix:	SOIL
Analytical Method:	SW8260	% Solid:	94.3
Sample Wt/Vol:	2.32 Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY020248.D	1		11/11/24 15:12	VY111124

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products