

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: P4774

Client: Tetra Tech NUS, Inc.

Analytical Method: SW8260-Low

Datafile : VN084741.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VN1108WBSD01	Chloromethane	20	14.9	ug/L	75	4		50	139	20
	Vinyl chloride	20	17.6	ug/L	88	8		58	137	20
	Bromomethane	20	18.0	ug/L	90	6		53	141	20
	Chloroethane	20	20.6	ug/L	103	20		60	138	20
	Trichlorofluoromethane	20	18.1	ug/L	91	2		65	141	20
	1,1,2-Trichlorotrifluoroethane	20	19.2	ug/L	96	6		70	136	20
	1,1-Dichloroethene	20	17.9	ug/L	90	7		71	131	20
	Acetone	100	110	ug/L	110	0		39	160	20
	Carbon disulfide	20	15.7	ug/L	79	4		64	133	20
	Methyl tert-butyl Ether	20	20.1	ug/L	101	6		71	124	20
	Methylene Chloride	20	18.9	ug/L	95	7		74	124	20
	trans-1,2-Dichloroethene	20	17.9	ug/L	90	7		75	124	20
	1,1-Dichloroethane	20	19.0	ug/L	95	5		77	125	20
	2-Butanone	100	110	ug/L	110	10		56	143	20
	Carbon Tetrachloride	20	19.1	ug/L	96	1		72	136	20
	cis-1,2-Dichloroethene	20	18.6	ug/L	93	1		78	123	20
	Chloroform	20	19.2	ug/L	96	2		79	124	20
	1,1,1-Trichloroethane	20	19.6	ug/L	98	4		74	131	20
	Methylcyclohexane	20	18.3	ug/L	92	1		72	132	20
	Benzene	20	18.6	ug/L	93	4		79	120	20
	1,2-Dichloroethane	20	19.4	ug/L	97	1		73	128	20
	Trichloroethene	20	18.7	ug/L	94	2		79	123	20
	1,2-Dichloropropane	20	18.8	ug/L	94	1		78	122	20
	Bromodichloromethane	20	19.3	ug/L	97	5		79	125	20
	4-Methyl-2-Pentanone	100	110	ug/L	110	0		67	130	20
	Toluene	20	19.6	ug/L	98	3		80	121	20
	t-1,3-Dichloropropene	20	18.9	ug/L	95	4		73	127	20
	cis-1,3-Dichloropropene	20	19.0	ug/L	95	3		75	124	20
	1,1,2-Trichloroethane	20	20.2	ug/L	101	3		80	119	20
	2-Hexanone	100	110	ug/L	110	0		57	139	20
	Dibromochloromethane	20	20.5	ug/L	103	3		74	126	20
	Tetrachloroethene	20	19.2	ug/L	96	4		74	129	20
	Chlorobenzene	20	18.3	ug/L	92	4		82	118	20
	Ethyl Benzene	20	18.9	ug/L	95	4		79	121	20
	m/p-Xylenes	40	38.7	ug/L	97	5		80	121	20
	o-Xylene	20	19.9	ug/L	100	6		78	122	20
	Styrene	20	19.5	ug/L	98	5		78	123	20
	Bromoform	20	20.7	ug/L	104	5		66	130	20
	Isopropylbenzene	20	19.2	ug/L	96	10		72	131	20
	1,1,2,2-Tetrachloroethane	20	19.6	ug/L	98	7		71	121	20
	1,3-Dichlorobenzene	20	17.3	ug/L	86	7		80	119	20
	1,4-Dichlorobenzene	20	17.9	ug/L	90	8		79	118	20
	1,2-Dichlorobenzene	20	18.1	ug/L	91	8		80	119	20