

**Hit Summary Sheet**  
**SW-846**

**SDG No.:** P4799  
**Client:** ENTACT

| Sample ID                     | Client ID                         | Matrix | Parameter                   | Concentration | C | MDL  | RDL  | Units |
|-------------------------------|-----------------------------------|--------|-----------------------------|---------------|---|------|------|-------|
| <b>Client ID:</b><br>P4799-01 | <b>WC-TA2-02-G</b><br>WC-TA2-02-G | TCLP   | 2-Butanone                  | 5.50          | J | 1.30 | 25.0 | ug/L  |
|                               |                                   |        | <b>Total Voc :</b>          | 5.50          |   |      |      |       |
|                               |                                   |        | <b>Total Concentration:</b> | 5.50          |   |      |      |       |
| <b>Client ID:</b><br>P4799-09 | <b>WC-TA1-01-G</b><br>WC-TA1-01-G | TCLP   | Benzene                     | 11.8          |   | 0.16 | 5.00 | ug/L  |
|                               |                                   |        | <b>Total Voc :</b>          | 11.8          |   |      |      |       |
|                               |                                   |        | <b>Total Concentration:</b> | 11.8          |   |      |      |       |
| <b>Client ID:</b><br>P4799-13 | <b>WC-TA1-02-G</b><br>WC-TA1-02-G | TCLP   | Benzene                     | 14.3          |   | 0.16 | 5.00 | ug/L  |
|                               |                                   |        | <b>Total Voc :</b>          | 14.3          |   |      |      |       |
|                               |                                   |        | <b>Total Concentration:</b> | 14.3          |   |      |      |       |
| <b>Client ID:</b><br>P4799-17 | <b>WC-TA1-03-G</b><br>WC-TA1-03-G | TCLP   | Benzene                     | 19.5          |   | 0.16 | 5.00 | ug/L  |
|                               |                                   |        | <b>Total Voc :</b>          | 19.5          |   |      |      |       |
|                               |                                   |        | <b>Total Concentration:</b> | 19.5          |   |      |      |       |



# SAMPLE DATA

A

B

C

D

## Report of Analysis

|                    |                                     |                 |          |
|--------------------|-------------------------------------|-----------------|----------|
| Client:            | ENTACT                              | Date Collected: | 11/08/24 |
| Project:           | 540 Degraw St, Brooklyn, NY - E9309 | Date Received:  | 11/08/24 |
| Client Sample ID:  | WC-TA2-02-G                         | SDG No.:        | P4799    |
| Lab Sample ID:     | P4799-01                            | Matrix:         | TCLP     |
| Analytical Method: | SW8260                              | % Solid:        | 0        |
| Sample Wt/Vol:     | 5 Units: mL                         | Final Vol:      | 5000 uL  |
| Soil Aliquot Vol:  | uL                                  | Test:           | TCLP VOA |
| GC Column:         | RXI-624 ID : 0.25                   | Level :         | LOW      |
| Prep Method :      | SW5035                              |                 |          |

|                   |           |           |                |               |
|-------------------|-----------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed  | Prep Batch ID |
| VN084799.D        | 1         |           | 11/12/24 16:25 | VN111224      |

| CAS Number                | Parameter              | Conc.  | Qualifier | MDL                 | LOQ / CRQL | Units   |
|---------------------------|------------------------|--------|-----------|---------------------|------------|---------|
| <b>TARGETS</b>            |                        |        |           |                     |            |         |
| 75-01-4                   | Vinyl Chloride         | 0.34   | U         | 0.34                | 5.00       | ug/L    |
| 75-35-4                   | 1,1-Dichloroethene     | 0.26   | U         | 0.26                | 5.00       | ug/L    |
| 78-93-3                   | 2-Butanone             | 5.50   | J         | 1.30                | 25.0       | ug/L    |
| 56-23-5                   | Carbon Tetrachloride   | 0.25   | U         | 0.25                | 5.00       | ug/L    |
| 67-66-3                   | Chloroform             | 0.26   | U         | 0.26                | 5.00       | ug/L    |
| 71-43-2                   | Benzene                | 0.16   | U         | 0.16                | 5.00       | ug/L    |
| 107-06-2                  | 1,2-Dichloroethane     | 0.24   | U         | 0.24                | 5.00       | ug/L    |
| 79-01-6                   | Trichloroethene        | 0.32   | U         | 0.32                | 5.00       | ug/L    |
| 127-18-4                  | Tetrachloroethene      | 0.25   | U         | 0.25                | 5.00       | ug/L    |
| 108-90-7                  | Chlorobenzene          | 0.13   | U         | 0.13                | 5.00       | ug/L    |
| <b>SURROGATES</b>         |                        |        |           |                     |            |         |
| 17060-07-0                | 1,2-Dichloroethane-d4  | 51.4   |           | 70 (74) - 130 (125) | 103%       | SPK: 50 |
| 1868-53-7                 | Dibromofluoromethane   | 44.9   |           | 70 (75) - 130 (124) | 90%        | SPK: 50 |
| 2037-26-5                 | Toluene-d8             | 46.8   |           | 70 (86) - 130 (113) | 94%        | SPK: 50 |
| 460-00-4                  | 4-Bromofluorobenzene   | 45.5   |           | 70 (77) - 130 (121) | 91%        | SPK: 50 |
| <b>INTERNAL STANDARDS</b> |                        |        |           |                     |            |         |
| 363-72-4                  | Pentafluorobenzene     | 174000 | 8.218     |                     |            |         |
| 540-36-3                  | 1,4-Difluorobenzene    | 312000 | 9.1       |                     |            |         |
| 3114-55-4                 | Chlorobenzene-d5       | 272000 | 11.865    |                     |            |         |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4 | 120000 | 13.788    |                     |            |         |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

## Report of Analysis

|                    |                                     |                 |          |
|--------------------|-------------------------------------|-----------------|----------|
| Client:            | ENTACT                              | Date Collected: | 11/08/24 |
| Project:           | 540 Degraw St, Brooklyn, NY - E9309 | Date Received:  | 11/08/24 |
| Client Sample ID:  | WC-TA2-03-G                         | SDG No.:        | P4799    |
| Lab Sample ID:     | P4799-05                            | Matrix:         | TCLP     |
| Analytical Method: | SW8260                              | % Solid:        | 0        |
| Sample Wt/Vol:     | 5 Units: mL                         | Final Vol:      | 5000 uL  |
| Soil Aliquot Vol:  | uL                                  | Test:           | TCLP VOA |
| GC Column:         | RXI-624 ID : 0.25                   | Level :         | LOW      |
| Prep Method :      | SW5035                              |                 |          |

|                   |           |           |                |               |
|-------------------|-----------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed  | Prep Batch ID |
| VN084800.D        | 1         |           | 11/12/24 16:49 | VN111224      |

| CAS Number                | Parameter              | Conc.  | Qualifier | MDL                 | LOQ / CRQL | Units   |
|---------------------------|------------------------|--------|-----------|---------------------|------------|---------|
| <b>TARGETS</b>            |                        |        |           |                     |            |         |
| 75-01-4                   | Vinyl Chloride         | 0.34   | U         | 0.34                | 5.00       | ug/L    |
| 75-35-4                   | 1,1-Dichloroethene     | 0.26   | U         | 0.26                | 5.00       | ug/L    |
| 78-93-3                   | 2-Butanone             | 1.30   | U         | 1.30                | 25.0       | ug/L    |
| 56-23-5                   | Carbon Tetrachloride   | 0.25   | U         | 0.25                | 5.00       | ug/L    |
| 67-66-3                   | Chloroform             | 0.26   | U         | 0.26                | 5.00       | ug/L    |
| 71-43-2                   | Benzene                | 0.16   | U         | 0.16                | 5.00       | ug/L    |
| 107-06-2                  | 1,2-Dichloroethane     | 0.24   | U         | 0.24                | 5.00       | ug/L    |
| 79-01-6                   | Trichloroethene        | 0.32   | U         | 0.32                | 5.00       | ug/L    |
| 127-18-4                  | Tetrachloroethene      | 0.25   | U         | 0.25                | 5.00       | ug/L    |
| 108-90-7                  | Chlorobenzene          | 0.13   | U         | 0.13                | 5.00       | ug/L    |
| <b>SURROGATES</b>         |                        |        |           |                     |            |         |
| 17060-07-0                | 1,2-Dichloroethane-d4  | 49.3   |           | 70 (74) - 130 (125) | 99%        | SPK: 50 |
| 1868-53-7                 | Dibromofluoromethane   | 41.3   |           | 70 (75) - 130 (124) | 83%        | SPK: 50 |
| 2037-26-5                 | Toluene-d8             | 45.7   |           | 70 (86) - 130 (113) | 91%        | SPK: 50 |
| 460-00-4                  | 4-Bromofluorobenzene   | 49.5   |           | 70 (77) - 130 (121) | 99%        | SPK: 50 |
| <b>INTERNAL STANDARDS</b> |                        |        |           |                     |            |         |
| 363-72-4                  | Pentafluorobenzene     | 170000 | 8.224     |                     |            |         |
| 540-36-3                  | 1,4-Difluorobenzene    | 298000 | 9.1       |                     |            |         |
| 3114-55-4                 | Chlorobenzene-d5       | 265000 | 11.865    |                     |            |         |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4 | 124000 | 13.788    |                     |            |         |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

## Report of Analysis

|                    |                                     |                 |          |
|--------------------|-------------------------------------|-----------------|----------|
| Client:            | ENTACT                              | Date Collected: | 11/08/24 |
| Project:           | 540 Degraw St, Brooklyn, NY - E9309 | Date Received:  | 11/08/24 |
| Client Sample ID:  | WC-TA1-01-G                         | SDG No.:        | P4799    |
| Lab Sample ID:     | P4799-09                            | Matrix:         | TCLP     |
| Analytical Method: | SW8260                              | % Solid:        | 0        |
| Sample Wt/Vol:     | 5 Units: mL                         | Final Vol:      | 5000 uL  |
| Soil Aliquot Vol:  | uL                                  | Test:           | TCLP VOA |
| GC Column:         | RXI-624 ID : 0.25                   | Level :         | LOW      |
| Prep Method :      | SW5035                              |                 |          |

|                   |           |           |                |               |
|-------------------|-----------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed  | Prep Batch ID |
| VN084801.D        | 1         |           | 11/12/24 17:13 | VN111224      |

| CAS Number                | Parameter              | Conc.  | Qualifier | MDL                 | LOQ / CRQL | Units   |
|---------------------------|------------------------|--------|-----------|---------------------|------------|---------|
| <b>TARGETS</b>            |                        |        |           |                     |            |         |
| 75-01-4                   | Vinyl Chloride         | 0.34   | U         | 0.34                | 5.00       | ug/L    |
| 75-35-4                   | 1,1-Dichloroethene     | 0.26   | U         | 0.26                | 5.00       | ug/L    |
| 78-93-3                   | 2-Butanone             | 1.30   | U         | 1.30                | 25.0       | ug/L    |
| 56-23-5                   | Carbon Tetrachloride   | 0.25   | U         | 0.25                | 5.00       | ug/L    |
| 67-66-3                   | Chloroform             | 0.26   | U         | 0.26                | 5.00       | ug/L    |
| 71-43-2                   | Benzene                | 11.8   |           | 0.16                | 5.00       | ug/L    |
| 107-06-2                  | 1,2-Dichloroethane     | 0.24   | U         | 0.24                | 5.00       | ug/L    |
| 79-01-6                   | Trichloroethene        | 0.32   | U         | 0.32                | 5.00       | ug/L    |
| 127-18-4                  | Tetrachloroethene      | 0.25   | U         | 0.25                | 5.00       | ug/L    |
| 108-90-7                  | Chlorobenzene          | 0.13   | U         | 0.13                | 5.00       | ug/L    |
| <b>SURROGATES</b>         |                        |        |           |                     |            |         |
| 17060-07-0                | 1,2-Dichloroethane-d4  | 47.5   |           | 70 (74) - 130 (125) | 95%        | SPK: 50 |
| 1868-53-7                 | Dibromofluoromethane   | 40.7   |           | 70 (75) - 130 (124) | 81%        | SPK: 50 |
| 2037-26-5                 | Toluene-d8             | 47.8   |           | 70 (86) - 130 (113) | 96%        | SPK: 50 |
| 460-00-4                  | 4-Bromofluorobenzene   | 56.6   |           | 70 (77) - 130 (121) | 113%       | SPK: 50 |
| <b>INTERNAL STANDARDS</b> |                        |        |           |                     |            |         |
| 363-72-4                  | Pentafluorobenzene     | 169000 | 8.224     |                     |            |         |
| 540-36-3                  | 1,4-Difluorobenzene    | 288000 | 9.1       |                     |            |         |
| 3114-55-4                 | Chlorobenzene-d5       | 266000 | 11.865    |                     |            |         |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4 | 141000 | 13.788    |                     |            |         |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

## Report of Analysis

|                    |                                     |                 |          |
|--------------------|-------------------------------------|-----------------|----------|
| Client:            | ENTACT                              | Date Collected: | 11/08/24 |
| Project:           | 540 Degraw St, Brooklyn, NY - E9309 | Date Received:  | 11/08/24 |
| Client Sample ID:  | WC-TA1-02-G                         | SDG No.:        | P4799    |
| Lab Sample ID:     | P4799-13                            | Matrix:         | TCLP     |
| Analytical Method: | SW8260                              | % Solid:        | 0        |
| Sample Wt/Vol:     | 5 Units: mL                         | Final Vol:      | 5000 uL  |
| Soil Aliquot Vol:  | uL                                  | Test:           | TCLP VOA |
| GC Column:         | RXI-624 ID : 0.25                   | Level :         | LOW      |
| Prep Method :      | SW5035                              |                 |          |

|                   |           |           |                |               |
|-------------------|-----------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed  | Prep Batch ID |
| VN084802.D        | 1         |           | 11/12/24 17:38 | VN111224      |

| CAS Number                | Parameter              | Conc.  | Qualifier | MDL                 | LOQ / CRQL | Units   |
|---------------------------|------------------------|--------|-----------|---------------------|------------|---------|
| <b>TARGETS</b>            |                        |        |           |                     |            |         |
| 75-01-4                   | Vinyl Chloride         | 0.34   | U         | 0.34                | 5.00       | ug/L    |
| 75-35-4                   | 1,1-Dichloroethene     | 0.26   | U         | 0.26                | 5.00       | ug/L    |
| 78-93-3                   | 2-Butanone             | 1.30   | U         | 1.30                | 25.0       | ug/L    |
| 56-23-5                   | Carbon Tetrachloride   | 0.25   | U         | 0.25                | 5.00       | ug/L    |
| 67-66-3                   | Chloroform             | 0.26   | U         | 0.26                | 5.00       | ug/L    |
| 71-43-2                   | Benzene                | 14.3   |           | 0.16                | 5.00       | ug/L    |
| 107-06-2                  | 1,2-Dichloroethane     | 0.24   | U         | 0.24                | 5.00       | ug/L    |
| 79-01-6                   | Trichloroethene        | 0.32   | U         | 0.32                | 5.00       | ug/L    |
| 127-18-4                  | Tetrachloroethene      | 0.25   | U         | 0.25                | 5.00       | ug/L    |
| 108-90-7                  | Chlorobenzene          | 0.13   | U         | 0.13                | 5.00       | ug/L    |
| <b>SURROGATES</b>         |                        |        |           |                     |            |         |
| 17060-07-0                | 1,2-Dichloroethane-d4  | 45.8   |           | 70 (74) - 130 (125) | 92%        | SPK: 50 |
| 1868-53-7                 | Dibromofluoromethane   | 38.4   |           | 70 (75) - 130 (124) | 77%        | SPK: 50 |
| 2037-26-5                 | Toluene-d8             | 47.5   |           | 70 (86) - 130 (113) | 95%        | SPK: 50 |
| 460-00-4                  | 4-Bromofluorobenzene   | 55.9   |           | 70 (77) - 130 (121) | 112%       | SPK: 50 |
| <b>INTERNAL STANDARDS</b> |                        |        |           |                     |            |         |
| 363-72-4                  | Pentafluorobenzene     | 179000 | 8.224     |                     |            |         |
| 540-36-3                  | 1,4-Difluorobenzene    | 302000 | 9.094     |                     |            |         |
| 3114-55-4                 | Chlorobenzene-d5       | 283000 | 11.865    |                     |            |         |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4 | 148000 | 13.788    |                     |            |         |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

## Report of Analysis

|                    |                                     |                 |          |
|--------------------|-------------------------------------|-----------------|----------|
| Client:            | ENTACT                              | Date Collected: | 11/08/24 |
| Project:           | 540 Degraw St, Brooklyn, NY - E9309 | Date Received:  | 11/08/24 |
| Client Sample ID:  | WC-TA1-03-G                         | SDG No.:        | P4799    |
| Lab Sample ID:     | P4799-17                            | Matrix:         | TCLP     |
| Analytical Method: | SW8260                              | % Solid:        | 0        |
| Sample Wt/Vol:     | 5 Units: mL                         | Final Vol:      | 5000 uL  |
| Soil Aliquot Vol:  | uL                                  | Test:           | TCLP VOA |
| GC Column:         | RXI-624 ID : 0.25                   | Level :         | LOW      |
| Prep Method :      | SW5035                              |                 |          |

|                   |           |           |                |               |
|-------------------|-----------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed  | Prep Batch ID |
| VN084837.D        | 1         |           | 11/13/24 19:35 | VN111324      |

| CAS Number                | Parameter              | Conc.  | Qualifier | MDL                 | LOQ / CRQL | Units   |
|---------------------------|------------------------|--------|-----------|---------------------|------------|---------|
| <b>TARGETS</b>            |                        |        |           |                     |            |         |
| 75-01-4                   | Vinyl Chloride         | 0.34   | U         | 0.34                | 5.00       | ug/L    |
| 75-35-4                   | 1,1-Dichloroethene     | 0.26   | U         | 0.26                | 5.00       | ug/L    |
| 78-93-3                   | 2-Butanone             | 1.30   | U         | 1.30                | 25.0       | ug/L    |
| 56-23-5                   | Carbon Tetrachloride   | 0.25   | U         | 0.25                | 5.00       | ug/L    |
| 67-66-3                   | Chloroform             | 0.26   | U         | 0.26                | 5.00       | ug/L    |
| 71-43-2                   | Benzene                | 19.5   |           | 0.16                | 5.00       | ug/L    |
| 107-06-2                  | 1,2-Dichloroethane     | 0.24   | U         | 0.24                | 5.00       | ug/L    |
| 79-01-6                   | Trichloroethene        | 0.32   | U         | 0.32                | 5.00       | ug/L    |
| 127-18-4                  | Tetrachloroethene      | 0.25   | U         | 0.25                | 5.00       | ug/L    |
| 108-90-7                  | Chlorobenzene          | 0.13   | U         | 0.13                | 5.00       | ug/L    |
| <b>SURROGATES</b>         |                        |        |           |                     |            |         |
| 17060-07-0                | 1,2-Dichloroethane-d4  | 48.3   |           | 70 (74) - 130 (125) | 97%        | SPK: 50 |
| 1868-53-7                 | Dibromofluoromethane   | 39.0   |           | 70 (75) - 130 (124) | 78%        | SPK: 50 |
| 2037-26-5                 | Toluene-d8             | 48.6   |           | 70 (86) - 130 (113) | 97%        | SPK: 50 |
| 460-00-4                  | 4-Bromofluorobenzene   | 58.0   |           | 70 (77) - 130 (121) | 116%       | SPK: 50 |
| <b>INTERNAL STANDARDS</b> |                        |        |           |                     |            |         |
| 363-72-4                  | Pentafluorobenzene     | 166000 | 8.224     |                     |            |         |
| 540-36-3                  | 1,4-Difluorobenzene    | 289000 | 9.094     |                     |            |         |
| 3114-55-4                 | Chlorobenzene-d5       | 281000 | 11.865    |                     |            |         |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4 | 147000 | 13.788    |                     |            |         |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

LAB CHRONICLE

|          |                 |            |                                     |
|----------|-----------------|------------|-------------------------------------|
| OrderID: | P4799           | OrderDate: | 11/8/2024 4:30:00 PM                |
| Client:  | ENTACT          | Project:   | 540 Degraw St, Brooklyn, NY - E9309 |
| Contact: | Jarod Stanfield | Location:  | L31                                 |

| LabID    | ClientID    | Matrix | Test     | Method | Sample Date | Prep Date | Anal Date | Received |
|----------|-------------|--------|----------|--------|-------------|-----------|-----------|----------|
| P4799-01 | WC-TA2-02-G | TCLP   | TCLP VOA | 8260D  | 11/08/24    |           | 11/12/24  | 11/08/24 |
| P4799-05 | WC-TA2-03-G | TCLP   | TCLP VOA | 8260D  | 11/08/24    |           | 11/12/24  | 11/08/24 |
| P4799-09 | WC-TA1-01-G | TCLP   | TCLP VOA | 8260D  | 11/08/24    |           | 11/12/24  | 11/08/24 |
| P4799-13 | WC-TA1-02-G | TCLP   | TCLP VOA | 8260D  | 11/08/24    |           | 11/12/24  | 11/08/24 |
| P4799-17 | WC-TA1-03-G | TCLP   | TCLP VOA | 8260D  | 11/08/24    |           | 11/13/24  | 11/08/24 |



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

- A
- B
- C
- D

Hit Summary Sheet  
SW-846

SDG No.: P4799  
Client: ENTACT

| Sample ID            | Client ID | Matrix | Parameter | Concentration | C    | MDL | RDL | Units |
|----------------------|-----------|--------|-----------|---------------|------|-----|-----|-------|
| Client ID :          |           |        |           | 0.000         |      |     |     |       |
| Total Svoc :         |           |        |           |               | 0.00 |     |     |       |
| Total Concentration: |           |        |           |               | 0.00 |     |     |       |



# SAMPLE DATA

A

B

C

D

## Report of Analysis

|                    |                                     |                  |                 |          |      |
|--------------------|-------------------------------------|------------------|-----------------|----------|------|
| Client:            | ENTACT                              |                  | Date Collected: | 10/30/24 |      |
| Project:           | 540 Degraw St, Brooklyn, NY - E9309 |                  | Date Received:  | 11/08/24 |      |
| Client Sample ID:  | WC-TA2-02-C                         |                  | SDG No.:        | P4799    |      |
| Lab Sample ID:     | P4799-03                            |                  | Matrix:         | TCLP     |      |
| Analytical Method: | SW8270                              |                  | % Solid:        | 0        |      |
| Sample Wt/Vol:     | 100                                 | Units: mL        | Final Vol:      | 1000     | uL   |
| Soil Aliquot Vol:  |                                     | uL               | Test:           | TCLP BNA |      |
| Extraction Type :  |                                     | Decanted : N     | Level :         | LOW      |      |
| Injection Volume : |                                     | GPC Factor : 1.0 | GPC Cleanup :   | N        | PH : |
| Prep Method :      | SW3541                              |                  |                 |          |      |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BF140395.D        | 1         | 11/14/24 10:25 | 11/15/24 11:33 | PB164969      |

| CAS Number                | Parameter              | Conc.  | Qualifier | MDL                 | LOQ / CRQL | Units    |
|---------------------------|------------------------|--------|-----------|---------------------|------------|----------|
| <b>TARGETS</b>            |                        |        |           |                     |            |          |
| 110-86-1                  | Pyridine               | 15.5   | U         | 15.5                | 50.0       | ug/L     |
| 106-46-7                  | 1,4-Dichlorobenzene    | 8.40   | U         | 8.40                | 50.0       | ug/L     |
| 95-48-7                   | 2-Methylphenol         | 11.3   | U         | 11.3                | 50.0       | ug/L     |
| 65794-96-9                | 3+4-Methylphenols      | 11.5   | U         | 11.5                | 100        | ug/L     |
| 67-72-1                   | Hexachloroethane       | 10.1   | U         | 10.1                | 50.0       | ug/L     |
| 98-95-3                   | Nitrobenzene           | 12.7   | U         | 12.7                | 50.0       | ug/L     |
| 87-68-3                   | Hexachlorobutadiene    | 12.7   | U         | 12.7                | 50.0       | ug/L     |
| 88-06-2                   | 2,4,6-Trichlorophenol  | 8.90   | U         | 8.90                | 50.0       | ug/L     |
| 95-95-4                   | 2,4,5-Trichlorophenol  | 10.1   | U         | 10.1                | 50.0       | ug/L     |
| 121-14-2                  | 2,4-Dinitrotoluene     | 15.2   | U         | 15.2                | 50.0       | ug/L     |
| 118-74-1                  | Hexachlorobenzene      | 11.4   | U         | 11.4                | 50.0       | ug/L     |
| 87-86-5                   | Pentachlorophenol      | 18.5   | U         | 18.5                | 100        | ug/L     |
| <b>SURROGATES</b>         |                        |        |           |                     |            |          |
| 367-12-4                  | 2-Fluorophenol         | 127    |           | 15 (10) - 110 (139) | 85%        | SPK: 150 |
| 13127-88-3                | Phenol-d6              | 122    |           | 15 (10) - 110 (134) | 81%        | SPK: 150 |
| 4165-60-0                 | Nitrobenzene-d5        | 85.4   |           | 30 (49) - 130 (133) | 85%        | SPK: 100 |
| 321-60-8                  | 2-Fluorobiphenyl       | 84.8   |           | 30 (52) - 130 (132) | 85%        | SPK: 100 |
| 118-79-6                  | 2,4,6-Tribromophenol   | 141    |           | 15 (44) - 110 (137) | 94%        | SPK: 150 |
| 1718-51-0                 | Terphenyl-d14          | 98.7   |           | 30 (48) - 130 (125) | 99%        | SPK: 100 |
| <b>INTERNAL STANDARDS</b> |                        |        |           |                     |            |          |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4 | 126000 | 6.875     |                     |            |          |
| 1146-65-2                 | Naphthalene-d8         | 479000 | 8.157     |                     |            |          |
| 15067-26-2                | Acenaphthene-d10       | 259000 | 9.91      |                     |            |          |
| 1517-22-2                 | Phenanthrene-d10       | 489000 | 11.398    |                     |            |          |
| 1719-03-5                 | Chrysene-d12           | 279000 | 14.062    |                     |            |          |
| 1520-96-3                 | Perylene-d12           | 287000 | 15.586    |                     |            |          |

## Report of Analysis

|                    |                                     |                  |                 |          |      |
|--------------------|-------------------------------------|------------------|-----------------|----------|------|
| Client:            | ENTACT                              |                  | Date Collected: | 10/30/24 |      |
| Project:           | 540 Degraw St, Brooklyn, NY - E9309 |                  | Date Received:  | 11/08/24 |      |
| Client Sample ID:  | WC-TA2-02-C                         |                  | SDG No.:        | P4799    |      |
| Lab Sample ID:     | P4799-03                            |                  | Matrix:         | TCLP     |      |
| Analytical Method: | SW8270                              |                  | % Solid:        | 0        |      |
| Sample Wt/Vol:     | 100                                 | Units: mL        | Final Vol:      | 1000     | uL   |
| Soil Aliquot Vol:  |                                     | uL               | Test:           | TCLP BNA |      |
| Extraction Type :  |                                     | Decanted : N     | Level :         | LOW      |      |
| Injection Volume : |                                     | GPC Factor : 1.0 | GPC Cleanup :   | N        | PH : |
| Prep Method :      | SW3541                              |                  |                 |          |      |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BF140395.D        | 1         | 11/14/24 10:25 | 11/15/24 11:33 | PB164969      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|------------|-----------|-------|-----------|-----|------------|-------|
|------------|-----------|-------|-----------|-----|------------|-------|

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

## Report of Analysis

|                    |                                     |                  |                 |          |      |
|--------------------|-------------------------------------|------------------|-----------------|----------|------|
| Client:            | ENTACT                              |                  | Date Collected: | 11/01/24 |      |
| Project:           | 540 Degraw St, Brooklyn, NY - E9309 |                  | Date Received:  | 11/08/24 |      |
| Client Sample ID:  | WC-TA2-03-C                         |                  | SDG No.:        | P4799    |      |
| Lab Sample ID:     | P4799-07                            |                  | Matrix:         | TCLP     |      |
| Analytical Method: | SW8270                              |                  | % Solid:        | 0        |      |
| Sample Wt/Vol:     | 100                                 | Units: mL        | Final Vol:      | 1000     | uL   |
| Soil Aliquot Vol:  |                                     | uL               | Test:           | TCLP BNA |      |
| Extraction Type :  |                                     | Decanted : N     | Level :         | LOW      |      |
| Injection Volume : |                                     | GPC Factor : 1.0 | GPC Cleanup :   | N        | PH : |
| Prep Method :      | SW3541                              |                  |                 |          |      |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BF140398.D        | 1         | 11/14/24 10:25 | 11/15/24 12:52 | PB164969      |

| CAS Number                | Parameter              | Conc.  | Qualifier | MDL                 | LOQ / CRQL | Units    |
|---------------------------|------------------------|--------|-----------|---------------------|------------|----------|
| <b>TARGETS</b>            |                        |        |           |                     |            |          |
| 110-86-1                  | Pyridine               | 15.5   | U         | 15.5                | 50.0       | ug/L     |
| 106-46-7                  | 1,4-Dichlorobenzene    | 8.40   | U         | 8.40                | 50.0       | ug/L     |
| 95-48-7                   | 2-Methylphenol         | 11.3   | U         | 11.3                | 50.0       | ug/L     |
| 65794-96-9                | 3+4-Methylphenols      | 11.5   | U         | 11.5                | 100        | ug/L     |
| 67-72-1                   | Hexachloroethane       | 10.1   | U         | 10.1                | 50.0       | ug/L     |
| 98-95-3                   | Nitrobenzene           | 12.7   | U         | 12.7                | 50.0       | ug/L     |
| 87-68-3                   | Hexachlorobutadiene    | 12.7   | U         | 12.7                | 50.0       | ug/L     |
| 88-06-2                   | 2,4,6-Trichlorophenol  | 8.90   | U         | 8.90                | 50.0       | ug/L     |
| 95-95-4                   | 2,4,5-Trichlorophenol  | 10.1   | U         | 10.1                | 50.0       | ug/L     |
| 121-14-2                  | 2,4-Dinitrotoluene     | 15.2   | U         | 15.2                | 50.0       | ug/L     |
| 118-74-1                  | Hexachlorobenzene      | 11.4   | U         | 11.4                | 50.0       | ug/L     |
| 87-86-5                   | Pentachlorophenol      | 18.5   | U         | 18.5                | 100        | ug/L     |
| <b>SURROGATES</b>         |                        |        |           |                     |            |          |
| 367-12-4                  | 2-Fluorophenol         | 128    |           | 15 (10) - 110 (139) | 85%        | SPK: 150 |
| 13127-88-3                | Phenol-d6              | 122    |           | 15 (10) - 110 (134) | 82%        | SPK: 150 |
| 4165-60-0                 | Nitrobenzene-d5        | 88.5   |           | 30 (49) - 130 (133) | 89%        | SPK: 100 |
| 321-60-8                  | 2-Fluorobiphenyl       | 89.4   |           | 30 (52) - 130 (132) | 89%        | SPK: 100 |
| 118-79-6                  | 2,4,6-Tribromophenol   | 140    |           | 15 (44) - 110 (137) | 93%        | SPK: 150 |
| 1718-51-0                 | Terphenyl-d14          | 102    |           | 30 (48) - 130 (125) | 102%       | SPK: 100 |
| <b>INTERNAL STANDARDS</b> |                        |        |           |                     |            |          |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4 | 117000 | 6.875     |                     |            |          |
| 1146-65-2                 | Naphthalene-d8         | 435000 | 8.157     |                     |            |          |
| 15067-26-2                | Acenaphthene-d10       | 235000 | 9.91      |                     |            |          |
| 1517-22-2                 | Phenanthrene-d10       | 432000 | 11.398    |                     |            |          |
| 1719-03-5                 | Chrysene-d12           | 249000 | 14.051    |                     |            |          |
| 1520-96-3                 | Perylene-d12           | 205000 | 15.557    |                     |            |          |

## Report of Analysis

|                    |                                     |                  |                 |          |      |
|--------------------|-------------------------------------|------------------|-----------------|----------|------|
| Client:            | ENTACT                              |                  | Date Collected: | 11/01/24 |      |
| Project:           | 540 Degraw St, Brooklyn, NY - E9309 |                  | Date Received:  | 11/08/24 |      |
| Client Sample ID:  | WC-TA2-03-C                         |                  | SDG No.:        | P4799    |      |
| Lab Sample ID:     | P4799-07                            |                  | Matrix:         | TCLP     |      |
| Analytical Method: | SW8270                              |                  | % Solid:        | 0        |      |
| Sample Wt/Vol:     | 100                                 | Units: mL        | Final Vol:      | 1000     | uL   |
| Soil Aliquot Vol:  |                                     | uL               | Test:           | TCLP BNA |      |
| Extraction Type :  |                                     | Decanted : N     | Level :         | LOW      |      |
| Injection Volume : |                                     | GPC Factor : 1.0 | GPC Cleanup :   | N        | PH : |
| Prep Method :      | SW3541                              |                  |                 |          |      |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BF140398.D        | 1         | 11/14/24 10:25 | 11/15/24 12:52 | PB164969      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|------------|-----------|-------|-----------|-----|------------|-------|
|------------|-----------|-------|-----------|-----|------------|-------|

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

## Report of Analysis

|                    |                                     |                  |                 |          |      |
|--------------------|-------------------------------------|------------------|-----------------|----------|------|
| Client:            | ENTACT                              |                  | Date Collected: | 11/04/24 |      |
| Project:           | 540 Degraw St, Brooklyn, NY - E9309 |                  | Date Received:  | 11/08/24 |      |
| Client Sample ID:  | WC-TA1-01-C                         |                  | SDG No.:        | P4799    |      |
| Lab Sample ID:     | P4799-11                            |                  | Matrix:         | TCLP     |      |
| Analytical Method: | SW8270                              |                  | % Solid:        | 0        |      |
| Sample Wt/Vol:     | 100                                 | Units: mL        | Final Vol:      | 1000     | uL   |
| Soil Aliquot Vol:  |                                     | uL               | Test:           | TCLP BNA |      |
| Extraction Type :  |                                     | Decanted : N     | Level :         | LOW      |      |
| Injection Volume : |                                     | GPC Factor : 1.0 | GPC Cleanup :   | N        | PH : |
| Prep Method :      | SW3541                              |                  |                 |          |      |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BF140399.D        | 1         | 11/14/24 10:25 | 11/15/24 13:18 | PB164969      |

| CAS Number                | Parameter              | Conc.  | Qualifier | MDL                 | LOQ / CRQL | Units    |
|---------------------------|------------------------|--------|-----------|---------------------|------------|----------|
| <b>TARGETS</b>            |                        |        |           |                     |            |          |
| 110-86-1                  | Pyridine               | 15.5   | U         | 15.5                | 50.0       | ug/L     |
| 106-46-7                  | 1,4-Dichlorobenzene    | 8.40   | U         | 8.40                | 50.0       | ug/L     |
| 95-48-7                   | 2-Methylphenol         | 11.3   | U         | 11.3                | 50.0       | ug/L     |
| 65794-96-9                | 3+4-Methylphenols      | 11.5   | U         | 11.5                | 100        | ug/L     |
| 67-72-1                   | Hexachloroethane       | 10.1   | U         | 10.1                | 50.0       | ug/L     |
| 98-95-3                   | Nitrobenzene           | 12.7   | U         | 12.7                | 50.0       | ug/L     |
| 87-68-3                   | Hexachlorobutadiene    | 12.7   | U         | 12.7                | 50.0       | ug/L     |
| 88-06-2                   | 2,4,6-Trichlorophenol  | 8.90   | U         | 8.90                | 50.0       | ug/L     |
| 95-95-4                   | 2,4,5-Trichlorophenol  | 10.1   | U         | 10.1                | 50.0       | ug/L     |
| 121-14-2                  | 2,4-Dinitrotoluene     | 15.2   | U         | 15.2                | 50.0       | ug/L     |
| 118-74-1                  | Hexachlorobenzene      | 11.4   | U         | 11.4                | 50.0       | ug/L     |
| 87-86-5                   | Pentachlorophenol      | 18.5   | U         | 18.5                | 100        | ug/L     |
| <b>SURROGATES</b>         |                        |        |           |                     |            |          |
| 367-12-4                  | 2-Fluorophenol         | 117    |           | 15 (10) - 110 (139) | 78%        | SPK: 150 |
| 13127-88-3                | Phenol-d6              | 108    |           | 15 (10) - 110 (134) | 72%        | SPK: 150 |
| 4165-60-0                 | Nitrobenzene-d5        | 86.7   |           | 30 (49) - 130 (133) | 87%        | SPK: 100 |
| 321-60-8                  | 2-Fluorobiphenyl       | 87.4   |           | 30 (52) - 130 (132) | 87%        | SPK: 100 |
| 118-79-6                  | 2,4,6-Tribromophenol   | 134    |           | 15 (44) - 110 (137) | 89%        | SPK: 150 |
| 1718-51-0                 | Terphenyl-d14          | 100    |           | 30 (48) - 130 (125) | 100%       | SPK: 100 |
| <b>INTERNAL STANDARDS</b> |                        |        |           |                     |            |          |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4 | 127000 | 6.875     |                     |            |          |
| 1146-65-2                 | Naphthalene-d8         | 474000 | 8.157     |                     |            |          |
| 15067-26-2                | Acenaphthene-d10       | 259000 | 9.91      |                     |            |          |
| 1517-22-2                 | Phenanthrene-d10       | 479000 | 11.398    |                     |            |          |
| 1719-03-5                 | Chrysene-d12           | 266000 | 14.051    |                     |            |          |
| 1520-96-3                 | Perylene-d12           | 272000 | 15.563    |                     |            |          |

## Report of Analysis

|                    |                                     |                  |                 |          |      |
|--------------------|-------------------------------------|------------------|-----------------|----------|------|
| Client:            | ENTACT                              |                  | Date Collected: | 11/04/24 |      |
| Project:           | 540 Degraw St, Brooklyn, NY - E9309 |                  | Date Received:  | 11/08/24 |      |
| Client Sample ID:  | WC-TA1-01-C                         |                  | SDG No.:        | P4799    |      |
| Lab Sample ID:     | P4799-11                            |                  | Matrix:         | TCLP     |      |
| Analytical Method: | SW8270                              |                  | % Solid:        | 0        |      |
| Sample Wt/Vol:     | 100                                 | Units: mL        | Final Vol:      | 1000     | uL   |
| Soil Aliquot Vol:  |                                     | uL               | Test:           | TCLP BNA |      |
| Extraction Type :  |                                     | Decanted : N     | Level :         | LOW      |      |
| Injection Volume : |                                     | GPC Factor : 1.0 | GPC Cleanup :   | N        | PH : |
| Prep Method :      | SW3541                              |                  |                 |          |      |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BF140399.D        | 1         | 11/14/24 10:25 | 11/15/24 13:18 | PB164969      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|------------|-----------|-------|-----------|-----|------------|-------|
|------------|-----------|-------|-----------|-----|------------|-------|

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

## Report of Analysis

|                    |                                     |                  |                 |          |      |
|--------------------|-------------------------------------|------------------|-----------------|----------|------|
| Client:            | ENTACT                              |                  | Date Collected: | 11/05/24 |      |
| Project:           | 540 Degraw St, Brooklyn, NY - E9309 |                  | Date Received:  | 11/08/24 |      |
| Client Sample ID:  | WC-TA1-02-C                         |                  | SDG No.:        | P4799    |      |
| Lab Sample ID:     | P4799-15                            |                  | Matrix:         | TCLP     |      |
| Analytical Method: | SW8270                              |                  | % Solid:        | 0        |      |
| Sample Wt/Vol:     | 100                                 | Units: mL        | Final Vol:      | 1000     | uL   |
| Soil Aliquot Vol:  |                                     | uL               | Test:           | TCLP BNA |      |
| Extraction Type :  |                                     | Decanted : N     | Level :         | LOW      |      |
| Injection Volume : |                                     | GPC Factor : 1.0 | GPC Cleanup :   | N        | PH : |
| Prep Method :      | SW3541                              |                  |                 |          |      |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BF140400.D        | 1         | 11/14/24 10:25 | 11/15/24 13:44 | PB164969      |

| CAS Number                | Parameter              | Conc.  | Qualifier | MDL                 | LOQ / CRQL | Units    |
|---------------------------|------------------------|--------|-----------|---------------------|------------|----------|
| <b>TARGETS</b>            |                        |        |           |                     |            |          |
| 110-86-1                  | Pyridine               | 15.5   | U         | 15.5                | 50.0       | ug/L     |
| 106-46-7                  | 1,4-Dichlorobenzene    | 8.40   | U         | 8.40                | 50.0       | ug/L     |
| 95-48-7                   | 2-Methylphenol         | 11.3   | U         | 11.3                | 50.0       | ug/L     |
| 65794-96-9                | 3+4-Methylphenols      | 11.5   | U         | 11.5                | 100        | ug/L     |
| 67-72-1                   | Hexachloroethane       | 10.1   | U         | 10.1                | 50.0       | ug/L     |
| 98-95-3                   | Nitrobenzene           | 12.7   | U         | 12.7                | 50.0       | ug/L     |
| 87-68-3                   | Hexachlorobutadiene    | 12.7   | U         | 12.7                | 50.0       | ug/L     |
| 88-06-2                   | 2,4,6-Trichlorophenol  | 8.90   | U         | 8.90                | 50.0       | ug/L     |
| 95-95-4                   | 2,4,5-Trichlorophenol  | 10.1   | U         | 10.1                | 50.0       | ug/L     |
| 121-14-2                  | 2,4-Dinitrotoluene     | 15.2   | U         | 15.2                | 50.0       | ug/L     |
| 118-74-1                  | Hexachlorobenzene      | 11.4   | U         | 11.4                | 50.0       | ug/L     |
| 87-86-5                   | Pentachlorophenol      | 18.5   | U         | 18.5                | 100        | ug/L     |
| <b>SURROGATES</b>         |                        |        |           |                     |            |          |
| 367-12-4                  | 2-Fluorophenol         | 121    |           | 15 (10) - 110 (139) | 81%        | SPK: 150 |
| 13127-88-3                | Phenol-d6              | 111    |           | 15 (10) - 110 (134) | 74%        | SPK: 150 |
| 4165-60-0                 | Nitrobenzene-d5        | 90.8   |           | 30 (49) - 130 (133) | 91%        | SPK: 100 |
| 321-60-8                  | 2-Fluorobiphenyl       | 91.4   |           | 30 (52) - 130 (132) | 91%        | SPK: 100 |
| 118-79-6                  | 2,4,6-Tribromophenol   | 134    |           | 15 (44) - 110 (137) | 89%        | SPK: 150 |
| 1718-51-0                 | Terphenyl-d14          | 100    |           | 30 (48) - 130 (125) | 100%       | SPK: 100 |
| <b>INTERNAL STANDARDS</b> |                        |        |           |                     |            |          |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4 | 128000 | 6.875     |                     |            |          |
| 1146-65-2                 | Naphthalene-d8         | 476000 | 8.157     |                     |            |          |
| 15067-26-2                | Acenaphthene-d10       | 258000 | 9.91      |                     |            |          |
| 1517-22-2                 | Phenanthrene-d10       | 475000 | 11.398    |                     |            |          |
| 1719-03-5                 | Chrysene-d12           | 267000 | 14.057    |                     |            |          |
| 1520-96-3                 | Perylene-d12           | 271000 | 15.574    |                     |            |          |

## Report of Analysis

|                    |                                     |                  |                 |          |      |
|--------------------|-------------------------------------|------------------|-----------------|----------|------|
| Client:            | ENTACT                              |                  | Date Collected: | 11/05/24 |      |
| Project:           | 540 Degraw St, Brooklyn, NY - E9309 |                  | Date Received:  | 11/08/24 |      |
| Client Sample ID:  | WC-TA1-02-C                         |                  | SDG No.:        | P4799    |      |
| Lab Sample ID:     | P4799-15                            |                  | Matrix:         | TCLP     |      |
| Analytical Method: | SW8270                              |                  | % Solid:        | 0        |      |
| Sample Wt/Vol:     | 100                                 | Units: mL        | Final Vol:      | 1000     | uL   |
| Soil Aliquot Vol:  |                                     | uL               | Test:           | TCLP BNA |      |
| Extraction Type :  |                                     | Decanted : N     | Level :         | LOW      |      |
| Injection Volume : |                                     | GPC Factor : 1.0 | GPC Cleanup :   | N        | PH : |
| Prep Method :      | SW3541                              |                  |                 |          |      |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BF140400.D        | 1         | 11/14/24 10:25 | 11/15/24 13:44 | PB164969      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|------------|-----------|-------|-----------|-----|------------|-------|
|------------|-----------|-------|-----------|-----|------------|-------|

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

## Report of Analysis

|                    |                                     |                  |                 |          |      |
|--------------------|-------------------------------------|------------------|-----------------|----------|------|
| Client:            | ENTACT                              |                  | Date Collected: | 11/06/24 |      |
| Project:           | 540 Degraw St, Brooklyn, NY - E9309 |                  | Date Received:  | 11/08/24 |      |
| Client Sample ID:  | WC-TA1-03-C                         |                  | SDG No.:        | P4799    |      |
| Lab Sample ID:     | P4799-19                            |                  | Matrix:         | TCLP     |      |
| Analytical Method: | SW8270                              |                  | % Solid:        | 0        |      |
| Sample Wt/Vol:     | 100                                 | Units: mL        | Final Vol:      | 1000     | uL   |
| Soil Aliquot Vol:  |                                     | uL               | Test:           | TCLP BNA |      |
| Extraction Type :  |                                     | Decanted : N     | Level :         | LOW      |      |
| Injection Volume : |                                     | GPC Factor : 1.0 | GPC Cleanup :   | N        | PH : |
| Prep Method :      | SW3541                              |                  |                 |          |      |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BF140401.D        | 1         | 11/14/24 10:25 | 11/15/24 14:10 | PB164969      |

| CAS Number                | Parameter              | Conc.  | Qualifier | MDL                 | LOQ / CRQL | Units    |
|---------------------------|------------------------|--------|-----------|---------------------|------------|----------|
| <b>TARGETS</b>            |                        |        |           |                     |            |          |
| 110-86-1                  | Pyridine               | 15.5   | U         | 15.5                | 50.0       | ug/L     |
| 106-46-7                  | 1,4-Dichlorobenzene    | 8.40   | U         | 8.40                | 50.0       | ug/L     |
| 95-48-7                   | 2-Methylphenol         | 11.3   | U         | 11.3                | 50.0       | ug/L     |
| 65794-96-9                | 3+4-Methylphenols      | 11.5   | U         | 11.5                | 100        | ug/L     |
| 67-72-1                   | Hexachloroethane       | 10.1   | U         | 10.1                | 50.0       | ug/L     |
| 98-95-3                   | Nitrobenzene           | 12.7   | U         | 12.7                | 50.0       | ug/L     |
| 87-68-3                   | Hexachlorobutadiene    | 12.7   | U         | 12.7                | 50.0       | ug/L     |
| 88-06-2                   | 2,4,6-Trichlorophenol  | 8.90   | U         | 8.90                | 50.0       | ug/L     |
| 95-95-4                   | 2,4,5-Trichlorophenol  | 10.1   | U         | 10.1                | 50.0       | ug/L     |
| 121-14-2                  | 2,4-Dinitrotoluene     | 15.2   | U         | 15.2                | 50.0       | ug/L     |
| 118-74-1                  | Hexachlorobenzene      | 11.4   | U         | 11.4                | 50.0       | ug/L     |
| 87-86-5                   | Pentachlorophenol      | 18.5   | U         | 18.5                | 100        | ug/L     |
| <b>SURROGATES</b>         |                        |        |           |                     |            |          |
| 367-12-4                  | 2-Fluorophenol         | 116    |           | 15 (10) - 110 (139) | 77%        | SPK: 150 |
| 13127-88-3                | Phenol-d6              | 110    |           | 15 (10) - 110 (134) | 74%        | SPK: 150 |
| 4165-60-0                 | Nitrobenzene-d5        | 88.8   |           | 30 (49) - 130 (133) | 89%        | SPK: 100 |
| 321-60-8                  | 2-Fluorobiphenyl       | 88.7   |           | 30 (52) - 130 (132) | 89%        | SPK: 100 |
| 118-79-6                  | 2,4,6-Tribromophenol   | 133    |           | 15 (44) - 110 (137) | 88%        | SPK: 150 |
| 1718-51-0                 | Terphenyl-d14          | 100    |           | 30 (48) - 130 (125) | 100%       | SPK: 100 |
| <b>INTERNAL STANDARDS</b> |                        |        |           |                     |            |          |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4 | 129000 | 6.875     |                     |            |          |
| 1146-65-2                 | Naphthalene-d8         | 472000 | 8.157     |                     |            |          |
| 15067-26-2                | Acenaphthene-d10       | 256000 | 9.91      |                     |            |          |
| 1517-22-2                 | Phenanthrene-d10       | 474000 | 11.398    |                     |            |          |
| 1719-03-5                 | Chrysene-d12           | 263000 | 14.057    |                     |            |          |
| 1520-96-3                 | Perylene-d12           | 271000 | 15.58     |                     |            |          |

## Report of Analysis

|                    |                                     |                  |                 |          |      |
|--------------------|-------------------------------------|------------------|-----------------|----------|------|
| Client:            | ENTACT                              |                  | Date Collected: | 11/06/24 |      |
| Project:           | 540 Degraw St, Brooklyn, NY - E9309 |                  | Date Received:  | 11/08/24 |      |
| Client Sample ID:  | WC-TA1-03-C                         |                  | SDG No.:        | P4799    |      |
| Lab Sample ID:     | P4799-19                            |                  | Matrix:         | TCLP     |      |
| Analytical Method: | SW8270                              |                  | % Solid:        | 0        |      |
| Sample Wt/Vol:     | 100                                 | Units: mL        | Final Vol:      | 1000     | uL   |
| Soil Aliquot Vol:  |                                     | uL               | Test:           | TCLP BNA |      |
| Extraction Type :  |                                     | Decanted : N     | Level :         | LOW      |      |
| Injection Volume : |                                     | GPC Factor : 1.0 | GPC Cleanup :   | N        | PH : |
| Prep Method :      | SW3541                              |                  |                 |          |      |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BF140401.D        | 1         | 11/14/24 10:25 | 11/15/24 14:10 | PB164969      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|------------|-----------|-------|-----------|-----|------------|-------|
|------------|-----------|-------|-----------|-----|------------|-------|

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

## Report of Analysis

|                    |                                     |                  |                 |          |      |
|--------------------|-------------------------------------|------------------|-----------------|----------|------|
| Client:            | ENTACT                              |                  | Date Collected: | 11/14/24 |      |
| Project:           | 540 Degraw St, Brooklyn, NY - E9309 |                  | Date Received:  | 11/14/24 |      |
| Client Sample ID:  | PB164880TB                          |                  | SDG No.:        | P4799    |      |
| Lab Sample ID:     | PB164880TB                          |                  | Matrix:         | TCLP     |      |
| Analytical Method: | SW8270                              |                  | % Solid:        | 0        |      |
| Sample Wt/Vol:     | 100                                 | Units: mL        | Final Vol:      | 1000     | uL   |
| Soil Aliquot Vol:  |                                     | uL               | Test:           | TCLP BNA |      |
| Extraction Type :  |                                     | Decanted : N     | Level :         | LOW      |      |
| Injection Volume : |                                     | GPC Factor : 1.0 | GPC Cleanup :   | N        | PH : |
| Prep Method :      | SW3541                              |                  |                 |          |      |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BF140454.D        | 1         | 11/14/24 10:25 | 11/18/24 15:11 | PB164969      |

| CAS Number                | Parameter              | Conc.  | Qualifier | MDL                 | LOQ / CRQL | Units    |
|---------------------------|------------------------|--------|-----------|---------------------|------------|----------|
| <b>TARGETS</b>            |                        |        |           |                     |            |          |
| 110-86-1                  | Pyridine               | 15.5   | U         | 15.5                | 50.0       | ug/L     |
| 106-46-7                  | 1,4-Dichlorobenzene    | 8.40   | U         | 8.40                | 50.0       | ug/L     |
| 95-48-7                   | 2-Methylphenol         | 11.3   | U         | 11.3                | 50.0       | ug/L     |
| 65794-96-9                | 3+4-Methylphenols      | 11.5   | U         | 11.5                | 100        | ug/L     |
| 67-72-1                   | Hexachloroethane       | 10.1   | U         | 10.1                | 50.0       | ug/L     |
| 98-95-3                   | Nitrobenzene           | 12.7   | U         | 12.7                | 50.0       | ug/L     |
| 87-68-3                   | Hexachlorobutadiene    | 12.7   | U         | 12.7                | 50.0       | ug/L     |
| 88-06-2                   | 2,4,6-Trichlorophenol  | 8.90   | U         | 8.90                | 50.0       | ug/L     |
| 95-95-4                   | 2,4,5-Trichlorophenol  | 10.1   | U         | 10.1                | 50.0       | ug/L     |
| 121-14-2                  | 2,4-Dinitrotoluene     | 15.2   | U         | 15.2                | 50.0       | ug/L     |
| 118-74-1                  | Hexachlorobenzene      | 11.4   | U         | 11.4                | 50.0       | ug/L     |
| 87-86-5                   | Pentachlorophenol      | 18.5   | U         | 18.5                | 100        | ug/L     |
| <b>SURROGATES</b>         |                        |        |           |                     |            |          |
| 367-12-4                  | 2-Fluorophenol         | 123    |           | 15 (10) - 110 (139) | 82%        | SPK: 150 |
| 13127-88-3                | Phenol-d6              | 120    |           | 15 (10) - 110 (134) | 80%        | SPK: 150 |
| 4165-60-0                 | Nitrobenzene-d5        | 86.5   |           | 30 (49) - 130 (133) | 86%        | SPK: 100 |
| 321-60-8                  | 2-Fluorobiphenyl       | 87.2   |           | 30 (52) - 130 (132) | 87%        | SPK: 100 |
| 118-79-6                  | 2,4,6-Tribromophenol   | 123    |           | 15 (44) - 110 (137) | 82%        | SPK: 150 |
| 1718-51-0                 | Terphenyl-d14          | 96.7   |           | 30 (48) - 130 (125) | 97%        | SPK: 100 |
| <b>INTERNAL STANDARDS</b> |                        |        |           |                     |            |          |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4 | 143000 | 6.875     |                     |            |          |
| 1146-65-2                 | Naphthalene-d8         | 545000 | 8.151     |                     |            |          |
| 15067-26-2                | Acenaphthene-d10       | 306000 | 9.91      |                     |            |          |
| 1517-22-2                 | Phenanthrene-d10       | 567000 | 11.398    |                     |            |          |
| 1719-03-5                 | Chrysene-d12           | 318000 | 14.045    |                     |            |          |
| 1520-96-3                 | Perylene-d12           | 278000 | 15.527    |                     |            |          |

## Report of Analysis

|                    |                                     |                  |                 |          |      |
|--------------------|-------------------------------------|------------------|-----------------|----------|------|
| Client:            | ENTACT                              |                  | Date Collected: | 11/14/24 |      |
| Project:           | 540 Degraw St, Brooklyn, NY - E9309 |                  | Date Received:  | 11/14/24 |      |
| Client Sample ID:  | PB164880TB                          |                  | SDG No.:        | P4799    |      |
| Lab Sample ID:     | PB164880TB                          |                  | Matrix:         | TCLP     |      |
| Analytical Method: | SW8270                              |                  | % Solid:        | 0        |      |
| Sample Wt/Vol:     | 100                                 | Units: mL        | Final Vol:      | 1000     | uL   |
| Soil Aliquot Vol:  |                                     | uL               | Test:           | TCLP BNA |      |
| Extraction Type :  |                                     | Decanted : N     | Level :         | LOW      |      |
| Injection Volume : |                                     | GPC Factor : 1.0 | GPC Cleanup :   | N        | PH : |
| Prep Method :      | SW3541                              |                  |                 |          |      |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BF140454.D        | 1         | 11/14/24 10:25 | 11/18/24 15:11 | PB164969      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|------------|-----------|-------|-----------|-----|------------|-------|
|------------|-----------|-------|-----------|-----|------------|-------|

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

LAB CHRONICLE

|          |                 |            |                                     |
|----------|-----------------|------------|-------------------------------------|
| OrderID: | P4799           | OrderDate: | 11/8/2024 4:30:00 PM                |
| Client:  | ENTACT          | Project:   | 540 Degraw St, Brooklyn, NY - E9309 |
| Contact: | Jarod Stanfield | Location:  | L31                                 |

| LabID    | ClientID    | Matrix | Test     | Method | Sample Date | Prep Date | Anal Date | Received |
|----------|-------------|--------|----------|--------|-------------|-----------|-----------|----------|
| P4799-03 | WC-TA2-02-C | TCLP   | TCLP BNA | 8270E  | 10/30/24    | 11/14/24  | 11/15/24  | 11/08/24 |
| P4799-07 | WC-TA2-03-C | TCLP   | TCLP BNA | 8270E  | 11/01/24    | 11/14/24  | 11/15/24  | 11/08/24 |
| P4799-11 | WC-TA1-01-C | TCLP   | TCLP BNA | 8270E  | 11/04/24    | 11/14/24  | 11/15/24  | 11/08/24 |
| P4799-15 | WC-TA1-02-C | TCLP   | TCLP BNA | 8270E  | 11/05/24    | 11/14/24  | 11/15/24  | 11/08/24 |
| P4799-19 | WC-TA1-03-C | TCLP   | TCLP BNA | 8270E  | 11/06/24    | 11/14/24  | 11/15/24  | 11/08/24 |



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

Hit Summary Sheet  
SW-846

SDG No.:

P4799

Order ID:

P4799

Client:

ENTACT

Project ID:

540 Degraw St, Brooklyn, NY - E9309

| Sample ID | Client ID | Matrix | Parameter | Concentration | C | MDL | RDL | Units |
|-----------|-----------|--------|-----------|---------------|---|-----|-----|-------|
|-----------|-----------|--------|-----------|---------------|---|-----|-----|-------|

Client ID :

Total Concentration: 0.000



# SAMPLE DATA

A

B

C

D

## Report of Analysis

|                    |                                     |           |                    |                |           |
|--------------------|-------------------------------------|-----------|--------------------|----------------|-----------|
| Client:            | ENTACT                              |           | Date Collected:    | 10/30/24       |           |
| Project:           | 540 Degraw St, Brooklyn, NY - E9309 |           | Date Received:     | 11/08/24       |           |
| Client Sample ID:  | WC-TA2-02-C                         |           | SDG No.:           | P4799          |           |
| Lab Sample ID:     | P4799-03                            |           | Matrix:            | TCLP           |           |
| Analytical Method: | SW8081                              |           | % Solid:           | 0              | Decanted: |
| Sample Wt/Vol:     | 100                                 | Units: mL | Final Vol:         | 10000          | uL        |
| Soil Aliquot Vol:  |                                     | uL        | Test:              | TCLP Pesticide |           |
| Extraction Type:   |                                     |           | Injection Volume : |                |           |
| GPC Factor :       | 1.0                                 | PH :      |                    |                |           |
| Prep Method :      | SW3541B                             |           |                    |                |           |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PL093043.D        | 1         | 11/12/24 12:20 | 11/13/24 17:42 | PB164960      |

| CAS Number        | Parameter            | Conc. | Qualifier | MDL                 | LOQ / CRQL | Units   |
|-------------------|----------------------|-------|-----------|---------------------|------------|---------|
| <b>TARGETS</b>    |                      |       |           |                     |            |         |
| 58-89-9           | gamma-BHC (Lindane)  | 0.049 | U         | 0.049               | 0.50       | ug/L    |
| 76-44-8           | Heptachlor           | 0.054 | U         | 0.054               | 0.50       | ug/L    |
| 1024-57-3         | Heptachlor epoxide   | 0.090 | U         | 0.090               | 0.50       | ug/L    |
| 72-20-8           | Endrin               | 0.043 | U         | 0.043               | 0.50       | ug/L    |
| 72-43-5           | Methoxychlor         | 0.11  | U         | 0.11                | 0.50       | ug/L    |
| 8001-35-2         | Toxaphene            | 1.50  | U         | 1.50                | 10.0       | ug/L    |
| 57-74-9           | Chlordane            | 0.82  | U         | 0.82                | 5.00       | ug/L    |
| <b>SURROGATES</b> |                      |       |           |                     |            |         |
| 2051-24-3         | Decachlorobiphenyl   | 23.1  |           | 30 (43) - 150 (140) | 115%       | SPK: 20 |
| 877-09-8          | Tetrachloro-m-xylene | 22.1  |           | 30 (77) - 150 (126) | 110%       | SPK: 20 |

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

|                    |                                     |           |                    |                |           |
|--------------------|-------------------------------------|-----------|--------------------|----------------|-----------|
| Client:            | ENTACT                              |           | Date Collected:    | 11/01/24       |           |
| Project:           | 540 Degraw St, Brooklyn, NY - E9309 |           | Date Received:     | 11/08/24       |           |
| Client Sample ID:  | WC-TA2-03-C                         |           | SDG No.:           | P4799          |           |
| Lab Sample ID:     | P4799-07                            |           | Matrix:            | TCLP           |           |
| Analytical Method: | SW8081                              |           | % Solid:           | 0              | Decanted: |
| Sample Wt/Vol:     | 100                                 | Units: mL | Final Vol:         | 10000          | uL        |
| Soil Aliquot Vol:  |                                     | uL        | Test:              | TCLP Pesticide |           |
| Extraction Type:   |                                     |           | Injection Volume : |                |           |
| GPC Factor :       | 1.0                                 | PH :      |                    |                |           |
| Prep Method :      | SW3541B                             |           |                    |                |           |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PL093046.D        | 1         | 11/12/24 12:20 | 11/13/24 18:23 | PB164960      |

| CAS Number        | Parameter            | Conc. | Qualifier | MDL                 | LOQ / CRQL | Units   |
|-------------------|----------------------|-------|-----------|---------------------|------------|---------|
| <b>TARGETS</b>    |                      |       |           |                     |            |         |
| 58-89-9           | gamma-BHC (Lindane)  | 0.049 | U         | 0.049               | 0.50       | ug/L    |
| 76-44-8           | Heptachlor           | 0.054 | U         | 0.054               | 0.50       | ug/L    |
| 1024-57-3         | Heptachlor epoxide   | 0.090 | U         | 0.090               | 0.50       | ug/L    |
| 72-20-8           | Endrin               | 0.043 | U         | 0.043               | 0.50       | ug/L    |
| 72-43-5           | Methoxychlor         | 0.11  | U         | 0.11                | 0.50       | ug/L    |
| 8001-35-2         | Toxaphene            | 1.50  | U         | 1.50                | 10.0       | ug/L    |
| 57-74-9           | Chlordane            | 0.82  | U         | 0.82                | 5.00       | ug/L    |
| <b>SURROGATES</b> |                      |       |           |                     |            |         |
| 2051-24-3         | Decachlorobiphenyl   | 19.8  |           | 30 (43) - 150 (140) | 99%        | SPK: 20 |
| 877-09-8          | Tetrachloro-m-xylene | 21.4  |           | 30 (77) - 150 (126) | 107%       | SPK: 20 |

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

|                    |                                     |           |                    |                |           |
|--------------------|-------------------------------------|-----------|--------------------|----------------|-----------|
| Client:            | ENTACT                              |           | Date Collected:    | 11/04/24       |           |
| Project:           | 540 Degraw St, Brooklyn, NY - E9309 |           | Date Received:     | 11/08/24       |           |
| Client Sample ID:  | WC-TA1-01-C                         |           | SDG No.:           | P4799          |           |
| Lab Sample ID:     | P4799-11                            |           | Matrix:            | TCLP           |           |
| Analytical Method: | SW8081                              |           | % Solid:           | 0              | Decanted: |
| Sample Wt/Vol:     | 100                                 | Units: mL | Final Vol:         | 10000          | uL        |
| Soil Aliquot Vol:  |                                     | uL        | Test:              | TCLP Pesticide |           |
| Extraction Type:   |                                     |           | Injection Volume : |                |           |
| GPC Factor :       | 1.0                                 | PH :      |                    |                |           |
| Prep Method :      | SW3541B                             |           |                    |                |           |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PL093047.D        | 1         | 11/12/24 12:20 | 11/13/24 18:36 | PB164960      |

| CAS Number        | Parameter            | Conc. | Qualifier | MDL                 | LOQ / CRQL | Units   |
|-------------------|----------------------|-------|-----------|---------------------|------------|---------|
| <b>TARGETS</b>    |                      |       |           |                     |            |         |
| 58-89-9           | gamma-BHC (Lindane)  | 0.049 | U         | 0.049               | 0.50       | ug/L    |
| 76-44-8           | Heptachlor           | 0.054 | U         | 0.054               | 0.50       | ug/L    |
| 1024-57-3         | Heptachlor epoxide   | 0.090 | U         | 0.090               | 0.50       | ug/L    |
| 72-20-8           | Endrin               | 0.043 | U         | 0.043               | 0.50       | ug/L    |
| 72-43-5           | Methoxychlor         | 0.11  | U         | 0.11                | 0.50       | ug/L    |
| 8001-35-2         | Toxaphene            | 1.50  | U         | 1.50                | 10.0       | ug/L    |
| 57-74-9           | Chlordane            | 0.82  | U         | 0.82                | 5.00       | ug/L    |
| <b>SURROGATES</b> |                      |       |           |                     |            |         |
| 2051-24-3         | Decachlorobiphenyl   | 22.5  |           | 30 (43) - 150 (140) | 112%       | SPK: 20 |
| 877-09-8          | Tetrachloro-m-xylene | 21.5  |           | 30 (77) - 150 (126) | 108%       | SPK: 20 |

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

|                    |                                     |           |                    |                |           |
|--------------------|-------------------------------------|-----------|--------------------|----------------|-----------|
| Client:            | ENTACT                              |           | Date Collected:    | 11/05/24       |           |
| Project:           | 540 Degraw St, Brooklyn, NY - E9309 |           | Date Received:     | 11/08/24       |           |
| Client Sample ID:  | WC-TA1-02-C                         |           | SDG No.:           | P4799          |           |
| Lab Sample ID:     | P4799-15                            |           | Matrix:            | TCLP           |           |
| Analytical Method: | SW8081                              |           | % Solid:           | 0              | Decanted: |
| Sample Wt/Vol:     | 100                                 | Units: mL | Final Vol:         | 10000          | uL        |
| Soil Aliquot Vol:  |                                     | uL        | Test:              | TCLP Pesticide |           |
| Extraction Type:   |                                     |           | Injection Volume : |                |           |
| GPC Factor :       | 1.0                                 | PH :      |                    |                |           |
| Prep Method :      | SW3541B                             |           |                    |                |           |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PL093048.D        | 1         | 11/12/24 12:20 | 11/13/24 18:50 | PB164960      |

| CAS Number        | Parameter            | Conc. | Qualifier | MDL                 | LOQ / CRQL | Units   |
|-------------------|----------------------|-------|-----------|---------------------|------------|---------|
| <b>TARGETS</b>    |                      |       |           |                     |            |         |
| 58-89-9           | gamma-BHC (Lindane)  | 0.049 | U         | 0.049               | 0.50       | ug/L    |
| 76-44-8           | Heptachlor           | 0.054 | U         | 0.054               | 0.50       | ug/L    |
| 1024-57-3         | Heptachlor epoxide   | 0.090 | U         | 0.090               | 0.50       | ug/L    |
| 72-20-8           | Endrin               | 0.043 | U         | 0.043               | 0.50       | ug/L    |
| 72-43-5           | Methoxychlor         | 0.11  | U         | 0.11                | 0.50       | ug/L    |
| 8001-35-2         | Toxaphene            | 1.50  | U         | 1.50                | 10.0       | ug/L    |
| 57-74-9           | Chlordane            | 0.82  | U         | 0.82                | 5.00       | ug/L    |
| <b>SURROGATES</b> |                      |       |           |                     |            |         |
| 2051-24-3         | Decachlorobiphenyl   | 22.6  |           | 30 (43) - 150 (140) | 113%       | SPK: 20 |
| 877-09-8          | Tetrachloro-m-xylene | 20.6  |           | 30 (77) - 150 (126) | 103%       | SPK: 20 |

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

|                    |                                     |           |                    |                |           |
|--------------------|-------------------------------------|-----------|--------------------|----------------|-----------|
| Client:            | ENTACT                              |           | Date Collected:    | 11/06/24       |           |
| Project:           | 540 Degraw St, Brooklyn, NY - E9309 |           | Date Received:     | 11/08/24       |           |
| Client Sample ID:  | WC-TA1-03-C                         |           | SDG No.:           | P4799          |           |
| Lab Sample ID:     | P4799-19                            |           | Matrix:            | TCLP           |           |
| Analytical Method: | SW8081                              |           | % Solid:           | 0              | Decanted: |
| Sample Wt/Vol:     | 100                                 | Units: mL | Final Vol:         | 10000          | uL        |
| Soil Aliquot Vol:  |                                     | uL        | Test:              | TCLP Pesticide |           |
| Extraction Type:   |                                     |           | Injection Volume : |                |           |
| GPC Factor :       | 1.0                                 | PH :      |                    |                |           |
| Prep Method :      | SW3541B                             |           |                    |                |           |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PL093049.D        | 1         | 11/12/24 12:20 | 11/13/24 19:03 | PB164960      |

| CAS Number        | Parameter            | Conc. | Qualifier | MDL                 | LOQ / CRQL | Units   |
|-------------------|----------------------|-------|-----------|---------------------|------------|---------|
| <b>TARGETS</b>    |                      |       |           |                     |            |         |
| 58-89-9           | gamma-BHC (Lindane)  | 0.049 | U         | 0.049               | 0.50       | ug/L    |
| 76-44-8           | Heptachlor           | 0.054 | U         | 0.054               | 0.50       | ug/L    |
| 1024-57-3         | Heptachlor epoxide   | 0.090 | U         | 0.090               | 0.50       | ug/L    |
| 72-20-8           | Endrin               | 0.043 | U         | 0.043               | 0.50       | ug/L    |
| 72-43-5           | Methoxychlor         | 0.11  | U         | 0.11                | 0.50       | ug/L    |
| 8001-35-2         | Toxaphene            | 1.50  | U         | 1.50                | 10.0       | ug/L    |
| 57-74-9           | Chlordane            | 0.82  | U         | 0.82                | 5.00       | ug/L    |
| <b>SURROGATES</b> |                      |       |           |                     |            |         |
| 2051-24-3         | Decachlorobiphenyl   | 23.8  |           | 30 (43) - 150 (140) | 119%       | SPK: 20 |
| 877-09-8          | Tetrachloro-m-xylene | 19.9  |           | 30 (77) - 150 (126) | 100%       | SPK: 20 |

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

|                    |                                     |           |                    |                |           |
|--------------------|-------------------------------------|-----------|--------------------|----------------|-----------|
| Client:            | ENTACT                              |           | Date Collected:    |                |           |
| Project:           | 540 Degraw St, Brooklyn, NY - E9309 |           | Date Received:     | 11/12/24       |           |
| Client Sample ID:  | PB164880TB                          |           | SDG No.:           | P4799          |           |
| Lab Sample ID:     | PB164880TB                          |           | Matrix:            | TCLP           |           |
| Analytical Method: | SW8081                              |           | % Solid:           | 0              | Decanted: |
| Sample Wt/Vol:     | 100                                 | Units: mL | Final Vol:         | 10000          | uL        |
| Soil Aliquot Vol:  |                                     | uL        | Test:              | TCLP Pesticide |           |
| Extraction Type:   |                                     |           | Injection Volume : |                |           |
| GPC Factor :       | 1.0                                 | PH :      |                    |                |           |
| Prep Method :      | SW3541B                             |           |                    |                |           |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PL093042.D        | 1         | 11/12/24 12:20 | 11/13/24 17:28 | PB164960      |

| CAS Number        | Parameter            | Conc. | Qualifier | MDL                 | LOQ / CRQL | Units   |
|-------------------|----------------------|-------|-----------|---------------------|------------|---------|
| <b>TARGETS</b>    |                      |       |           |                     |            |         |
| 58-89-9           | gamma-BHC (Lindane)  | 0.049 | U         | 0.049               | 0.50       | ug/L    |
| 76-44-8           | Heptachlor           | 0.054 | U         | 0.054               | 0.50       | ug/L    |
| 1024-57-3         | Heptachlor epoxide   | 0.090 | U         | 0.090               | 0.50       | ug/L    |
| 72-20-8           | Endrin               | 0.043 | U         | 0.043               | 0.50       | ug/L    |
| 72-43-5           | Methoxychlor         | 0.11  | U         | 0.11                | 0.50       | ug/L    |
| 8001-35-2         | Toxaphene            | 1.50  | U         | 1.50                | 10.0       | ug/L    |
| 57-74-9           | Chlordane            | 0.82  | U         | 0.82                | 5.00       | ug/L    |
| <b>SURROGATES</b> |                      |       |           |                     |            |         |
| 2051-24-3         | Decachlorobiphenyl   | 23.0  |           | 30 (43) - 150 (140) | 115%       | SPK: 20 |
| 877-09-8          | Tetrachloro-m-xylene | 22.1  |           | 30 (77) - 150 (126) | 111%       | SPK: 20 |

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## LAB CHRONICLE

|                 |                 |                   |                                     |
|-----------------|-----------------|-------------------|-------------------------------------|
| <b>OrderID:</b> | P4799           | <b>OrderDate:</b> | 11/8/2024 4:30:00 PM                |
| <b>Client:</b>  | ENTACT          | <b>Project:</b>   | 540 Degraw St, Brooklyn, NY - E9309 |
| <b>Contact:</b> | Jarod Stanfield | <b>Location:</b>  | L31                                 |

| LabID           | ClientID           | Matrix      | Test           | Method | Sample Date     | Prep Date | Anal Date | Received        |
|-----------------|--------------------|-------------|----------------|--------|-----------------|-----------|-----------|-----------------|
| <b>P4799-02</b> | <b>WC-TA2-02-C</b> | <b>SOIL</b> |                |        | <b>10/30/24</b> |           |           | <b>11/08/24</b> |
|                 |                    |             | PCB            | 8082A  |                 | 11/12/24  | 11/12/24  |                 |
| <b>P4799-03</b> | <b>WC-TA2-02-C</b> | <b>TCLP</b> |                |        | <b>10/30/24</b> |           |           | <b>11/08/24</b> |
|                 |                    |             | TCLP Herbicide | 8151A  |                 | 11/13/24  | 11/14/24  |                 |
|                 |                    |             | TCLP Pesticide | 8081B  |                 | 11/12/24  | 11/13/24  |                 |
| <b>P4799-06</b> | <b>WC-TA2-03-C</b> | <b>SOIL</b> |                |        | <b>11/01/24</b> |           |           | <b>11/08/24</b> |
|                 |                    |             | PCB            | 8082A  |                 | 11/12/24  | 11/12/24  |                 |
| <b>P4799-07</b> | <b>WC-TA2-03-C</b> | <b>TCLP</b> |                |        | <b>11/01/24</b> |           |           | <b>11/08/24</b> |
|                 |                    |             | TCLP Herbicide | 8151A  |                 | 11/13/24  | 11/14/24  |                 |
|                 |                    |             | TCLP Pesticide | 8081B  |                 | 11/12/24  | 11/13/24  |                 |
| <b>P4799-10</b> | <b>WC-TA1-01-C</b> | <b>SOIL</b> |                |        | <b>11/04/24</b> |           |           | <b>11/08/24</b> |
|                 |                    |             | PCB            | 8082A  |                 | 11/12/24  | 11/13/24  |                 |
| <b>P4799-11</b> | <b>WC-TA1-01-C</b> | <b>TCLP</b> |                |        | <b>11/04/24</b> |           |           | <b>11/08/24</b> |
|                 |                    |             | TCLP Herbicide | 8151A  |                 | 11/13/24  | 11/14/24  |                 |
|                 |                    |             | TCLP Pesticide | 8081B  |                 | 11/12/24  | 11/13/24  |                 |
| <b>P4799-14</b> | <b>WC-TA1-02-C</b> | <b>SOIL</b> |                |        | <b>11/05/24</b> |           |           | <b>11/08/24</b> |
|                 |                    |             | PCB            | 8082A  |                 | 11/12/24  | 11/13/24  |                 |
| <b>P4799-15</b> | <b>WC-TA1-02-C</b> | <b>TCLP</b> |                |        | <b>11/05/24</b> |           |           | <b>11/08/24</b> |
|                 |                    |             | TCLP Herbicide | 8151A  |                 | 11/13/24  | 11/14/24  |                 |
|                 |                    |             | TCLP Pesticide | 8081B  |                 | 11/12/24  | 11/13/24  |                 |
| <b>P4799-18</b> | <b>WC-TA1-03-C</b> | <b>SOIL</b> |                |        | <b>11/06/24</b> |           |           | <b>11/08/24</b> |
|                 |                    |             | PCB            | 8082A  |                 | 11/12/24  | 11/13/24  |                 |
| <b>P4799-19</b> | <b>WC-TA1-03-C</b> | <b>TCLP</b> |                |        | <b>11/06/24</b> |           |           | <b>11/08/24</b> |
|                 |                    |             | TCLP Herbicide | 8151A  |                 | 11/13/24  | 11/14/24  |                 |

**LAB CHRONICLE**

|                |       |          |          |
|----------------|-------|----------|----------|
| TCLP Pesticide | 8081B | 11/12/24 | 11/13/24 |
|----------------|-------|----------|----------|

A

C

D



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

**Hit Summary Sheet**  
**SW-846**

**SDG No.:** P4799

**Order ID:** P4799

**Client:** ENTACT

**Project ID:** 540 Degraw St, Brooklyn, NY - E9309

| Sample ID | Client ID | Matrix | Parameter | Concentration | C | MDL | RDL | Units |
|-----------|-----------|--------|-----------|---------------|---|-----|-----|-------|
|-----------|-----------|--------|-----------|---------------|---|-----|-----|-------|

**Client ID :**

**Total Concentration:** 0.000

A

B

C

D



# SAMPLE DATA

A

B

C

D

## Report of Analysis

|                    |                                     |          |                    |          |           |
|--------------------|-------------------------------------|----------|--------------------|----------|-----------|
| Client:            | ENTACT                              |          | Date Collected:    | 10/30/24 |           |
| Project:           | 540 Degraw St, Brooklyn, NY - E9309 |          | Date Received:     | 11/08/24 |           |
| Client Sample ID:  | WC-TA2-02-C                         |          | SDG No.:           | P4799    |           |
| Lab Sample ID:     | P4799-02                            |          | Matrix:            | SOIL     |           |
| Analytical Method: | SW8082A                             |          | % Solid:           | 82.2     | Decanted: |
| Sample Wt/Vol:     | 30.04                               | Units: g | Final Vol:         | 10000    | uL        |
| Soil Aliquot Vol:  |                                     | uL       | Test:              | PCB      |           |
| Extraction Type:   |                                     |          | Injection Volume : |          |           |
| GPC Factor :       | 1.0                                 | PH :     |                    |          |           |
| Prep Method :      | SW3541B                             |          |                    |          |           |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PO107884.D        | 1         | 11/12/24 09:10 | 11/12/24 14:11 | PB164906      |

| CAS Number        | Parameter            | Conc. | Qualifier | MDL                 | LOQ / CRQL | Units(Dry Weight) |
|-------------------|----------------------|-------|-----------|---------------------|------------|-------------------|
| <b>TARGETS</b>    |                      |       |           |                     |            |                   |
| 12674-11-2        | Aroclor-1016         | 4.10  | U         | 4.10                | 20.7       | ug/kg             |
| 11104-28-2        | Aroclor-1221         | 7.80  | U         | 7.80                | 20.7       | ug/kg             |
| 11141-16-5        | Aroclor-1232         | 4.10  | U         | 4.10                | 20.7       | ug/kg             |
| 53469-21-9        | Aroclor-1242         | 4.10  | U         | 4.10                | 20.7       | ug/kg             |
| 12672-29-6        | Aroclor-1248         | 9.60  | U         | 9.60                | 20.7       | ug/kg             |
| 11097-69-1        | Aroclor-1254         | 3.30  | U         | 3.30                | 20.7       | ug/kg             |
| 37324-23-5        | Aroclor-1262         | 5.60  | U         | 5.60                | 20.7       | ug/kg             |
| 11100-14-4        | Aroclor-1268         | 4.20  | U         | 4.20                | 20.7       | ug/kg             |
| 11096-82-5        | Aroclor-1260         | 3.50  | U         | 3.50                | 20.7       | ug/kg             |
| <b>SURROGATES</b> |                      |       |           |                     |            |                   |
| 877-09-8          | Tetrachloro-m-xylene | 15.9  |           | 30 (32) - 150 (144) | 80%        | SPK: 20           |
| 2051-24-3         | Decachlorobiphenyl   | 14.9  |           | 30 (32) - 150 (175) | 74%        | SPK: 20           |

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

|                    |                                     |          |                    |          |           |
|--------------------|-------------------------------------|----------|--------------------|----------|-----------|
| Client:            | ENTACT                              |          | Date Collected:    | 11/01/24 |           |
| Project:           | 540 Degraw St, Brooklyn, NY - E9309 |          | Date Received:     | 11/08/24 |           |
| Client Sample ID:  | WC-TA2-03-C                         |          | SDG No.:           | P4799    |           |
| Lab Sample ID:     | P4799-06                            |          | Matrix:            | SOIL     |           |
| Analytical Method: | SW8082A                             |          | % Solid:           | 81.4     | Decanted: |
| Sample Wt/Vol:     | 30.09                               | Units: g | Final Vol:         | 10000    | uL        |
| Soil Aliquot Vol:  |                                     | uL       | Test:              | PCB      |           |
| Extraction Type:   |                                     |          | Injection Volume : |          |           |
| GPC Factor :       | 1.0                                 | PH :     |                    |          |           |
| Prep Method :      | SW3541B                             |          |                    |          |           |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PO107885.D        | 1         | 11/12/24 09:10 | 11/12/24 14:28 | PB164906      |

| CAS Number        | Parameter            | Conc. | Qualifier | MDL                 | LOQ / CRQL | Units(Dry Weight) |
|-------------------|----------------------|-------|-----------|---------------------|------------|-------------------|
| <b>TARGETS</b>    |                      |       |           |                     |            |                   |
| 12674-11-2        | Aroclor-1016         | 4.20  | U         | 4.20                | 20.8       | ug/kg             |
| 11104-28-2        | Aroclor-1221         | 7.90  | U         | 7.90                | 20.8       | ug/kg             |
| 11141-16-5        | Aroclor-1232         | 4.20  | U         | 4.20                | 20.8       | ug/kg             |
| 53469-21-9        | Aroclor-1242         | 4.20  | U         | 4.20                | 20.8       | ug/kg             |
| 12672-29-6        | Aroclor-1248         | 9.70  | U         | 9.70                | 20.8       | ug/kg             |
| 11097-69-1        | Aroclor-1254         | 3.30  | U         | 3.30                | 20.8       | ug/kg             |
| 37324-23-5        | Aroclor-1262         | 5.60  | U         | 5.60                | 20.8       | ug/kg             |
| 11100-14-4        | Aroclor-1268         | 4.20  | U         | 4.20                | 20.8       | ug/kg             |
| 11096-82-5        | Aroclor-1260         | 3.60  | U         | 3.60                | 20.8       | ug/kg             |
| <b>SURROGATES</b> |                      |       |           |                     |            |                   |
| 877-09-8          | Tetrachloro-m-xylene | 17.6  |           | 30 (32) - 150 (144) | 88%        | SPK: 20           |
| 2051-24-3         | Decachlorobiphenyl   | 13.9  |           | 30 (32) - 150 (175) | 70%        | SPK: 20           |

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

|                    |                                     |          |                    |          |           |
|--------------------|-------------------------------------|----------|--------------------|----------|-----------|
| Client:            | ENTACT                              |          | Date Collected:    | 11/04/24 |           |
| Project:           | 540 Degraw St, Brooklyn, NY - E9309 |          | Date Received:     | 11/08/24 |           |
| Client Sample ID:  | WC-TA1-01-C                         |          | SDG No.:           | P4799    |           |
| Lab Sample ID:     | P4799-10                            |          | Matrix:            | SOIL     |           |
| Analytical Method: | SW8082A                             |          | % Solid:           | 84.3     | Decanted: |
| Sample Wt/Vol:     | 30.07                               | Units: g | Final Vol:         | 10000    | uL        |
| Soil Aliquot Vol:  |                                     | uL       | Test:              | PCB      |           |
| Extraction Type:   |                                     |          | Injection Volume : |          |           |
| GPC Factor :       | 1.0                                 | PH :     |                    |          |           |
| Prep Method :      | SW3541B                             |          |                    |          |           |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PO107918.D        | 1         | 11/12/24 09:10 | 11/13/24 11:27 | PB164906      |

| CAS Number        | Parameter            | Conc. | Qualifier | MDL                 | LOQ / CRQL | Units(Dry Weight) |
|-------------------|----------------------|-------|-----------|---------------------|------------|-------------------|
| <b>TARGETS</b>    |                      |       |           |                     |            |                   |
| 12674-11-2        | Aroclor-1016         | 4.00  | U         | 4.00                | 20.1       | ug/kg             |
| 11104-28-2        | Aroclor-1221         | 7.60  | U         | 7.60                | 20.1       | ug/kg             |
| 11141-16-5        | Aroclor-1232         | 4.00  | U         | 4.00                | 20.1       | ug/kg             |
| 53469-21-9        | Aroclor-1242         | 4.00  | U         | 4.00                | 20.1       | ug/kg             |
| 12672-29-6        | Aroclor-1248         | 9.30  | U         | 9.30                | 20.1       | ug/kg             |
| 11097-69-1        | Aroclor-1254         | 3.20  | U         | 3.20                | 20.1       | ug/kg             |
| 37324-23-5        | Aroclor-1262         | 5.40  | U         | 5.40                | 20.1       | ug/kg             |
| 11100-14-4        | Aroclor-1268         | 4.10  | U         | 4.10                | 20.1       | ug/kg             |
| 11096-82-5        | Aroclor-1260         | 3.40  | U         | 3.40                | 20.1       | ug/kg             |
| <b>SURROGATES</b> |                      |       |           |                     |            |                   |
| 877-09-8          | Tetrachloro-m-xylene | 10.2  |           | 30 (32) - 150 (144) | 51%        | SPK: 20           |
| 2051-24-3         | Decachlorobiphenyl   | 15.4  |           | 30 (32) - 150 (175) | 77%        | SPK: 20           |

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

|                    |                                     |          |                    |          |           |
|--------------------|-------------------------------------|----------|--------------------|----------|-----------|
| Client:            | ENTACT                              |          | Date Collected:    | 11/05/24 |           |
| Project:           | 540 Degraw St, Brooklyn, NY - E9309 |          | Date Received:     | 11/08/24 |           |
| Client Sample ID:  | WC-TA1-02-C                         |          | SDG No.:           | P4799    |           |
| Lab Sample ID:     | P4799-14                            |          | Matrix:            | SOIL     |           |
| Analytical Method: | SW8082A                             |          | % Solid:           | 83.1     | Decanted: |
| Sample Wt/Vol:     | 30.03                               | Units: g | Final Vol:         | 10000    | uL        |
| Soil Aliquot Vol:  |                                     | uL       | Test:              | PCB      |           |
| Extraction Type:   |                                     |          | Injection Volume : |          |           |
| GPC Factor :       | 1.0                                 | PH :     |                    |          |           |
| Prep Method :      | SW3541B                             |          |                    |          |           |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PO107919.D        | 1         | 11/12/24 09:10 | 11/13/24 11:44 | PB164906      |

| CAS Number        | Parameter            | Conc. | Qualifier | MDL                 | LOQ / CRQL | Units(Dry Weight) |
|-------------------|----------------------|-------|-----------|---------------------|------------|-------------------|
| <b>TARGETS</b>    |                      |       |           |                     |            |                   |
| 12674-11-2        | Aroclor-1016         | 4.10  | U         | 4.10                | 20.4       | ug/kg             |
| 11104-28-2        | Aroclor-1221         | 7.70  | U         | 7.70                | 20.4       | ug/kg             |
| 11141-16-5        | Aroclor-1232         | 4.10  | U         | 4.10                | 20.4       | ug/kg             |
| 53469-21-9        | Aroclor-1242         | 4.10  | U         | 4.10                | 20.4       | ug/kg             |
| 12672-29-6        | Aroclor-1248         | 9.50  | U         | 9.50                | 20.4       | ug/kg             |
| 11097-69-1        | Aroclor-1254         | 3.30  | U         | 3.30                | 20.4       | ug/kg             |
| 37324-23-5        | Aroclor-1262         | 5.50  | U         | 5.50                | 20.4       | ug/kg             |
| 11100-14-4        | Aroclor-1268         | 4.10  | U         | 4.10                | 20.4       | ug/kg             |
| 11096-82-5        | Aroclor-1260         | 3.50  | U         | 3.50                | 20.4       | ug/kg             |
| <b>SURROGATES</b> |                      |       |           |                     |            |                   |
| 877-09-8          | Tetrachloro-m-xylene | 9.79  |           | 30 (32) - 150 (144) | 49%        | SPK: 20           |
| 2051-24-3         | Decachlorobiphenyl   | 14.2  |           | 30 (32) - 150 (175) | 71%        | SPK: 20           |

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

|                    |                                     |          |                    |          |           |
|--------------------|-------------------------------------|----------|--------------------|----------|-----------|
| Client:            | ENTACT                              |          | Date Collected:    | 11/06/24 |           |
| Project:           | 540 Degraw St, Brooklyn, NY - E9309 |          | Date Received:     | 11/08/24 |           |
| Client Sample ID:  | WC-TA1-03-C                         |          | SDG No.:           | P4799    |           |
| Lab Sample ID:     | P4799-18                            |          | Matrix:            | SOIL     |           |
| Analytical Method: | SW8082A                             |          | % Solid:           | 81.8     | Decanted: |
| Sample Wt/Vol:     | 30.01                               | Units: g | Final Vol:         | 10000    | uL        |
| Soil Aliquot Vol:  |                                     | uL       | Test:              | PCB      |           |
| Extraction Type:   |                                     |          | Injection Volume : |          |           |
| GPC Factor :       | 1.0                                 | PH :     |                    |          |           |
| Prep Method :      | SW3541B                             |          |                    |          |           |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PO107920.D        | 1         | 11/12/24 09:10 | 11/13/24 12:00 | PB164906      |

| CAS Number        | Parameter            | Conc. | Qualifier | MDL                 | LOQ / CRQL | Units(Dry Weight) |
|-------------------|----------------------|-------|-----------|---------------------|------------|-------------------|
| <b>TARGETS</b>    |                      |       |           |                     |            |                   |
| 12674-11-2        | Aroclor-1016         | 4.10  | U         | 4.10                | 20.8       | ug/kg             |
| 11104-28-2        | Aroclor-1221         | 7.80  | U         | 7.80                | 20.8       | ug/kg             |
| 11141-16-5        | Aroclor-1232         | 4.20  | U         | 4.20                | 20.8       | ug/kg             |
| 53469-21-9        | Aroclor-1242         | 4.10  | U         | 4.10                | 20.8       | ug/kg             |
| 12672-29-6        | Aroclor-1248         | 9.60  | U         | 9.60                | 20.8       | ug/kg             |
| 11097-69-1        | Aroclor-1254         | 3.30  | U         | 3.30                | 20.8       | ug/kg             |
| 37324-23-5        | Aroclor-1262         | 5.60  | U         | 5.60                | 20.8       | ug/kg             |
| 11100-14-4        | Aroclor-1268         | 4.20  | U         | 4.20                | 20.8       | ug/kg             |
| 11096-82-5        | Aroclor-1260         | 3.60  | U         | 3.60                | 20.8       | ug/kg             |
| <b>SURROGATES</b> |                      |       |           |                     |            |                   |
| 877-09-8          | Tetrachloro-m-xylene | 10.8  |           | 30 (32) - 150 (144) | 54%        | SPK: 20           |
| 2051-24-3         | Decachlorobiphenyl   | 15.5  |           | 30 (32) - 150 (175) | 78%        | SPK: 20           |

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

LAB CHRONICLE

|          |                 |            |                                     |
|----------|-----------------|------------|-------------------------------------|
| OrderID: | P4799           | OrderDate: | 11/8/2024 4:30:00 PM                |
| Client:  | ENTACT          | Project:   | 540 Degraw St, Brooklyn, NY - E9309 |
| Contact: | Jarod Stanfield | Location:  | L31                                 |

| LabID    | ClientID    | Matrix | Test | Method | Sample Date | Prep Date | Anal Date | Received |
|----------|-------------|--------|------|--------|-------------|-----------|-----------|----------|
| P4799-02 | WC-TA2-02-C | SOIL   | PCB  | 8082A  | 10/30/24    | 11/12/24  | 11/12/24  | 11/08/24 |
| P4799-06 | WC-TA2-03-C | SOIL   | PCB  | 8082A  | 11/01/24    | 11/12/24  | 11/12/24  | 11/08/24 |
| P4799-10 | WC-TA1-01-C | SOIL   | PCB  | 8082A  | 11/04/24    | 11/12/24  | 11/13/24  | 11/08/24 |
| P4799-14 | WC-TA1-02-C | SOIL   | PCB  | 8082A  | 11/05/24    | 11/12/24  | 11/13/24  | 11/08/24 |
| P4799-18 | WC-TA1-03-C | SOIL   | PCB  | 8082A  | 11/06/24    | 11/12/24  | 11/13/24  | 11/08/24 |



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

Hit Summary Sheet  
SW-846

SDG No.:P4799

Order ID:P4799

Client:ENTACT

Project ID:540 Degraw St, Brooklyn, NY - E9309

| Sample ID | Client ID | Matrix | Parameter | Concentration | C | MDL | RDL | Units |
|-----------|-----------|--------|-----------|---------------|---|-----|-----|-------|
|-----------|-----------|--------|-----------|---------------|---|-----|-----|-------|

Client ID :

Total Concentration:0.000



# SAMPLE DATA

A

B

C

D

## Report of Analysis

|                    |                                     |           |                    |                |           |
|--------------------|-------------------------------------|-----------|--------------------|----------------|-----------|
| Client:            | ENTACT                              |           | Date Collected:    | 10/30/24       |           |
| Project:           | 540 Degraw St, Brooklyn, NY - E9309 |           | Date Received:     | 11/08/24       |           |
| Client Sample ID:  | WC-TA2-02-C                         |           | SDG No.:           | P4799          |           |
| Lab Sample ID:     | P4799-03                            |           | Matrix:            | TCLP           |           |
| Analytical Method: | SW8151A                             |           | % Solid:           | 0              | Decanted: |
| Sample Wt/Vol:     | 100                                 | Units: mL | Final Vol:         | 10000          | uL        |
| Soil Aliquot Vol:  |                                     | uL        | Test:              | TCLP Herbicide |           |
| Extraction Type:   |                                     |           | Injection Volume : |                |           |
| GPC Factor :       | 1.0                                 | PH :      |                    |                |           |
| Prep Method :      | 8151A                               |           |                    |                |           |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PS028520.D        | 1         | 11/13/24 08:20 | 11/14/24 00:51 | PB164959      |

| CAS Number        | Parameter         | Conc. | Qualifier | MDL                 | LOQ / CRQL | Units    |
|-------------------|-------------------|-------|-----------|---------------------|------------|----------|
| <b>TARGETS</b>    |                   |       |           |                     |            |          |
| 94-75-7           | 2,4-D             | 4.90  | U         | 4.90                | 20.0       | ug/L     |
| 93-72-1           | 2,4,5-TP (Silvex) | 4.50  | U         | 4.50                | 20.0       | ug/L     |
| <b>SURROGATES</b> |                   |       |           |                     |            |          |
| 19719-28-9        | 2,4-DCAA          | 398   |           | 70 (39) - 130 (175) | 80%        | SPK: 500 |

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

|                    |                                     |           |                    |                |           |
|--------------------|-------------------------------------|-----------|--------------------|----------------|-----------|
| Client:            | ENTACT                              |           | Date Collected:    | 11/01/24       |           |
| Project:           | 540 Degraw St, Brooklyn, NY - E9309 |           | Date Received:     | 11/08/24       |           |
| Client Sample ID:  | WC-TA2-03-C                         |           | SDG No.:           | P4799          |           |
| Lab Sample ID:     | P4799-07                            |           | Matrix:            | TCLP           |           |
| Analytical Method: | SW8151A                             |           | % Solid:           | 0              | Decanted: |
| Sample Wt/Vol:     | 100                                 | Units: mL | Final Vol:         | 10000          | uL        |
| Soil Aliquot Vol:  |                                     | uL        | Test:              | TCLP Herbicide |           |
| Extraction Type:   |                                     |           | Injection Volume : |                |           |
| GPC Factor :       | 1.0                                 | PH :      |                    |                |           |
| Prep Method :      | 8151A                               |           |                    |                |           |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PS028523.D        | 1         | 11/13/24 08:20 | 11/14/24 02:05 | PB164959      |

| CAS Number        | Parameter         | Conc. | Qualifier | MDL                 | LOQ / CRQL | Units    |
|-------------------|-------------------|-------|-----------|---------------------|------------|----------|
| <b>TARGETS</b>    |                   |       |           |                     |            |          |
| 94-75-7           | 2,4-D             | 4.90  | U         | 4.90                | 20.0       | ug/L     |
| 93-72-1           | 2,4,5-TP (Silvex) | 4.50  | U         | 4.50                | 20.0       | ug/L     |
| <b>SURROGATES</b> |                   |       |           |                     |            |          |
| 19719-28-9        | 2,4-DCAA          | 334   | *         | 70 (39) - 130 (175) | 67%        | SPK: 500 |

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

|                    |                                     |           |                    |                |           |
|--------------------|-------------------------------------|-----------|--------------------|----------------|-----------|
| Client:            | ENTACT                              |           | Date Collected:    | 11/04/24       |           |
| Project:           | 540 Degraw St, Brooklyn, NY - E9309 |           | Date Received:     | 11/08/24       |           |
| Client Sample ID:  | WC-TA1-01-C                         |           | SDG No.:           | P4799          |           |
| Lab Sample ID:     | P4799-11                            |           | Matrix:            | TCLP           |           |
| Analytical Method: | SW8151A                             |           | % Solid:           | 0              | Decanted: |
| Sample Wt/Vol:     | 100                                 | Units: mL | Final Vol:         | 10000          | uL        |
| Soil Aliquot Vol:  |                                     | uL        | Test:              | TCLP Herbicide |           |
| Extraction Type:   |                                     |           | Injection Volume : |                |           |
| GPC Factor :       | 1.0                                 | PH :      |                    |                |           |
| Prep Method :      | 8151A                               |           |                    |                |           |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PS028532.D        | 1         | 11/13/24 08:20 | 11/14/24 11:09 | PB164959      |

| CAS Number        | Parameter         | Conc. | Qualifier | MDL                 | LOQ / CRQL | Units    |
|-------------------|-------------------|-------|-----------|---------------------|------------|----------|
| <b>TARGETS</b>    |                   |       |           |                     |            |          |
| 94-75-7           | 2,4-D             | 4.90  | U         | 4.90                | 20.0       | ug/L     |
| 93-72-1           | 2,4,5-TP (Silvex) | 4.50  | U         | 4.50                | 20.0       | ug/L     |
| <b>SURROGATES</b> |                   |       |           |                     |            |          |
| 19719-28-9        | 2,4-DCAA          | 335   | *         | 70 (39) - 130 (175) | 67%        | SPK: 500 |

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

|                    |                                     |           |                    |                |           |
|--------------------|-------------------------------------|-----------|--------------------|----------------|-----------|
| Client:            | ENTACT                              |           | Date Collected:    | 11/05/24       |           |
| Project:           | 540 Degraw St, Brooklyn, NY - E9309 |           | Date Received:     | 11/08/24       |           |
| Client Sample ID:  | WC-TA1-02-C                         |           | SDG No.:           | P4799          |           |
| Lab Sample ID:     | P4799-15                            |           | Matrix:            | TCLP           |           |
| Analytical Method: | SW8151A                             |           | % Solid:           | 0              | Decanted: |
| Sample Wt/Vol:     | 100                                 | Units: mL | Final Vol:         | 10000          | uL        |
| Soil Aliquot Vol:  |                                     | uL        | Test:              | TCLP Herbicide |           |
| Extraction Type:   |                                     |           | Injection Volume : |                |           |
| GPC Factor :       | 1.0                                 | PH :      |                    |                |           |
| Prep Method :      | 8151A                               |           |                    |                |           |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PS028525.D        | 1         | 11/13/24 08:20 | 11/14/24 02:54 | PB164959      |

| CAS Number        | Parameter         | Conc. | Qualifier | MDL                 | LOQ / CRQL | Units    |
|-------------------|-------------------|-------|-----------|---------------------|------------|----------|
| <b>TARGETS</b>    |                   |       |           |                     |            |          |
| 94-75-7           | 2,4-D             | 4.90  | U         | 4.90                | 20.0       | ug/L     |
| 93-72-1           | 2,4,5-TP (Silvex) | 4.50  | U         | 4.50                | 20.0       | ug/L     |
| <b>SURROGATES</b> |                   |       |           |                     |            |          |
| 19719-28-9        | 2,4-DCAA          | 335   | *         | 70 (39) - 130 (175) | 67%        | SPK: 500 |

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

|                    |                                     |           |                    |                |           |
|--------------------|-------------------------------------|-----------|--------------------|----------------|-----------|
| Client:            | ENTACT                              |           | Date Collected:    | 11/06/24       |           |
| Project:           | 540 Degraw St, Brooklyn, NY - E9309 |           | Date Received:     | 11/08/24       |           |
| Client Sample ID:  | WC-TA1-03-C                         |           | SDG No.:           | P4799          |           |
| Lab Sample ID:     | P4799-19                            |           | Matrix:            | TCLP           |           |
| Analytical Method: | SW8151A                             |           | % Solid:           | 0              | Decanted: |
| Sample Wt/Vol:     | 100                                 | Units: mL | Final Vol:         | 10000          | uL        |
| Soil Aliquot Vol:  |                                     | uL        | Test:              | TCLP Herbicide |           |
| Extraction Type:   |                                     |           | Injection Volume : |                |           |
| GPC Factor :       | 1.0                                 | PH :      |                    |                |           |
| Prep Method :      | 8151A                               |           |                    |                |           |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PS028526.D        | 1         | 11/13/24 08:20 | 11/14/24 03:18 | PB164959      |

| CAS Number        | Parameter         | Conc. | Qualifier | MDL                 | LOQ / CRQL | Units    |
|-------------------|-------------------|-------|-----------|---------------------|------------|----------|
| <b>TARGETS</b>    |                   |       |           |                     |            |          |
| 94-75-7           | 2,4-D             | 4.90  | U         | 4.90                | 20.0       | ug/L     |
| 93-72-1           | 2,4,5-TP (Silvex) | 4.50  | U         | 4.50                | 20.0       | ug/L     |
| <b>SURROGATES</b> |                   |       |           |                     |            |          |
| 19719-28-9        | 2,4-DCAA          | 371   |           | 70 (39) - 130 (175) | 74%        | SPK: 500 |

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

|                    |                                     |           |                    |                |           |
|--------------------|-------------------------------------|-----------|--------------------|----------------|-----------|
| Client:            | ENTACT                              |           | Date Collected:    |                |           |
| Project:           | 540 Degraw St, Brooklyn, NY - E9309 |           | Date Received:     | 11/13/24       |           |
| Client Sample ID:  | PB164880TB                          |           | SDG No.:           | P4799          |           |
| Lab Sample ID:     | PB164880TB                          |           | Matrix:            | TCLP           |           |
| Analytical Method: | SW8151A                             |           | % Solid:           | 0              | Decanted: |
| Sample Wt/Vol:     | 100                                 | Units: mL | Final Vol:         | 10000          | uL        |
| Soil Aliquot Vol:  |                                     | uL        | Test:              | TCLP Herbicide |           |
| Extraction Type:   |                                     |           | Injection Volume : |                |           |
| GPC Factor :       | 1.0                                 | PH :      |                    |                |           |
| Prep Method :      | 8151A                               |           |                    |                |           |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PS028519.D        | 1         | 11/13/24 08:20 | 11/14/24 00:26 | PB164959      |

| CAS Number        | Parameter         | Conc. | Qualifier | MDL                 | LOQ / CRQL | Units    |
|-------------------|-------------------|-------|-----------|---------------------|------------|----------|
| <b>TARGETS</b>    |                   |       |           |                     |            |          |
| 94-75-7           | 2,4-D             | 4.90  | U         | 4.90                | 20.0       | ug/L     |
| 93-72-1           | 2,4,5-TP (Silvex) | 4.50  | U         | 4.50                | 20.0       | ug/L     |
| <b>SURROGATES</b> |                   |       |           |                     |            |          |
| 19719-28-9        | 2,4-DCAA          | 291   | *         | 70 (39) - 130 (175) | 58%        | SPK: 500 |

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## LAB CHRONICLE

|                 |                 |                   |                                     |
|-----------------|-----------------|-------------------|-------------------------------------|
| <b>OrderID:</b> | P4799           | <b>OrderDate:</b> | 11/8/2024 4:30:00 PM                |
| <b>Client:</b>  | ENTACT          | <b>Project:</b>   | 540 Degraw St, Brooklyn, NY - E9309 |
| <b>Contact:</b> | Jarod Stanfield | <b>Location:</b>  | L31                                 |

| LabID           | ClientID           | Matrix      | Test           | Method | Sample Date     | Prep Date | Anal Date | Received        |
|-----------------|--------------------|-------------|----------------|--------|-----------------|-----------|-----------|-----------------|
| <b>P4799-02</b> | <b>WC-TA2-02-C</b> | <b>SOIL</b> |                |        | <b>10/30/24</b> |           |           | <b>11/08/24</b> |
|                 |                    |             | PCB            | 8082A  |                 | 11/12/24  | 11/12/24  |                 |
| <b>P4799-03</b> | <b>WC-TA2-02-C</b> | <b>TCLP</b> |                |        | <b>10/30/24</b> |           |           | <b>11/08/24</b> |
|                 |                    |             | TCLP Herbicide | 8151A  |                 | 11/13/24  | 11/14/24  |                 |
|                 |                    |             | TCLP Pesticide | 8081B  |                 | 11/12/24  | 11/13/24  |                 |
| <b>P4799-06</b> | <b>WC-TA2-03-C</b> | <b>SOIL</b> |                |        | <b>11/01/24</b> |           |           | <b>11/08/24</b> |
|                 |                    |             | PCB            | 8082A  |                 | 11/12/24  | 11/12/24  |                 |
| <b>P4799-07</b> | <b>WC-TA2-03-C</b> | <b>TCLP</b> |                |        | <b>11/01/24</b> |           |           | <b>11/08/24</b> |
|                 |                    |             | TCLP Herbicide | 8151A  |                 | 11/13/24  | 11/14/24  |                 |
|                 |                    |             | TCLP Pesticide | 8081B  |                 | 11/12/24  | 11/13/24  |                 |
| <b>P4799-10</b> | <b>WC-TA1-01-C</b> | <b>SOIL</b> |                |        | <b>11/04/24</b> |           |           | <b>11/08/24</b> |
|                 |                    |             | PCB            | 8082A  |                 | 11/12/24  | 11/13/24  |                 |
| <b>P4799-11</b> | <b>WC-TA1-01-C</b> | <b>TCLP</b> |                |        | <b>11/04/24</b> |           |           | <b>11/08/24</b> |
|                 |                    |             | TCLP Herbicide | 8151A  |                 | 11/13/24  | 11/14/24  |                 |
|                 |                    |             | TCLP Pesticide | 8081B  |                 | 11/12/24  | 11/13/24  |                 |
| <b>P4799-14</b> | <b>WC-TA1-02-C</b> | <b>SOIL</b> |                |        | <b>11/05/24</b> |           |           | <b>11/08/24</b> |
|                 |                    |             | PCB            | 8082A  |                 | 11/12/24  | 11/13/24  |                 |
| <b>P4799-15</b> | <b>WC-TA1-02-C</b> | <b>TCLP</b> |                |        | <b>11/05/24</b> |           |           | <b>11/08/24</b> |
|                 |                    |             | TCLP Herbicide | 8151A  |                 | 11/13/24  | 11/14/24  |                 |
|                 |                    |             | TCLP Pesticide | 8081B  |                 | 11/12/24  | 11/13/24  |                 |
| <b>P4799-18</b> | <b>WC-TA1-03-C</b> | <b>SOIL</b> |                |        | <b>11/06/24</b> |           |           | <b>11/08/24</b> |
|                 |                    |             | PCB            | 8082A  |                 | 11/12/24  | 11/13/24  |                 |
| <b>P4799-19</b> | <b>WC-TA1-03-C</b> | <b>TCLP</b> |                |        | <b>11/06/24</b> |           |           | <b>11/08/24</b> |
|                 |                    |             | TCLP Herbicide | 8151A  |                 | 11/13/24  | 11/14/24  |                 |

**LAB CHRONICLE**

|                |       |          |          |
|----------------|-------|----------|----------|
| TCLP Pesticide | 8081B | 11/12/24 | 11/13/24 |
|----------------|-------|----------|----------|

A

C

D

**Hit Summary Sheet**  
**SW-846**

|                 |        |                    |                                     |
|-----------------|--------|--------------------|-------------------------------------|
| <b>SDG No.:</b> | P4799  | <b>Order ID:</b>   | P4799                               |
| <b>Client:</b>  | ENTACT | <b>Project ID:</b> | 540 Degraw St, Brooklyn, NY - E9309 |

| Sample ID                      | Client ID   | Matrix | Parameter | Concentration | C | MDL  | RDL  | Units |
|--------------------------------|-------------|--------|-----------|---------------|---|------|------|-------|
| <b>Client ID : WC-TA2-02-C</b> |             |        |           |               |   |      |      |       |
| P4799-03                       | WC-TA2-02-C | TCLP   | Barium    | 190           | J | 62.8 | 500  | ug/L  |
| P4799-03                       | WC-TA2-02-C | TCLP   | Chromium  | 19.1          | J | 6.60 | 50.0 | ug/L  |
| P4799-03                       | WC-TA2-02-C | TCLP   | Mercury   | 4.58          |   | 0.81 | 2.00 | ug/L  |
| P4799-03                       | WC-TA2-02-C | TCLP   | Nickel    | 28.3          | J | 8.50 | 200  | ug/L  |
| P4799-03                       | WC-TA2-02-C | TCLP   | Zinc      | 25.0          | J | 17.5 | 200  | ug/L  |
| <b>Client ID : WC-TA2-03-C</b> |             |        |           |               |   |      |      |       |
| P4799-07                       | WC-TA2-03-C | TCLP   | Barium    | 287           | J | 62.8 | 500  | ug/L  |
| P4799-07                       | WC-TA2-03-C | TCLP   | Chromium  | 25.3          | J | 6.60 | 50.0 | ug/L  |
| P4799-07                       | WC-TA2-03-C | TCLP   | Mercury   | 1.05          | J | 0.81 | 2.00 | ug/L  |
| P4799-07                       | WC-TA2-03-C | TCLP   | Nickel    | 24.4          | J | 8.50 | 200  | ug/L  |
| P4799-07                       | WC-TA2-03-C | TCLP   | Zinc      | 31.1          | J | 17.5 | 200  | ug/L  |
| <b>Client ID : WC-TA1-01-C</b> |             |        |           |               |   |      |      |       |
| P4799-11                       | WC-TA1-01-C | TCLP   | Barium    | 261           | J | 62.8 | 500  | ug/L  |
| P4799-11                       | WC-TA1-01-C | TCLP   | Chromium  | 10.5          | J | 6.60 | 50.0 | ug/L  |
| P4799-11                       | WC-TA1-01-C | TCLP   | Mercury   | 2.80          |   | 0.81 | 2.00 | ug/L  |
| P4799-11                       | WC-TA1-01-C | TCLP   | Zinc      | 257           |   | 17.5 | 200  | ug/L  |
| <b>Client ID : WC-TA1-02-C</b> |             |        |           |               |   |      |      |       |
| P4799-15                       | WC-TA1-02-C | TCLP   | Mercury   | 2.09          |   | 0.81 | 2.00 | ug/L  |
| <b>Client ID : WC-TA1-03-C</b> |             |        |           |               |   |      |      |       |
| P4799-19                       | WC-TA1-03-C | TCLP   | Barium    | 283           | J | 62.8 | 500  | ug/L  |
| P4799-19                       | WC-TA1-03-C | TCLP   | Chromium  | 21.0          | J | 6.60 | 50.0 | ug/L  |
| P4799-19                       | WC-TA1-03-C | TCLP   | Mercury   | 2.03          |   | 0.81 | 2.00 | ug/L  |



# SAMPLE DATA

A

B

C

D

## Report of Analysis

|                   |                                     |                 |          |
|-------------------|-------------------------------------|-----------------|----------|
| Client:           | ENTACT                              | Date Collected: | 10/30/24 |
| Project:          | 540 Degraw St, Brooklyn, NY - E9309 | Date Received:  | 11/08/24 |
| Client Sample ID: | WC-TA2-02-C                         | SDG No.:        | P4799    |
| Lab Sample ID:    | P4799-03                            | Matrix:         | TCLP     |
| Level (low/med):  | low                                 | % Solid:        | 0        |

| Cas       | Parameter | Conc. | Qua. | DF | MDL  | LOQ / CRQL | Units | Prep Date      | Date Ana.      | Ana Met. | Prep Met. |
|-----------|-----------|-------|------|----|------|------------|-------|----------------|----------------|----------|-----------|
| 7440-38-2 | Arsenic   | 34.8  | U    | 1  | 34.8 | 100        | ug/L  | 11/12/24 12:30 | 11/14/24 19:42 | SW6010   | SW3050    |
| 7440-39-3 | Barium    | 190   | J    | 1  | 62.8 | 500        | ug/L  | 11/12/24 12:30 | 11/14/24 19:42 | SW6010   | SW3050    |
| 7440-43-9 | Cadmium   | 0.94  | U    | 1  | 0.94 | 30.0       | ug/L  | 11/12/24 12:30 | 11/14/24 19:42 | SW6010   | SW3050    |
| 7440-47-3 | Chromium  | 19.1  | J    | 1  | 6.60 | 50.0       | ug/L  | 11/12/24 12:30 | 11/14/24 19:42 | SW6010   | SW3050    |
| 7440-50-8 | Copper    | 70.7  | U    | 1  | 70.7 | 100        | ug/L  | 11/12/24 12:30 | 11/14/24 19:42 | SW6010   | SW3050    |
| 7439-92-1 | Lead      | 35.1  | U    | 1  | 35.1 | 60.0       | ug/L  | 11/12/24 12:30 | 11/14/24 19:42 | SW6010   | SW3050    |
| 7439-97-6 | Mercury   | 4.58  | N    | 1  | 0.81 | 2.00       | ug/L  | 11/13/24 15:07 | 11/14/24 13:01 | SW7470A  |           |
| 7440-02-0 | Nickel    | 28.3  | J    | 1  | 8.50 | 200        | ug/L  | 11/12/24 12:30 | 11/14/24 19:42 | SW6010   | SW3050    |
| 7782-49-2 | Selenium  | 58.8  | U    | 1  | 58.8 | 100        | ug/L  | 11/12/24 12:30 | 11/14/24 19:42 | SW6010   | SW3050    |
| 7440-22-4 | Silver    | 5.80  | U    | 1  | 5.80 | 50.0       | ug/L  | 11/12/24 12:30 | 11/14/24 19:42 | SW6010   | SW3050    |
| 7440-66-6 | Zinc      | 25.0  | J    | 1  | 17.5 | 200        | ug/L  | 11/12/24 12:30 | 11/14/24 19:42 | SW6010   | SW3050    |

|               |           |                 |       |            |
|---------------|-----------|-----------------|-------|------------|
| Color Before: | Colorless | Clarity Before: | Clear | Texture:   |
| Color After:  | Colorless | Clarity After:  | Clear | Artifacts: |
| Comments:     | TCLP-FULL |                 |       |            |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

## Report of Analysis

|                   |                                     |                 |          |
|-------------------|-------------------------------------|-----------------|----------|
| Client:           | ENTACT                              | Date Collected: | 11/01/24 |
| Project:          | 540 Degraw St, Brooklyn, NY - E9309 | Date Received:  | 11/08/24 |
| Client Sample ID: | WC-TA2-03-C                         | SDG No.:        | P4799    |
| Lab Sample ID:    | P4799-07                            | Matrix:         | TCLP     |
| Level (low/med):  | low                                 | % Solid:        | 0        |

| Cas       | Parameter | Conc. | Qua. | DF | MDL  | LOQ / CRQL | Units | Prep Date      | Date Ana.      | Ana Met. | Prep Met. |
|-----------|-----------|-------|------|----|------|------------|-------|----------------|----------------|----------|-----------|
| 7440-38-2 | Arsenic   | 34.8  | U    | 1  | 34.8 | 100        | ug/L  | 11/12/24 12:30 | 11/14/24 20:16 | SW6010   | SW3050    |
| 7440-39-3 | Barium    | 287   | J    | 1  | 62.8 | 500        | ug/L  | 11/12/24 12:30 | 11/14/24 20:16 | SW6010   | SW3050    |
| 7440-43-9 | Cadmium   | 0.94  | U    | 1  | 0.94 | 30.0       | ug/L  | 11/12/24 12:30 | 11/14/24 20:16 | SW6010   | SW3050    |
| 7440-47-3 | Chromium  | 25.3  | J    | 1  | 6.60 | 50.0       | ug/L  | 11/12/24 12:30 | 11/14/24 20:16 | SW6010   | SW3050    |
| 7440-50-8 | Copper    | 70.7  | U    | 1  | 70.7 | 100        | ug/L  | 11/12/24 12:30 | 11/14/24 20:16 | SW6010   | SW3050    |
| 7439-92-1 | Lead      | 35.1  | U    | 1  | 35.1 | 60.0       | ug/L  | 11/12/24 12:30 | 11/14/24 20:16 | SW6010   | SW3050    |
| 7439-97-6 | Mercury   | 1.05  | JN   | 1  | 0.81 | 2.00       | ug/L  | 11/13/24 15:07 | 11/14/24 13:11 | SW7470A  |           |
| 7440-02-0 | Nickel    | 24.4  | J    | 1  | 8.50 | 200        | ug/L  | 11/12/24 12:30 | 11/14/24 20:16 | SW6010   | SW3050    |
| 7782-49-2 | Selenium  | 58.8  | U    | 1  | 58.8 | 100        | ug/L  | 11/12/24 12:30 | 11/14/24 20:16 | SW6010   | SW3050    |
| 7440-22-4 | Silver    | 5.80  | U    | 1  | 5.80 | 50.0       | ug/L  | 11/12/24 12:30 | 11/14/24 20:16 | SW6010   | SW3050    |
| 7440-66-6 | Zinc      | 31.1  | J    | 1  | 17.5 | 200        | ug/L  | 11/12/24 12:30 | 11/14/24 20:16 | SW6010   | SW3050    |

|               |           |                 |       |            |
|---------------|-----------|-----------------|-------|------------|
| Color Before: | Colorless | Clarity Before: | Clear | Texture:   |
| Color After:  | Colorless | Clarity After:  | Clear | Artifacts: |
| Comments:     | TCLP-FULL |                 |       |            |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

## Report of Analysis

|                   |                                     |                 |          |
|-------------------|-------------------------------------|-----------------|----------|
| Client:           | ENTACT                              | Date Collected: | 11/04/24 |
| Project:          | 540 Degraw St, Brooklyn, NY - E9309 | Date Received:  | 11/08/24 |
| Client Sample ID: | WC-TA1-01-C                         | SDG No.:        | P4799    |
| Lab Sample ID:    | P4799-11                            | Matrix:         | TCLP     |
| Level (low/med):  | low                                 | % Solid:        | 0        |

| Cas       | Parameter | Conc. | Qua. | DF | MDL  | LOQ / CRQL | Units | Prep Date      | Date Ana.      | Ana Met. | Prep Met. |
|-----------|-----------|-------|------|----|------|------------|-------|----------------|----------------|----------|-----------|
| 7440-38-2 | Arsenic   | 34.8  | U    | 1  | 34.8 | 100        | ug/L  | 11/12/24 12:30 | 11/14/24 20:21 | SW6010   | SW3050    |
| 7440-39-3 | Barium    | 261   | J    | 1  | 62.8 | 500        | ug/L  | 11/12/24 12:30 | 11/14/24 20:21 | SW6010   | SW3050    |
| 7440-43-9 | Cadmium   | 0.94  | U    | 1  | 0.94 | 30.0       | ug/L  | 11/12/24 12:30 | 11/14/24 20:21 | SW6010   | SW3050    |
| 7440-47-3 | Chromium  | 10.5  | J    | 1  | 6.60 | 50.0       | ug/L  | 11/12/24 12:30 | 11/14/24 20:21 | SW6010   | SW3050    |
| 7440-50-8 | Copper    | 70.7  | U    | 1  | 70.7 | 100        | ug/L  | 11/12/24 12:30 | 11/14/24 20:21 | SW6010   | SW3050    |
| 7439-92-1 | Lead      | 35.1  | U    | 1  | 35.1 | 60.0       | ug/L  | 11/12/24 12:30 | 11/14/24 20:21 | SW6010   | SW3050    |
| 7439-97-6 | Mercury   | 2.80  | N    | 1  | 0.81 | 2.00       | ug/L  | 11/13/24 15:07 | 11/14/24 13:23 | SW7470A  |           |
| 7440-02-0 | Nickel    | 8.50  | U    | 1  | 8.50 | 200        | ug/L  | 11/12/24 12:30 | 11/14/24 20:21 | SW6010   | SW3050    |
| 7782-49-2 | Selenium  | 58.8  | U    | 1  | 58.8 | 100        | ug/L  | 11/12/24 12:30 | 11/14/24 20:21 | SW6010   | SW3050    |
| 7440-22-4 | Silver    | 5.80  | U    | 1  | 5.80 | 50.0       | ug/L  | 11/12/24 12:30 | 11/14/24 20:21 | SW6010   | SW3050    |
| 7440-66-6 | Zinc      | 257   |      | 1  | 17.5 | 200        | ug/L  | 11/12/24 12:30 | 11/14/24 20:21 | SW6010   | SW3050    |

|               |           |                 |       |            |
|---------------|-----------|-----------------|-------|------------|
| Color Before: | Colorless | Clarity Before: | Clear | Texture:   |
| Color After:  | Colorless | Clarity After:  | Clear | Artifacts: |
| Comments:     | TCLP-FULL |                 |       |            |

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 D = Dilution  
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 \* = indicates the duplicate analysis is not within control limits.  
 E = Indicates the reported value is estimated because of the presence of interference.  
 OR = Over Range  
 N = Spiked sample recovery not within control limits

## Report of Analysis

|                   |                                     |                 |          |
|-------------------|-------------------------------------|-----------------|----------|
| Client:           | ENTACT                              | Date Collected: | 11/05/24 |
| Project:          | 540 Degraw St, Brooklyn, NY - E9309 | Date Received:  | 11/08/24 |
| Client Sample ID: | WC-TA1-02-C                         | SDG No.:        | P4799    |
| Lab Sample ID:    | P4799-15                            | Matrix:         | TCLP     |
| Level (low/med):  | low                                 | % Solid:        | 0        |

| Cas       | Parameter | Conc. | Qua. | DF | MDL  | LOQ / CRQL | Units | Prep Date      | Date Ana.      | Ana Met. | Prep Met. |
|-----------|-----------|-------|------|----|------|------------|-------|----------------|----------------|----------|-----------|
| 7440-38-2 | Arsenic   | 34.8  | U    | 1  | 34.8 | 100        | ug/L  | 11/12/24 12:30 | 11/14/24 20:25 | SW6010   | SW3050    |
| 7440-39-3 | Barium    | 62.8  | U    | 1  | 62.8 | 500        | ug/L  | 11/12/24 12:30 | 11/14/24 20:25 | SW6010   | SW3050    |
| 7440-43-9 | Cadmium   | 0.94  | U    | 1  | 0.94 | 30.0       | ug/L  | 11/12/24 12:30 | 11/14/24 20:25 | SW6010   | SW3050    |
| 7440-47-3 | Chromium  | 6.60  | U    | 1  | 6.60 | 50.0       | ug/L  | 11/12/24 12:30 | 11/14/24 20:25 | SW6010   | SW3050    |
| 7440-50-8 | Copper    | 70.7  | U    | 1  | 70.7 | 100        | ug/L  | 11/12/24 12:30 | 11/14/24 20:25 | SW6010   | SW3050    |
| 7439-92-1 | Lead      | 35.1  | U    | 1  | 35.1 | 60.0       | ug/L  | 11/12/24 12:30 | 11/14/24 20:25 | SW6010   | SW3050    |
| 7439-97-6 | Mercury   | 2.09  | N    | 1  | 0.81 | 2.00       | ug/L  | 11/13/24 15:07 | 11/14/24 13:25 | SW7470A  |           |
| 7440-02-0 | Nickel    | 8.50  | U    | 1  | 8.50 | 200        | ug/L  | 11/12/24 12:30 | 11/14/24 20:25 | SW6010   | SW3050    |
| 7782-49-2 | Selenium  | 58.8  | U    | 1  | 58.8 | 100        | ug/L  | 11/12/24 12:30 | 11/14/24 20:25 | SW6010   | SW3050    |
| 7440-22-4 | Silver    | 5.80  | U    | 1  | 5.80 | 50.0       | ug/L  | 11/12/24 12:30 | 11/14/24 20:25 | SW6010   | SW3050    |
| 7440-66-6 | Zinc      | 17.5  | U    | 1  | 17.5 | 200        | ug/L  | 11/12/24 12:30 | 11/14/24 20:25 | SW6010   | SW3050    |

|               |           |                 |       |            |
|---------------|-----------|-----------------|-------|------------|
| Color Before: | Colorless | Clarity Before: | Clear | Texture:   |
| Color After:  | Colorless | Clarity After:  | Clear | Artifacts: |
| Comments:     | TCLP-FULL |                 |       |            |

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 D = Dilution  
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 \* = indicates the duplicate analysis is not within control limits.  
 E = Indicates the reported value is estimated because of the presence of interference.  
 OR = Over Range  
 N = Spiked sample recovery not within control limits

## Report of Analysis

|                   |                                     |                 |          |
|-------------------|-------------------------------------|-----------------|----------|
| Client:           | ENTACT                              | Date Collected: | 11/06/24 |
| Project:          | 540 Degraw St, Brooklyn, NY - E9309 | Date Received:  | 11/08/24 |
| Client Sample ID: | WC-TA1-03-C                         | SDG No.:        | P4799    |
| Lab Sample ID:    | P4799-19                            | Matrix:         | TCLP     |
| Level (low/med):  | low                                 | % Solid:        | 0        |

| Cas       | Parameter | Conc. | Qua. | DF | MDL  | LOQ / CRQL | Units | Prep Date      | Date Ana.      | Ana Met. | Prep Met. |
|-----------|-----------|-------|------|----|------|------------|-------|----------------|----------------|----------|-----------|
| 7440-38-2 | Arsenic   | 34.8  | U    | 1  | 34.8 | 100        | ug/L  | 11/12/24 12:30 | 11/14/24 20:30 | SW6010   | SW3050    |
| 7440-39-3 | Barium    | 283   | J    | 1  | 62.8 | 500        | ug/L  | 11/12/24 12:30 | 11/14/24 20:30 | SW6010   | SW3050    |
| 7440-43-9 | Cadmium   | 0.94  | U    | 1  | 0.94 | 30.0       | ug/L  | 11/12/24 12:30 | 11/14/24 20:30 | SW6010   | SW3050    |
| 7440-47-3 | Chromium  | 21.0  | J    | 1  | 6.60 | 50.0       | ug/L  | 11/12/24 12:30 | 11/14/24 20:30 | SW6010   | SW3050    |
| 7440-50-8 | Copper    | 70.7  | U    | 1  | 70.7 | 100        | ug/L  | 11/12/24 12:30 | 11/14/24 20:30 | SW6010   | SW3050    |
| 7439-92-1 | Lead      | 35.1  | U    | 1  | 35.1 | 60.0       | ug/L  | 11/12/24 12:30 | 11/14/24 20:30 | SW6010   | SW3050    |
| 7439-97-6 | Mercury   | 2.03  | N    | 1  | 0.81 | 2.00       | ug/L  | 11/13/24 15:07 | 11/14/24 13:27 | SW7470A  |           |
| 7440-02-0 | Nickel    | 8.50  | U    | 1  | 8.50 | 200        | ug/L  | 11/12/24 12:30 | 11/14/24 20:30 | SW6010   | SW3050    |
| 7782-49-2 | Selenium  | 58.8  | U    | 1  | 58.8 | 100        | ug/L  | 11/12/24 12:30 | 11/14/24 20:30 | SW6010   | SW3050    |
| 7440-22-4 | Silver    | 5.80  | U    | 1  | 5.80 | 50.0       | ug/L  | 11/12/24 12:30 | 11/14/24 20:30 | SW6010   | SW3050    |
| 7440-66-6 | Zinc      | 17.5  | U    | 1  | 17.5 | 200        | ug/L  | 11/12/24 12:30 | 11/14/24 20:30 | SW6010   | SW3050    |

|               |           |                 |       |            |
|---------------|-----------|-----------------|-------|------------|
| Color Before: | Colorless | Clarity Before: | Clear | Texture:   |
| Color After:  | Colorless | Clarity After:  | Clear | Artifacts: |
| Comments:     | TCLP-FULL |                 |       |            |

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 D = Dilution  
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 \* = indicates the duplicate analysis is not within control limits.  
 E = Indicates the reported value is estimated because of the presence of interference.  
 OR = Over Range  
 N = Spiked sample recovery not within control limits

## LAB CHRONICLE

|                 |                 |                   |                                     |
|-----------------|-----------------|-------------------|-------------------------------------|
| <b>OrderID:</b> | P4799           | <b>OrderDate:</b> | 11/8/2024 4:30:00 PM                |
| <b>Client:</b>  | ENTACT          | <b>Project:</b>   | 540 Degraw St, Brooklyn, NY - E9309 |
| <b>Contact:</b> | Jarod Stanfield | <b>Location:</b>  | L31                                 |

| LabID           | ClientID           | Matrix      | Test              | Method | Sample Date     | Prep Date | Anal Date | Received        |
|-----------------|--------------------|-------------|-------------------|--------|-----------------|-----------|-----------|-----------------|
| <b>P4799-03</b> | <b>WC-TA2-02-C</b> | <b>TCLP</b> |                   |        | <b>10/30/24</b> |           |           | <b>11/08/24</b> |
|                 |                    |             | TCLP Mercury      | 7470A  |                 | 11/13/24  | 11/14/24  |                 |
|                 |                    |             | TCLPMetals Group2 | 6010D  |                 | 11/12/24  | 11/14/24  |                 |
| <b>P4799-07</b> | <b>WC-TA2-03-C</b> | <b>TCLP</b> |                   |        | <b>11/01/24</b> |           |           | <b>11/08/24</b> |
|                 |                    |             | TCLP Mercury      | 7470A  |                 | 11/13/24  | 11/14/24  |                 |
|                 |                    |             | TCLPMetals Group2 | 6010D  |                 | 11/12/24  | 11/14/24  |                 |
| <b>P4799-11</b> | <b>WC-TA1-01-C</b> | <b>TCLP</b> |                   |        | <b>11/04/24</b> |           |           | <b>11/08/24</b> |
|                 |                    |             | TCLP Mercury      | 7470A  |                 | 11/13/24  | 11/14/24  |                 |
|                 |                    |             | TCLPMetals Group2 | 6010D  |                 | 11/12/24  | 11/14/24  |                 |
| <b>P4799-15</b> | <b>WC-TA1-02-C</b> | <b>TCLP</b> |                   |        | <b>11/05/24</b> |           |           | <b>11/08/24</b> |
|                 |                    |             | TCLP Mercury      | 7470A  |                 | 11/13/24  | 11/14/24  |                 |
|                 |                    |             | TCLPMetals Group2 | 6010D  |                 | 11/12/24  | 11/14/24  |                 |
| <b>P4799-19</b> | <b>WC-TA1-03-C</b> | <b>TCLP</b> |                   |        | <b>11/06/24</b> |           |           | <b>11/08/24</b> |
|                 |                    |             | TCLP Mercury      | 7470A  |                 | 11/13/24  | 11/14/24  |                 |
|                 |                    |             | TCLPMetals Group2 | 6010D  |                 | 11/12/24  | 11/14/24  |                 |



A

B

C

# SAMPLE DATA

## Report of Analysis

|                   |                                     |                 |                |
|-------------------|-------------------------------------|-----------------|----------------|
| Client:           | ENTACT                              | Date Collected: | 10/30/24 13:00 |
| Project:          | 540 Degraw St, Brooklyn, NY - E9309 | Date Received:  | 11/08/24       |
| Client Sample ID: | WC-TA2-02-C                         | SDG No.:        | P4799          |
| Lab Sample ID:    | P4799-02                            | Matrix:         | SOIL           |
|                   |                                     | % Solid:        | 82.2           |

| Parameter      | Conc. | Qua. | DF | MDL  | LOQ / CRQL | Units(Dry Weight) | Prep Date | Date Ana.      | Ana Met.     |
|----------------|-------|------|----|------|------------|-------------------|-----------|----------------|--------------|
| Oil and Grease | 680   |      | 1  | 3.95 | 30.4       | mg/Kg             |           | 11/13/24 09:30 | SW9071B      |
| Paint Filter   | 1.00  | U    | 1  | 1.00 | 1.00       | ml/100gm          |           | 11/12/24 14:00 | 9095B        |
| pH             | 11.7  | H    | 1  | 0    | 0          | pH                |           | 11/11/24 16:40 | 9045D        |
| TS             | 82.7  | H    | 1  | 1.00 | 5.00       | %                 |           | 11/13/24 11:00 | SM 2540 B-15 |
| TVS            | 3.60  | HJ   | 1  | 1.00 | 10.0       | %                 |           | 11/13/24 15:45 | 160.4        |

Comments: pH result reported at temperature 24.2 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

## Report of Analysis

|                   |                                     |                 |                |
|-------------------|-------------------------------------|-----------------|----------------|
| Client:           | ENTACT                              | Date Collected: | 10/30/24 13:00 |
| Project:          | 540 Degraw St, Brooklyn, NY - E9309 | Date Received:  | 11/08/24       |
| Client Sample ID: | WC-TA2-02-C                         | SDG No.:        | P4799          |
| Lab Sample ID:    | P4799-03                            | Matrix:         | SOIL           |
|                   |                                     | % Solid:        | 100            |

| Parameter        | Conc.  | Qua. | DF | MDL    | LOQ / CRQL | Units | Prep Date      | Date Ana.      | Ana Met. |
|------------------|--------|------|----|--------|------------|-------|----------------|----------------|----------|
| Corrosivity      | 11.7   | H    | 1  | 0      | 0          | pH    |                | 11/11/24 16:40 | 9045D    |
| Ignitability     | NO     |      | 1  | 0      | 0          | oC    |                | 11/13/24 14:55 | 1030     |
| Reactive Cyanide | 0.0087 | U    | 1  | 0.0087 | 0.050      | mg/Kg | 11/11/24 12:00 | 11/11/24 15:36 | 9012B    |
| Reactive Sulfide | 4.74   | HJ   | 1  | 0.19   | 10.0       | mg/Kg | 11/13/24 09:15 | 11/13/24 13:33 | 9034     |

Comments: pH result reported at temperature 24.2 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

## Report of Analysis

|                   |                                     |                 |                |
|-------------------|-------------------------------------|-----------------|----------------|
| Client:           | ENTACT                              | Date Collected: | 10/30/24 13:00 |
| Project:          | 540 Degraw St, Brooklyn, NY - E9309 | Date Received:  | 11/08/24       |
| Client Sample ID: | WC-TA2-02-C                         | SDG No.:        | P4799          |
| Lab Sample ID:    | P4799-04                            | Matrix:         | WATER          |
|                   |                                     | % Solid:        | 0              |

| Parameter           | Conc. | Qua. | DF | MDL   | LOQ / CRQL | Units | Prep Date      | Date Ana.      | Ana Met.                          |
|---------------------|-------|------|----|-------|------------|-------|----------------|----------------|-----------------------------------|
| ASTM Ammonia        | 0.66  |      | 1  | 0.045 | 0.10       | mg/L  | 11/12/24 11:45 | 11/13/24 10:48 | SM 4500-NH3<br>B plus NH3<br>G-11 |
| ASTM COD            | 28.2  |      | 1  | 2.35  | 10.0       | mg/L  |                | 11/14/24 14:02 | SM 5220 D-11                      |
| ASTM Oil and Grease | 0.40  | U    | 1  | 0.40  | 5.00       | mg/L  |                | 11/12/24 12:45 | SW1664A                           |
| ASTM TS             | 782   |      | 1  | 1.00  | 5.00       | mg/L  |                | 11/12/24 11:00 | SM 2540 B-15                      |

Comments:

U = Not Detected  
LOQ = Limit of Quantitation  
MDL = Method Detection Limit  
LOD = Limit of Detection  
D = Dilution  
Q = indicates LCS control criteria did not meet requirements  
H = Sample Analysis Out Of Hold Time

J = Estimated Value  
B = Analyte Found in Associated Method Blank  
\* = indicates the duplicate analysis is not within control limits.  
E = Indicates the reported value is estimated because of the presence of interference.  
OR = Over Range  
N = Spiked sample recovery not within control limits

## Report of Analysis

|                   |                                     |                 |                |
|-------------------|-------------------------------------|-----------------|----------------|
| Client:           | ENTACT                              | Date Collected: | 11/01/24 13:00 |
| Project:          | 540 Degraw St, Brooklyn, NY - E9309 | Date Received:  | 11/08/24       |
| Client Sample ID: | WC-TA2-03-C                         | SDG No.:        | P4799          |
| Lab Sample ID:    | P4799-06                            | Matrix:         | SOIL           |
|                   |                                     | % Solid:        | 81.4           |

| Parameter      | Conc. | Qua. | DF | MDL  | LOQ / CRQL | Units(Dry Weight) | Prep Date | Date Ana.      | Ana Met.     |
|----------------|-------|------|----|------|------------|-------------------|-----------|----------------|--------------|
| Oil and Grease | 147   |      | 1  | 3.99 | 30.7       | mg/Kg             |           | 11/13/24 09:30 | SW9071B      |
| Paint Filter   | 1.00  | U    | 1  | 1.00 | 1.00       | ml/100gm          |           | 11/12/24 14:07 | 9095B        |
| pH             | 11.9  | H    | 1  | 0    | 0          | pH                |           | 11/11/24 16:42 | 9045D        |
| TS             | 81.9  | H    | 1  | 1.00 | 5.00       | %                 |           | 11/13/24 11:00 | SM 2540 B-15 |
| TVS            | 3.10  | HJ   | 1  | 1.00 | 10.0       | %                 |           | 11/13/24 15:45 | 160.4        |

Comments: pH result reported at temperature 24.3 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

## Report of Analysis

|                   |                                     |                 |                |
|-------------------|-------------------------------------|-----------------|----------------|
| Client:           | ENTACT                              | Date Collected: | 11/01/24 13:00 |
| Project:          | 540 Degraw St, Brooklyn, NY - E9309 | Date Received:  | 11/08/24       |
| Client Sample ID: | WC-TA2-03-C                         | SDG No.:        | P4799          |
| Lab Sample ID:    | P4799-07                            | Matrix:         | SOIL           |
|                   |                                     | % Solid:        | 100            |

| Parameter        | Conc.  | Qua. | DF | MDL    | LOQ / CRQL | Units | Prep Date      | Date Ana.      | Ana Met. |
|------------------|--------|------|----|--------|------------|-------|----------------|----------------|----------|
| Corrosivity      | 11.9   | H    | 1  | 0      | 0          | pH    |                | 11/11/24 16:42 | 9045D    |
| Ignitability     | NO     |      | 1  | 0      | 0          | oC    |                | 11/13/24 15:10 | 1030     |
| Reactive Cyanide | 0.0088 | U    | 1  | 0.0088 | 0.050      | mg/Kg | 11/11/24 12:00 | 11/11/24 15:28 | 9012B    |
| Reactive Sulfide | 6.37   | J    | 1  | 0.19   | 10.0       | mg/Kg | 11/13/24 09:15 | 11/13/24 13:38 | 9034     |

Comments: pH result reported at temperature 24.3 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

## Report of Analysis

|                   |                                     |                 |                |
|-------------------|-------------------------------------|-----------------|----------------|
| Client:           | ENTACT                              | Date Collected: | 11/01/24 13:00 |
| Project:          | 540 Degraw St, Brooklyn, NY - E9309 | Date Received:  | 11/08/24       |
| Client Sample ID: | WC-TA2-03-C                         | SDG No.:        | P4799          |
| Lab Sample ID:    | P4799-08                            | Matrix:         | WATER          |
|                   |                                     | % Solid:        | 0              |

| Parameter           | Conc. | Qua. | DF | MDL   | LOQ / CRQL | Units | Prep Date      | Date Ana.      | Ana Met.                          |
|---------------------|-------|------|----|-------|------------|-------|----------------|----------------|-----------------------------------|
| ASTM Ammonia        | 0.45  |      | 1  | 0.045 | 0.10       | mg/L  | 11/12/24 11:45 | 11/13/24 10:48 | SM 4500-NH3<br>B plus NH3<br>G-11 |
| ASTM COD            | 16.2  |      | 1  | 2.35  | 10.0       | mg/L  |                | 11/14/24 14:04 | SM 5220 D-11                      |
| ASTM Oil and Grease | 0.40  | U    | 1  | 0.40  | 5.00       | mg/L  |                | 11/12/24 12:45 | SW1664A                           |
| ASTM TS             | 791   |      | 1  | 1.00  | 5.00       | mg/L  |                | 11/12/24 11:00 | SM 2540 B-15                      |

Comments:

U = Not Detected  
LOQ = Limit of Quantitation  
MDL = Method Detection Limit  
LOD = Limit of Detection  
D = Dilution  
Q = indicates LCS control criteria did not meet requirements  
H = Sample Analysis Out Of Hold Time

J = Estimated Value  
B = Analyte Found in Associated Method Blank  
\* = indicates the duplicate analysis is not within control limits.  
E = Indicates the reported value is estimated because of the presence of interference.  
OR = Over Range  
N = Spiked sample recovery not within control limits

## Report of Analysis

|                   |                                     |                 |                |
|-------------------|-------------------------------------|-----------------|----------------|
| Client:           | ENTACT                              | Date Collected: | 11/04/24 13:00 |
| Project:          | 540 Degraw St, Brooklyn, NY - E9309 | Date Received:  | 11/08/24       |
| Client Sample ID: | WC-TA1-01-C                         | SDG No.:        | P4799          |
| Lab Sample ID:    | P4799-10                            | Matrix:         | SOIL           |
|                   |                                     | % Solid:        | 84.3           |

| Parameter      | Conc. | Qua. | DF | MDL  | LOQ / CRQL | Units(Dry Weight) | Prep Date | Date Ana.      | Ana Met.     |
|----------------|-------|------|----|------|------------|-------------------|-----------|----------------|--------------|
| Oil and Grease | 3830  |      | 1  | 3.85 | 29.6       | mg/Kg             |           | 11/13/24 09:30 | SW9071B      |
| Paint Filter   | 1.00  | U    | 1  | 1.00 | 1.00       | ml/100gm          |           | 11/12/24 14:15 | 9095B        |
| pH             | 12.0  | H    | 1  | 0    | 0          | pH                |           | 11/11/24 16:45 | 9045D        |
| TS             | 83.9  | H    | 1  | 1.00 | 5.00       | %                 |           | 11/13/24 11:00 | SM 2540 B-15 |
| TVS            | 3.40  | HJ   | 1  | 1.00 | 10.0       | %                 |           | 11/13/24 15:45 | 160.4        |

Comments: pH result reported at temperature 24.4 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

## Report of Analysis

|                   |                                     |                 |                |
|-------------------|-------------------------------------|-----------------|----------------|
| Client:           | ENTACT                              | Date Collected: | 11/04/24 13:00 |
| Project:          | 540 Degraw St, Brooklyn, NY - E9309 | Date Received:  | 11/08/24       |
| Client Sample ID: | WC-TA1-01-C                         | SDG No.:        | P4799          |
| Lab Sample ID:    | P4799-11                            | Matrix:         | SOIL           |
|                   |                                     | % Solid:        | 100            |

| Parameter        | Conc.  | Qua. | DF | MDL    | LOQ / CRQL | Units | Prep Date      | Date Ana.      | Ana Met. |
|------------------|--------|------|----|--------|------------|-------|----------------|----------------|----------|
| Corrosivity      | 12.0   | H    | 1  | 0      | 0          | pH    |                | 11/11/24 16:45 | 9045D    |
| Ignitability     | NO     |      | 1  | 0      | 0          | oC    |                | 11/13/24 15:17 | 1030     |
| Reactive Cyanide | 0.0087 | U    | 1  | 0.0087 | 0.050      | mg/Kg | 11/11/24 12:00 | 11/11/24 15:36 | 9012B    |
| Reactive Sulfide | 1.59   | J    | 1  | 0.19   | 10.0       | mg/Kg | 11/13/24 09:15 | 11/13/24 13:40 | 9034     |

Comments: pH result reported at temperature 24.4 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

## Report of Analysis

|                   |                                     |                 |                |
|-------------------|-------------------------------------|-----------------|----------------|
| Client:           | ENTACT                              | Date Collected: | 11/04/24 13:00 |
| Project:          | 540 Degraw St, Brooklyn, NY - E9309 | Date Received:  | 11/08/24       |
| Client Sample ID: | WC-TA1-01-C                         | SDG No.:        | P4799          |
| Lab Sample ID:    | P4799-12                            | Matrix:         | WATER          |
|                   |                                     | % Solid:        | 0              |

| Parameter           | Conc. | Qua. | DF | MDL   | LOQ / CRQL | Units | Prep Date      | Date Ana.      | Ana Met.                          |
|---------------------|-------|------|----|-------|------------|-------|----------------|----------------|-----------------------------------|
| ASTM Ammonia        | 0.20  |      | 1  | 0.045 | 0.10       | mg/L  | 11/12/24 11:45 | 11/13/24 10:48 | SM 4500-NH3<br>B plus NH3<br>G-11 |
| ASTM COD            | 28.2  |      | 1  | 2.35  | 10.0       | mg/L  |                | 11/14/24 14:04 | SM 5220 D-11                      |
| ASTM Oil and Grease | 0.40  | U    | 1  | 0.40  | 5.00       | mg/L  |                | 11/12/24 12:45 | SW1664A                           |
| ASTM TS             | 799   |      | 1  | 1.00  | 5.00       | mg/L  |                | 11/12/24 11:00 | SM 2540 B-15                      |

Comments:

U = Not Detected  
LOQ = Limit of Quantitation  
MDL = Method Detection Limit  
LOD = Limit of Detection  
D = Dilution  
Q = indicates LCS control criteria did not meet requirements  
H = Sample Analysis Out Of Hold Time

J = Estimated Value  
B = Analyte Found in Associated Method Blank  
\* = indicates the duplicate analysis is not within control limits.  
E = Indicates the reported value is estimated because of the presence of interference.  
OR = Over Range  
N = Spiked sample recovery not within control limits

## Report of Analysis

|                   |                                     |                 |                |
|-------------------|-------------------------------------|-----------------|----------------|
| Client:           | ENTACT                              | Date Collected: | 11/05/24 13:00 |
| Project:          | 540 Degraw St, Brooklyn, NY - E9309 | Date Received:  | 11/08/24       |
| Client Sample ID: | WC-TA1-02-C                         | SDG No.:        | P4799          |
| Lab Sample ID:    | P4799-14                            | Matrix:         | SOIL           |
|                   |                                     | % Solid:        | 83.1           |

| Parameter      | Conc. | Qua. | DF | MDL  | LOQ / CRQL | Units(Dry Weight) | Prep Date | Date Ana.      | Ana Met.     |
|----------------|-------|------|----|------|------------|-------------------|-----------|----------------|--------------|
| Oil and Grease | 3070  |      | 1  | 3.91 | 30.0       | mg/Kg             |           | 11/13/24 09:30 | SW9071B      |
| Paint Filter   | 1.00  | U    | 1  | 1.00 | 1.00       | ml/100gm          |           | 11/12/24 14:22 | 9095B        |
| pH             | 12.0  | H    | 1  | 0    | 0          | pH                |           | 11/11/24 16:50 | 9045D        |
| TS             | 83.3  | H    | 1  | 1.00 | 5.00       | %                 |           | 11/13/24 11:00 | SM 2540 B-15 |
| TVS            | 3.10  | HJ   | 1  | 1.00 | 10.0       | %                 |           | 11/13/24 15:45 | 160.4        |

Comments: pH result reported at temperature 24.3 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

## Report of Analysis

|                   |                                     |                 |                |
|-------------------|-------------------------------------|-----------------|----------------|
| Client:           | ENTACT                              | Date Collected: | 11/05/24 13:00 |
| Project:          | 540 Degraw St, Brooklyn, NY - E9309 | Date Received:  | 11/08/24       |
| Client Sample ID: | WC-TA1-02-C                         | SDG No.:        | P4799          |
| Lab Sample ID:    | P4799-15                            | Matrix:         | SOIL           |
|                   |                                     | % Solid:        | 100            |

| Parameter        | Conc.  | Qua. | DF | MDL    | LOQ / CRQL | Units | Prep Date      | Date Ana.      | Ana Met. |
|------------------|--------|------|----|--------|------------|-------|----------------|----------------|----------|
| Corrosivity      | 12.0   | H    | 1  | 0      | 0          | pH    |                | 11/11/24 16:50 | 9045D    |
| Ignitability     | NO     |      | 1  | 0      | 0          | oC    |                | 11/13/24 15:25 | 1030     |
| Reactive Cyanide | 0.0088 | U    | 1  | 0.0088 | 0.050      | mg/Kg | 11/11/24 12:00 | 11/11/24 15:36 | 9012B    |
| Reactive Sulfide | 1.59   | J    | 1  | 0.19   | 10.0       | mg/Kg | 11/13/24 09:15 | 11/13/24 13:43 | 9034     |

Comments: pH result reported at temperature 24.3 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

## Report of Analysis

|                   |                                     |                 |                |
|-------------------|-------------------------------------|-----------------|----------------|
| Client:           | ENTACT                              | Date Collected: | 11/05/24 13:00 |
| Project:          | 540 Degraw St, Brooklyn, NY - E9309 | Date Received:  | 11/08/24       |
| Client Sample ID: | WC-TA1-02-C                         | SDG No.:        | P4799          |
| Lab Sample ID:    | P4799-16                            | Matrix:         | WATER          |
|                   |                                     | % Solid:        | 0              |

| Parameter           | Conc. | Qua. | DF | MDL   | LOQ / CRQL | Units | Prep Date      | Date Ana.      | Ana Met.                          |
|---------------------|-------|------|----|-------|------------|-------|----------------|----------------|-----------------------------------|
| ASTM Ammonia        | 0.13  |      | 1  | 0.045 | 0.10       | mg/L  | 11/12/24 11:45 | 11/13/24 10:57 | SM 4500-NH3<br>B plus NH3<br>G-11 |
| ASTM COD            | 24.2  |      | 1  | 2.35  | 10.0       | mg/L  |                | 11/14/24 14:05 | SM 5220 D-11                      |
| ASTM Oil and Grease | 0.40  | U    | 1  | 0.40  | 5.00       | mg/L  |                | 11/12/24 12:45 | SW1664A                           |
| ASTM TS             | 901   |      | 1  | 1.00  | 5.00       | mg/L  |                | 11/12/24 11:00 | SM 2540 B-15                      |

Comments:

U = Not Detected  
LOQ = Limit of Quantitation  
MDL = Method Detection Limit  
LOD = Limit of Detection  
D = Dilution  
Q = indicates LCS control criteria did not meet requirements  
H = Sample Analysis Out Of Hold Time

J = Estimated Value  
B = Analyte Found in Associated Method Blank  
\* = indicates the duplicate analysis is not within control limits.  
E = Indicates the reported value is estimated because of the presence of interference.  
OR = Over Range  
N = Spiked sample recovery not within control limits

## Report of Analysis

|                   |                                     |                 |                |
|-------------------|-------------------------------------|-----------------|----------------|
| Client:           | ENTACT                              | Date Collected: | 11/06/24 13:00 |
| Project:          | 540 Degraw St, Brooklyn, NY - E9309 | Date Received:  | 11/08/24       |
| Client Sample ID: | WC-TA1-03-C                         | SDG No.:        | P4799          |
| Lab Sample ID:    | P4799-18                            | Matrix:         | SOIL           |
|                   |                                     | % Solid:        | 81.8           |

| Parameter      | Conc. | Qua. | DF | MDL  | LOQ / CRQL | Units(Dry Weight) | Prep Date | Date Ana.      | Ana Met.     |
|----------------|-------|------|----|------|------------|-------------------|-----------|----------------|--------------|
| Oil and Grease | 1870  |      | 1  | 3.97 | 30.5       | mg/Kg             |           | 11/13/24 09:30 | SW9071B      |
| Paint Filter   | 1.00  | U    | 1  | 1.00 | 1.00       | ml/100gm          |           | 11/12/24 14:30 | 9095B        |
| pH             | 12.3  | H    | 1  | 0    | 0          | pH                |           | 11/11/24 16:55 | 9045D        |
| TS             | 82.0  |      | 1  | 1.00 | 5.00       | %                 |           | 11/13/24 11:00 | SM 2540 B-15 |
| TVS            | 4.10  | HJ   | 1  | 1.00 | 10.0       | %                 |           | 11/13/24 15:45 | 160.4        |

Comments: pH result reported at temperature 24.4 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

## Report of Analysis

|                   |                                     |                 |                |
|-------------------|-------------------------------------|-----------------|----------------|
| Client:           | ENTACT                              | Date Collected: | 11/06/24 13:00 |
| Project:          | 540 Degraw St, Brooklyn, NY - E9309 | Date Received:  | 11/08/24       |
| Client Sample ID: | WC-TA1-03-C                         | SDG No.:        | P4799          |
| Lab Sample ID:    | P4799-19                            | Matrix:         | SOIL           |
|                   |                                     | % Solid:        | 100            |

| Parameter        | Conc.  | Qua. | DF | MDL    | LOQ / CRQL | Units | Prep Date      | Date Ana.      | Ana Met. |
|------------------|--------|------|----|--------|------------|-------|----------------|----------------|----------|
| Corrosivity      | 12.3   | H    | 1  | 0      | 0          | pH    |                | 11/11/24 16:55 | 9045D    |
| Ignitability     | NO     |      | 1  | 0      | 0          | oC    |                | 11/13/24 15:32 | 1030     |
| Reactive Cyanide | 0.0087 | U    | 1  | 0.0087 | 0.050      | mg/Kg | 11/11/24 12:00 | 11/11/24 15:43 | 9012B    |
| Reactive Sulfide | 4.76   | J    | 1  | 0.19   | 10.0       | mg/Kg | 11/13/24 09:15 | 11/13/24 13:45 | 9034     |

Comments: pH result reported at temperature 24.4 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

## Report of Analysis

|                   |                                     |                 |                |
|-------------------|-------------------------------------|-----------------|----------------|
| Client:           | ENTACT                              | Date Collected: | 11/06/24 13:00 |
| Project:          | 540 Degraw St, Brooklyn, NY - E9309 | Date Received:  | 11/08/24       |
| Client Sample ID: | WC-TA1-03-C                         | SDG No.:        | P4799          |
| Lab Sample ID:    | P4799-20                            | Matrix:         | WATER          |
|                   |                                     | % Solid:        | 0              |

| Parameter           | Conc. | Qua. | DF | MDL   | LOQ / CRQL | Units | Prep Date      | Date Ana.      | Ana Met.                          |
|---------------------|-------|------|----|-------|------------|-------|----------------|----------------|-----------------------------------|
| ASTM Ammonia        | 0.16  |      | 1  | 0.045 | 0.10       | mg/L  | 11/12/24 11:45 | 11/13/24 10:58 | SM 4500-NH3<br>B plus NH3<br>G-11 |
| ASTM COD            | 25.2  |      | 1  | 2.35  | 10.0       | mg/L  |                | 11/14/24 14:05 | SM 5220 D-11                      |
| ASTM Oil and Grease | 0.40  | U    | 1  | 0.40  | 5.00       | mg/L  |                | 11/12/24 12:45 | SW1664A                           |
| ASTM TS             | 760   |      | 1  | 1.00  | 5.00       | mg/L  |                | 11/12/24 11:00 | SM 2540 B-15                      |

Comments:

U = Not Detected  
LOQ = Limit of Quantitation  
MDL = Method Detection Limit  
LOD = Limit of Detection  
D = Dilution  
Q = indicates LCS control criteria did not meet requirements  
H = Sample Analysis Out Of Hold Time

J = Estimated Value  
B = Analyte Found in Associated Method Blank  
\* = indicates the duplicate analysis is not within control limits.  
E = Indicates the reported value is estimated because of the presence of interference.  
OR = Over Range  
N = Spiked sample recovery not within control limits

## LAB CHRONICLE

|                 |                 |                   |                                     |
|-----------------|-----------------|-------------------|-------------------------------------|
| <b>OrderID:</b> | P4799           | <b>OrderDate:</b> | 11/8/2024 4:30:00 PM                |
| <b>Client:</b>  | ENTACT          | <b>Project:</b>   | 540 Degraw St, Brooklyn, NY - E9309 |
| <b>Contact:</b> | Jarod Stanfield | <b>Location:</b>  | L31                                 |

| LabID    | ClientID    | Matrix | Test                | Method     | Sample Date       | Prep Date | Anal Date         | Received |
|----------|-------------|--------|---------------------|------------|-------------------|-----------|-------------------|----------|
| P4799-02 | WC-TA2-02-C | SOIL   |                     |            | 10/30/24<br>13:00 |           |                   | 11/08/24 |
|          |             |        | Oil and Grease      | 9071B      |                   |           | 11/13/24<br>09:30 |          |
|          |             |        | Paint Filter        | 9095B      |                   |           | 11/12/24<br>14:00 |          |
|          |             |        | pH                  | 9045D      |                   |           | 11/11/24<br>16:40 |          |
|          |             |        | TS                  | SM2540 B   |                   |           | 11/13/24<br>11:00 |          |
|          |             |        | TVS                 | 160.4      |                   |           | 11/13/24<br>15:45 |          |
| P4799-03 | WC-TA2-02-C | SOIL   |                     |            | 10/30/24<br>13:00 |           |                   | 11/08/24 |
|          |             |        | Corrosivity         | 9045D      |                   |           | 11/11/24<br>16:40 |          |
|          |             |        | Ignitability        | 1030       |                   |           | 11/13/24<br>14:55 |          |
|          |             |        | Reactive Cyanide    | 9012B      |                   | 11/11/24  | 11/11/24<br>15:36 |          |
|          |             |        | Reactive Sulfide    | 9034       |                   | 11/13/24  | 11/13/24<br>13:33 |          |
| P4799-04 | WC-TA2-02-C | WATER  |                     |            | 10/30/24<br>13:00 |           |                   | 11/08/24 |
|          |             |        | ASTM Ammonia        | SM4500-NH3 |                   | 11/12/24  | 11/13/24<br>10:48 |          |
|          |             |        | ASTM COD            | SM5220 D   |                   |           | 11/14/24<br>14:02 |          |
|          |             |        | ASTM Oil and Grease | 1664A      |                   |           | 11/12/24<br>12:45 |          |

## LAB CHRONICLE

|          |             |       |                     |            |          |                   |          |
|----------|-------------|-------|---------------------|------------|----------|-------------------|----------|
| P4799-06 | WC-TA2-03-C | SOIL  | ASTM TS             | SM2540 B   |          | 11/12/24<br>11:00 | 11/08/24 |
|          |             |       | 11/01/24<br>13:00   |            |          |                   |          |
|          |             |       | Oil and Grease      | 9071B      |          | 11/13/24<br>09:30 |          |
|          |             |       | Paint Filter        | 9095B      |          | 11/12/24<br>14:07 |          |
|          |             |       | pH                  | 9045D      |          | 11/11/24<br>16:42 |          |
|          |             |       | TS                  | SM2540 B   |          | 11/13/24<br>11:00 |          |
|          |             |       | TVS                 | 160.4      |          | 11/13/24<br>15:45 |          |
| P4799-07 | WC-TA2-03-C | SOIL  | 11/01/24<br>13:00   |            |          |                   | 11/08/24 |
|          |             |       | Corrosivity         | 9045D      |          | 11/11/24<br>16:42 |          |
|          |             |       | Ignitability        | 1030       |          | 11/13/24<br>15:10 |          |
|          |             |       | Reactive Cyanide    | 9012B      | 11/11/24 | 11/11/24<br>15:28 |          |
|          |             |       | Reactive Sulfide    | 9034       | 11/13/24 | 11/13/24<br>13:38 |          |
| P4799-08 | WC-TA2-03-C | WATER | 11/01/24<br>13:00   |            |          |                   | 11/08/24 |
|          |             |       | ASTM Ammonia        | SM4500-NH3 | 11/12/24 | 11/13/24<br>10:48 |          |
|          |             |       | ASTM COD            | SM5220 D   |          | 11/14/24<br>14:04 |          |
|          |             |       | ASTM Oil and Grease | 1664A      |          | 11/12/24<br>12:45 |          |
|          |             |       | ASTM TS             | SM2540 B   |          | 11/12/24<br>11:00 |          |
| P4799-10 | WC-TA1-01-C | SOIL  | 11/04/24<br>13:00   |            |          |                   | 11/08/24 |
|          |             |       | Oil and Grease      | 9071B      |          | 11/13/24<br>09:30 |          |

## LAB CHRONICLE

|          |             |       |                     |            |          |          |                   |          |
|----------|-------------|-------|---------------------|------------|----------|----------|-------------------|----------|
| P4799-11 | WC-TA1-01-C | SOIL  | Paint Filter        | 9095B      |          |          | 11/12/24<br>14:15 | 11/08/24 |
|          |             |       | pH                  | 9045D      |          |          | 11/11/24<br>16:45 |          |
|          |             |       | TS                  | SM2540 B   |          |          | 11/13/24<br>11:00 |          |
|          |             |       | TVS                 | 160.4      |          |          | 11/13/24<br>15:45 |          |
|          |             |       |                     |            |          |          |                   |          |
|          |             |       |                     |            |          |          |                   |          |
|          |             |       |                     |            |          |          |                   |          |
|          |             |       |                     |            |          |          |                   |          |
|          |             |       |                     |            |          |          |                   |          |
|          |             |       |                     |            |          |          |                   |          |
| P4799-12 | WC-TA1-01-C | WATER | Corrosivity         | 9045D      |          |          | 11/11/24<br>16:45 | 11/08/24 |
|          |             |       | Ignitability        | 1030       |          |          | 11/13/24<br>15:17 |          |
|          |             |       | Reactive Cyanide    | 9012B      | 11/11/24 |          | 11/11/24<br>15:36 |          |
|          |             |       | Reactive Sulfide    | 9034       | 11/13/24 |          | 11/13/24<br>13:40 |          |
|          |             |       |                     |            |          |          |                   |          |
|          |             |       |                     |            |          |          |                   |          |
|          |             |       |                     |            |          |          |                   |          |
|          |             |       |                     |            |          |          |                   |          |
|          |             |       |                     |            |          |          |                   |          |
|          |             |       |                     |            |          |          |                   |          |
| P4799-14 | WC-TA1-02-C | SOIL  | ASTM Ammonia        | SM4500-NH3 |          | 11/12/24 | 11/13/24<br>10:48 | 11/08/24 |
|          |             |       | ASTM COD            | SM5220 D   |          |          | 11/14/24<br>14:04 |          |
|          |             |       | ASTM Oil and Grease | 1664A      |          |          | 11/12/24<br>12:45 |          |
|          |             |       | ASTM TS             | SM2540 B   |          |          | 11/12/24<br>11:00 |          |
|          |             |       |                     |            |          |          |                   |          |
|          |             |       |                     |            |          |          |                   |          |
|          |             |       |                     |            |          |          |                   |          |
|          |             |       |                     |            |          |          |                   |          |
|          |             |       |                     |            |          |          |                   |          |
|          |             |       |                     |            |          |          |                   |          |
| P4799-14 | WC-TA1-02-C | SOIL  | Oil and Grease      | 9071B      |          |          | 11/13/24<br>09:30 | 11/08/24 |
|          |             |       | Paint Filter        | 9095B      |          |          | 11/12/24<br>14:22 |          |
|          |             |       | pH                  | 9045D      |          |          | 11/11/24<br>16:50 |          |
|          |             |       | TS                  | SM2540 B   |          |          | 11/13/24<br>11:00 |          |
|          |             |       |                     |            |          |          |                   |          |
|          |             |       |                     |            |          |          |                   |          |
|          |             |       |                     |            |          |          |                   |          |
|          |             |       |                     |            |          |          |                   |          |
|          |             |       |                     |            |          |          |                   |          |
|          |             |       |                     |            |          |          |                   |          |

### LAB CHRONICLE

|          |             |       |                     |            |                   |                   |          |
|----------|-------------|-------|---------------------|------------|-------------------|-------------------|----------|
| P4799-15 | WC-TA1-02-C | SOIL  | TVS                 | 160.4      |                   | 11/13/24<br>15:45 | 11/08/24 |
|          |             |       |                     |            | 11/05/24<br>13:00 |                   |          |
|          |             |       | Corrosivity         | 9045D      |                   | 11/11/24<br>16:50 |          |
|          |             |       | Ignitability        | 1030       |                   | 11/13/24<br>15:25 |          |
|          |             |       | Reactive Cyanide    | 9012B      | 11/11/24          | 11/11/24<br>15:36 |          |
|          |             |       | Reactive Sulfide    | 9034       | 11/13/24          | 11/13/24<br>13:43 |          |
| P4799-16 | WC-TA1-02-C | WATER |                     |            | 11/05/24<br>13:00 |                   | 11/08/24 |
|          |             |       | ASTM Ammonia        | SM4500-NH3 | 11/12/24          | 11/13/24<br>10:57 |          |
|          |             |       | ASTM COD            | SM5220 D   |                   | 11/14/24<br>14:05 |          |
|          |             |       | ASTM Oil and Grease | 1664A      |                   | 11/12/24<br>12:45 |          |
|          |             |       | ASTM TS             | SM2540 B   |                   | 11/12/24<br>11:00 |          |
| P4799-18 | WC-TA1-03-C | SOIL  |                     |            | 11/06/24<br>13:00 |                   | 11/08/24 |
|          |             |       | Oil and Grease      | 9071B      |                   | 11/13/24<br>09:30 |          |
|          |             |       | Paint Filter        | 9095B      |                   | 11/12/24<br>14:30 |          |
|          |             |       | pH                  | 9045D      |                   | 11/11/24<br>16:55 |          |
|          |             |       | TS                  | SM2540 B   |                   | 11/13/24<br>11:00 |          |
|          |             |       | TVS                 | 160.4      |                   | 11/13/24<br>15:45 |          |
| P4799-19 | WC-TA1-03-C | SOIL  |                     |            | 11/06/24<br>13:00 |                   | 11/08/24 |
|          |             |       | Corrosivity         | 9045D      |                   | 11/11/24<br>16:55 |          |

### LAB CHRONICLE

|          |             |       |                     |            |                           |                   |                 |
|----------|-------------|-------|---------------------|------------|---------------------------|-------------------|-----------------|
| P4799-20 | WC-TA1-03-C | WATER | Ignitability        | 1030       |                           | 11/13/24<br>15:32 |                 |
|          |             |       | Reactive Cyanide    | 9012B      | 11/11/24                  | 11/11/24<br>15:43 |                 |
|          |             |       | Reactive Sulfide    | 9034       | 11/13/24                  | 11/13/24<br>13:45 |                 |
|          |             |       |                     |            | <b>11/06/24<br/>13:00</b> |                   | <b>11/08/24</b> |
|          |             |       | ASTM Ammonia        | SM4500-NH3 | 11/12/24                  | 11/13/24<br>10:58 |                 |
|          |             |       | ASTM COD            | SM5220 D   |                           | 11/14/24<br>14:05 |                 |
|          |             |       | ASTM Oil and Grease | 1664A      |                           | 11/12/24<br>12:45 |                 |
|          |             |       | ASTM TS             | SM2540 B   |                           | 11/12/24<br>11:00 |                 |