



A

B

C

SAMPLE DATA

Report of Analysis

Client:	ENTACT	Date Collected:	10/30/24 13:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	11/08/24
Client Sample ID:	WC-TA2-02-C	SDG No.:	P4799
Lab Sample ID:	P4799-02	Matrix:	SOIL
		% Solid:	82.2

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Oil and Grease	680		1	3.95	30.4	mg/Kg		11/13/24 09:30	SW9071B
Paint Filter	1.00	U	1	1.00	1.00	ml/100gm		11/12/24 14:00	9095B
pH	11.7	H	1	0	0	pH		11/11/24 16:40	9045D
TS	82.7	H	1	1.00	5.00	%		11/13/24 11:00	SM 2540 B-15
TVS	3.60	HJ	1	1.00	10.0	%		11/13/24 15:45	160.4

Comments: pH result reported at temperature 24.2 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	10/30/24 13:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	11/08/24
Client Sample ID:	WC-TA2-02-C	SDG No.:	P4799
Lab Sample ID:	P4799-03	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity	11.7	H	1	0	0	pH		11/11/24 16:40	9045D
Ignitability	NO		1	0	0	oC		11/13/24 14:55	1030
Reactive Cyanide	0.0087	U	1	0.0087	0.050	mg/Kg	11/11/24 12:00	11/11/24 15:36	9012B
Reactive Sulfide	4.74	HJ	1	0.19	10.0	mg/Kg	11/13/24 09:15	11/13/24 13:33	9034

Comments: pH result reported at temperature 24.2 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	10/30/24 13:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	11/08/24
Client Sample ID:	WC-TA2-02-C	SDG No.:	P4799
Lab Sample ID:	P4799-04	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
ASTM Ammonia	0.66		1	0.045	0.10	mg/L	11/12/24 11:45	11/13/24 10:48	SM 4500-NH3 B plus NH3 G-11
ASTM COD	28.2		1	2.35	10.0	mg/L		11/14/24 14:02	SM 5220 D-11
ASTM Oil and Grease	0.40	U	1	0.40	5.00	mg/L		11/12/24 12:45	SW1664A
ASTM TS	782		1	1.00	5.00	mg/L		11/12/24 11:00	SM 2540 B-15

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	11/01/24 13:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	11/08/24
Client Sample ID:	WC-TA2-03-C	SDG No.:	P4799
Lab Sample ID:	P4799-06	Matrix:	SOIL
		% Solid:	81.4

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Oil and Grease	147		1	3.99	30.7	mg/Kg		11/13/24 09:30	SW9071B
Paint Filter	1.00	U	1	1.00	1.00	ml/100gm		11/12/24 14:07	9095B
pH	11.9	H	1	0	0	pH		11/11/24 16:42	9045D
TS	81.9	H	1	1.00	5.00	%		11/13/24 11:00	SM 2540 B-15
TVS	3.10	HJ	1	1.00	10.0	%		11/13/24 15:45	160.4

Comments: pH result reported at temperature 24.3 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	11/01/24 13:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	11/08/24
Client Sample ID:	WC-TA2-03-C	SDG No.:	P4799
Lab Sample ID:	P4799-07	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity	11.9	H	1	0	0	pH		11/11/24 16:42	9045D
Ignitability	NO		1	0	0	oC		11/13/24 15:10	1030
Reactive Cyanide	0.0088	U	1	0.0088	0.050	mg/Kg	11/11/24 12:00	11/11/24 15:28	9012B
Reactive Sulfide	6.37	J	1	0.19	10.0	mg/Kg	11/13/24 09:15	11/13/24 13:38	9034

Comments: pH result reported at temperature 24.3 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	11/01/24 13:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	11/08/24
Client Sample ID:	WC-TA2-03-C	SDG No.:	P4799
Lab Sample ID:	P4799-08	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
ASTM Ammonia	0.45		1	0.045	0.10	mg/L	11/12/24 11:45	11/13/24 10:48	SM 4500-NH3 B plus NH3 G-11
ASTM COD	16.2		1	2.35	10.0	mg/L		11/14/24 14:04	SM 5220 D-11
ASTM Oil and Grease	0.40	U	1	0.40	5.00	mg/L		11/12/24 12:45	SW1664A
ASTM TS	791		1	1.00	5.00	mg/L		11/12/24 11:00	SM 2540 B-15

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	11/04/24 13:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	11/08/24
Client Sample ID:	WC-TA1-01-C	SDG No.:	P4799
Lab Sample ID:	P4799-10	Matrix:	SOIL
		% Solid:	84.3

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Oil and Grease	3830		1	3.85	29.6	mg/Kg		11/13/24 09:30	SW9071B
Paint Filter	1.00	U	1	1.00	1.00	ml/100gm		11/12/24 14:15	9095B
pH	12.0	H	1	0	0	pH		11/11/24 16:45	9045D
TS	83.9	H	1	1.00	5.00	%		11/13/24 11:00	SM 2540 B-15
TVS	3.40	HJ	1	1.00	10.0	%		11/13/24 15:45	160.4

Comments: pH result reported at temperature 24.4 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	11/04/24 13:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	11/08/24
Client Sample ID:	WC-TA1-01-C	SDG No.:	P4799
Lab Sample ID:	P4799-11	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity	12.0	H	1	0	0	pH		11/11/24 16:45	9045D
Ignitability	NO		1	0	0	oC		11/13/24 15:17	1030
Reactive Cyanide	0.0087	U	1	0.0087	0.050	mg/Kg	11/11/24 12:00	11/11/24 15:36	9012B
Reactive Sulfide	1.59	J	1	0.19	10.0	mg/Kg	11/13/24 09:15	11/13/24 13:40	9034

Comments: pH result reported at temperature 24.4 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	11/04/24 13:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	11/08/24
Client Sample ID:	WC-TA1-01-C	SDG No.:	P4799
Lab Sample ID:	P4799-12	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
ASTM Ammonia	0.20		1	0.045	0.10	mg/L	11/12/24 11:45	11/13/24 10:48	SM 4500-NH3 B plus NH3 G-11
ASTM COD	28.2		1	2.35	10.0	mg/L		11/14/24 14:04	SM 5220 D-11
ASTM Oil and Grease	0.40	U	1	0.40	5.00	mg/L		11/12/24 12:45	SW1664A
ASTM TS	799		1	1.00	5.00	mg/L		11/12/24 11:00	SM 2540 B-15

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	11/05/24 13:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	11/08/24
Client Sample ID:	WC-TA1-02-C	SDG No.:	P4799
Lab Sample ID:	P4799-14	Matrix:	SOIL
		% Solid:	83.1

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Oil and Grease	3070		1	3.91	30.0	mg/Kg		11/13/24 09:30	SW9071B
Paint Filter	1.00	U	1	1.00	1.00	ml/100gm		11/12/24 14:22	9095B
pH	12.0	H	1	0	0	pH		11/11/24 16:50	9045D
TS	83.3	H	1	1.00	5.00	%		11/13/24 11:00	SM 2540 B-15
TVS	3.10	HJ	1	1.00	10.0	%		11/13/24 15:45	160.4

Comments: pH result reported at temperature 24.3 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	11/05/24 13:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	11/08/24
Client Sample ID:	WC-TA1-02-C	SDG No.:	P4799
Lab Sample ID:	P4799-15	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity	12.0	H	1	0	0	pH		11/11/24 16:50	9045D
Ignitability	NO		1	0	0	oC		11/13/24 15:25	1030
Reactive Cyanide	0.0088	U	1	0.0088	0.050	mg/Kg	11/11/24 12:00	11/11/24 15:36	9012B
Reactive Sulfide	1.59	J	1	0.19	10.0	mg/Kg	11/13/24 09:15	11/13/24 13:43	9034

Comments: pH result reported at temperature 24.3 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	11/05/24 13:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	11/08/24
Client Sample ID:	WC-TA1-02-C	SDG No.:	P4799
Lab Sample ID:	P4799-16	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
ASTM Ammonia	0.13		1	0.045	0.10	mg/L	11/12/24 11:45	11/13/24 10:57	SM 4500-NH3 B plus NH3 G-11
ASTM COD	24.2		1	2.35	10.0	mg/L		11/14/24 14:05	SM 5220 D-11
ASTM Oil and Grease	0.40	U	1	0.40	5.00	mg/L		11/12/24 12:45	SW1664A
ASTM TS	901		1	1.00	5.00	mg/L		11/12/24 11:00	SM 2540 B-15

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	11/06/24 13:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	11/08/24
Client Sample ID:	WC-TA1-03-C	SDG No.:	P4799
Lab Sample ID:	P4799-18	Matrix:	SOIL
		% Solid:	81.8

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Oil and Grease	1870		1	3.97	30.5	mg/Kg		11/13/24 09:30	SW9071B
Paint Filter	1.00	U	1	1.00	1.00	ml/100gm		11/12/24 14:30	9095B
pH	12.3	H	1	0	0	pH		11/11/24 16:55	9045D
TS	82.0		1	1.00	5.00	%		11/13/24 11:00	SM 2540 B-15
TVS	4.10	HJ	1	1.00	10.0	%		11/13/24 15:45	160.4

Comments: pH result reported at temperature 24.4 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	11/06/24 13:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	11/08/24
Client Sample ID:	WC-TA1-03-C	SDG No.:	P4799
Lab Sample ID:	P4799-19	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity	12.3	H	1	0	0	pH		11/11/24 16:55	9045D
Ignitability	NO		1	0	0	oC		11/13/24 15:32	1030
Reactive Cyanide	0.0087	U	1	0.0087	0.050	mg/Kg	11/11/24 12:00	11/11/24 15:43	9012B
Reactive Sulfide	4.76	J	1	0.19	10.0	mg/Kg	11/13/24 09:15	11/13/24 13:45	9034

Comments: pH result reported at temperature 24.4 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	11/06/24 13:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	11/08/24
Client Sample ID:	WC-TA1-03-C	SDG No.:	P4799
Lab Sample ID:	P4799-20	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
ASTM Ammonia	0.16		1	0.045	0.10	mg/L	11/12/24 11:45	11/13/24 10:58	SM 4500-NH3 B plus NH3 G-11
ASTM COD	25.2		1	2.35	10.0	mg/L		11/14/24 14:05	SM 5220 D-11
ASTM Oil and Grease	0.40	U	1	0.40	5.00	mg/L		11/12/24 12:45	SW1664A
ASTM TS	760		1	1.00	5.00	mg/L		11/12/24 11:00	SM 2540 B-15

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	P4799	OrderDate:	11/8/2024 4:30:00 PM
Client:	ENTACT	Project:	540 Degraw St, Brooklyn, NY - E9309
Contact:	Jarod Stanfield	Location:	L31

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
P4799-02	WC-TA2-02-C	SOIL			10/30/24 13:00			11/08/24
			Oil and Grease	9071B			11/13/24 09:30	
			Paint Filter	9095B			11/12/24 14:00	
			pH	9045D			11/11/24 16:40	
			TS	SM2540 B			11/13/24 11:00	
			TVS	160.4			11/13/24 15:45	
P4799-03	WC-TA2-02-C	SOIL			10/30/24 13:00			11/08/24
			Corrosivity	9045D			11/11/24 16:40	
			Ignitability	1030			11/13/24 14:55	
			Reactive Cyanide	9012B		11/11/24	11/11/24 15:36	
			Reactive Sulfide	9034		11/13/24	11/13/24 13:33	
P4799-04	WC-TA2-02-C	WATER			10/30/24 13:00			11/08/24
			ASTM Ammonia	SM4500-NH3		11/12/24	11/13/24 10:48	
			ASTM COD	SM5220 D			11/14/24 14:02	
			ASTM Oil and Grease	1664A			11/12/24 12:45	

LAB CHRONICLE

			ASTM TS	SM2540 B		11/12/24 11:00	
P4799-06	WC-TA2-03-C	SOIL			11/01/24 13:00		11/08/24
			Oil and Grease	9071B		11/13/24 09:30	
			Paint Filter	9095B		11/12/24 14:07	
			pH	9045D		11/11/24 16:42	
			TS	SM2540 B		11/13/24 11:00	
			TVS	160.4		11/13/24 15:45	
P4799-07	WC-TA2-03-C	SOIL			11/01/24 13:00		11/08/24
			Corrosivity	9045D		11/11/24 16:42	
			Ignitability	1030		11/13/24 15:10	
			Reactive Cyanide	9012B	11/11/24	11/11/24 15:28	
			Reactive Sulfide	9034	11/13/24	11/13/24 13:38	
P4799-08	WC-TA2-03-C	WATER			11/01/24 13:00		11/08/24
			ASTM Ammonia	SM4500-NH3	11/12/24	11/13/24 10:48	
			ASTM COD	SM5220 D		11/14/24 14:04	
			ASTM Oil and Grease	1664A		11/12/24 12:45	
			ASTM TS	SM2540 B		11/12/24 11:00	
P4799-10	WC-TA1-01-C	SOIL			11/04/24 13:00		11/08/24
			Oil and Grease	9071B		11/13/24 09:30	

LAB CHRONICLE

P4799-11	WC-TA1-01-C	SOIL	Paint Filter	9095B			11/12/24 14:15	11/08/24
			pH	9045D			11/11/24 16:45	
			TS	SM2540 B			11/13/24 11:00	
			TVS	160.4			11/13/24 15:45	
					11/04/24 13:00			
			Corrosivity	9045D			11/11/24 16:45	
			Ignitability	1030			11/13/24 15:17	
			Reactive Cyanide	9012B	11/11/24		11/11/24 15:36	
			Reactive Sulfide	9034	11/13/24		11/13/24 13:40	
P4799-12	WC-TA1-01-C	WATER						11/08/24
					11/04/24 13:00			
			ASTM Ammonia	SM4500-NH3	11/12/24		11/13/24 10:48	
			ASTM COD	SM5220 D			11/14/24 14:04	
			ASTM Oil and Grease	1664A			11/12/24 12:45	
			ASTM TS	SM2540 B			11/12/24 11:00	
P4799-14	WC-TA1-02-C	SOIL						11/08/24
					11/05/24 13:00			
			Oil and Grease	9071B			11/13/24 09:30	
			Paint Filter	9095B			11/12/24 14:22	
			pH	9045D			11/11/24 16:50	
			TS	SM2540 B			11/13/24 11:00	

LAB CHRONICLE

P4799-15	WC-TA1-02-C	SOIL	TVS	160.4		11/13/24 15:45	11/08/24
					11/05/24 13:00		
			Corrosivity	9045D		11/11/24 16:50	
			Ignitability	1030		11/13/24 15:25	
			Reactive Cyanide	9012B	11/11/24	11/11/24 15:36	
			Reactive Sulfide	9034	11/13/24	11/13/24 13:43	
P4799-16	WC-TA1-02-C	WATER			11/05/24 13:00		11/08/24
			ASTM Ammonia	SM4500-NH3	11/12/24	11/13/24 10:57	
			ASTM COD	SM5220 D		11/14/24 14:05	
			ASTM Oil and Grease	1664A		11/12/24 12:45	
			ASTM TS	SM2540 B		11/12/24 11:00	
P4799-18	WC-TA1-03-C	SOIL			11/06/24 13:00		11/08/24
			Oil and Grease	9071B		11/13/24 09:30	
			Paint Filter	9095B		11/12/24 14:30	
			pH	9045D		11/11/24 16:55	
			TS	SM2540 B		11/13/24 11:00	
			TVS	160.4		11/13/24 15:45	
P4799-19	WC-TA1-03-C	SOIL			11/06/24 13:00		11/08/24
			Corrosivity	9045D		11/11/24 16:55	

LAB CHRONICLE

P4799-20	WC-TA1-03-C	WATER	Ignitability	1030		11/13/24	
						15:32	
			Reactive Cyanide	9012B	11/11/24	11/11/24	
						15:43	
			Reactive Sulfide	9034	11/13/24	11/13/24	
						13:45	
					11/06/24		11/08/24
					13:00		
			ASTM Ammonia	SM4500-NH3	11/12/24	11/13/24	
						10:58	
			ASTM COD	SM5220 D		11/14/24	
						14:05	
			ASTM Oil and Grease	1664A		11/12/24	
						12:45	
			ASTM TS	SM2540 B		11/12/24	
						11:00	