

## Matrix Spike Summary

|                   |                                     |                                         |          |
|-------------------|-------------------------------------|-----------------------------------------|----------|
| <b>Client:</b>    | ENTACT                              | <b>SDG No.:</b>                         | P4799    |
| <b>Project:</b>   | 540 Degraw St, Brooklyn, NY - E9309 | <b>Sample ID:</b>                       | P4799-04 |
| <b>Client ID:</b> | WC-TA2-02-CMS                       | <b>Percent Solids for Spike Sample:</b> | 0        |

| Analyte             | Units | Acceptance<br>Limit %R | Spiked<br>Result | Conc.<br>Qualifier | Sample<br>Result | Conc.<br>Qualifier | Spike<br>Added | Dilution<br>Factor | %<br>Rec | Qual | Analysis<br>Date |
|---------------------|-------|------------------------|------------------|--------------------|------------------|--------------------|----------------|--------------------|----------|------|------------------|
| ASTM Ammonia        | mg/L  | 75-125                 | 1.50             |                    | 0.66             |                    | 1              | 1                  | 84       |      | 11/13/2024       |
| ASTM COD            | mg/L  | 75-125                 | 74.5             |                    | 28.2             |                    | 50.0           | 1                  | 93       |      | 11/14/2024       |
| ASTM Oil and Grease | mg/L  | 78-114                 | 20.3             |                    | 0.40             | U                  | 20.0           | 1                  | 102      |      | 11/12/2024       |

## Matrix Spike Summary

|                   |                                     |                                         |          |
|-------------------|-------------------------------------|-----------------------------------------|----------|
| <b>Client:</b>    | ENTACT                              | <b>SDG No.:</b>                         | P4799    |
| <b>Project:</b>   | 540 Degraw St, Brooklyn, NY - E9309 | <b>Sample ID:</b>                       | P4799-04 |
| <b>Client ID:</b> | WC-TA2-02-CMSD                      | <b>Percent Solids for Spike Sample:</b> | 0        |

| Analyte             | Units | Acceptance<br>Limit %R | Spiked<br>Result | Conc.<br>Qualifier | Sample<br>Result | Conc.<br>Qualifier | Spike<br>Added | Dilution<br>Factor | %<br>Rec | Qual | Analysis<br>Date |
|---------------------|-------|------------------------|------------------|--------------------|------------------|--------------------|----------------|--------------------|----------|------|------------------|
| ASTM Oil and Grease | mg/L  | 78-114                 | 20.4             |                    | 0.40             | U                  | 20.0           | 1                  | 102      |      | 11/12/2024       |
| ASTM COD            | mg/L  | 75-125                 | 76.5             |                    | 28.2             |                    | 50.0           | 1                  | 97       |      | 11/14/2024       |
| ASTM Ammonia        | mg/L  | 75-125                 | 1.50             |                    | 0.66             |                    | 1              | 1                  | 84       |      | 11/13/2024       |

## Matrix Spike Summary

|                   |                                     |                                         |          |
|-------------------|-------------------------------------|-----------------------------------------|----------|
| <b>Client:</b>    | ENTACT                              | <b>SDG No.:</b>                         | P4799    |
| <b>Project:</b>   | 540 Degraw St, Brooklyn, NY - E9309 | <b>Sample ID:</b>                       | P4799-18 |
| <b>Client ID:</b> | WC-TA1-03-CMS                       | <b>Percent Solids for Spike Sample:</b> | 81.8     |

| Analyte        | Units | Acceptance<br>Limit %R | Spiked<br>Result | Conc.<br>Qualifier | Sample<br>Result | Conc.<br>Qualifier | Spike<br>Added | Dilution<br>Factor | %<br>Rec | Qual | Analysis<br>Date |
|----------------|-------|------------------------|------------------|--------------------|------------------|--------------------|----------------|--------------------|----------|------|------------------|
| Oil and Grease | mg/Kg | 75-125                 | 1820             |                    | 1870             |                    | 122            | 1                  | -44      | *    | 11/13/2024       |

### Matrix Spike Summary

|                   |                                     |                                         |          |
|-------------------|-------------------------------------|-----------------------------------------|----------|
| <b>Client:</b>    | ENTACT                              | <b>SDG No.:</b>                         | P4799    |
| <b>Project:</b>   | 540 Degraw St, Brooklyn, NY - E9309 | <b>Sample ID:</b>                       | P4799-18 |
| <b>Client ID:</b> | WC-TA1-03-CMSD                      | <b>Percent Solids for Spike Sample:</b> | 81.8     |

| Analyte        | Units | Acceptance<br>Limit %R | Spiked<br>Result | Conc.<br>Qualifier | Sample<br>Result | Conc.<br>Qualifier | Spike<br>Added | Dilution<br>Factor | %<br>Rec | Qual | Analysis<br>Date |
|----------------|-------|------------------------|------------------|--------------------|------------------|--------------------|----------------|--------------------|----------|------|------------------|
| Oil and Grease | mg/Kg | 75-125                 | 1810             |                    | 1870             |                    | 122            | 1                  | -54      | *    | 11/13/2024       |