

Analytical Sequence

Client: ENTACT

SDG No.: P4799

Project: 540 Degraw St, Brooklyn, NY - E9309

Instrument ID: ECD_O

GC Column: ZB-MR1

ID: 0.32 (mm)

Inst. Calib. Date(s): 11/11/2024

11/11/2024

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

EPA SAMPLE NO.	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
IBLK	IBLK	11/11/2024	17:14	PO107842.D	10.09	4.37
AR1660ICC1000	AR1660ICC1000	11/11/2024	17:30	PO107843.D	10.09	4.37
AR1660ICC750	AR1660ICC750	11/11/2024	17:46	PO107844.D	10.09	4.37
AR1660ICC500	AR1660ICC500	11/11/2024	18:02	PO107845.D	10.09	4.37
AR1660ICC250	AR1660ICC250	11/11/2024	18:19	PO107846.D	10.09	4.38
AR1660ICC050	AR1660ICC050	11/11/2024	18:36	PO107847.D	10.09	4.37
AR1221ICC500	AR1221ICC500	11/11/2024	18:52	PO107848.D	10.09	4.37
AR1232ICC500	AR1232ICC500	11/11/2024	19:08	PO107849.D	10.09	4.37
AR1242ICC1000	AR1242ICC1000	11/11/2024	19:24	PO107850.D	10.09	4.37
AR1242ICC750	AR1242ICC750	11/11/2024	19:40	PO107851.D	10.09	4.37
AR1242ICC500	AR1242ICC500	11/11/2024	19:57	PO107852.D	10.09	4.37
AR1242ICC250	AR1242ICC250	11/11/2024	20:13	PO107853.D	10.09	4.37
AR1242ICC050	AR1242ICC050	11/11/2024	20:30	PO107854.D	10.09	4.37
AR1248ICC1000	AR1248ICC1000	11/11/2024	20:46	PO107855.D	10.09	4.37
AR1248ICC750	AR1248ICC750	11/11/2024	21:02	PO107856.D	10.09	4.37
AR1248ICC500	AR1248ICC500	11/11/2024	21:18	PO107857.D	10.09	4.37
AR1248ICC250	AR1248ICC250	11/11/2024	21:35	PO107858.D	10.10	4.37
AR1248ICC050	AR1248ICC050	11/11/2024	21:52	PO107859.D	10.09	4.37
AR1254ICC1000	AR1254ICC1000	11/11/2024	22:08	PO107860.D	10.09	4.37
AR1254ICC750	AR1254ICC750	11/11/2024	22:24	PO107861.D	10.09	4.37
AR1254ICC500	AR1254ICC500	11/11/2024	22:41	PO107862.D	10.09	4.37
AR1254ICC250	AR1254ICC250	11/11/2024	22:57	PO107863.D	10.09	4.37
AR1254ICC050	AR1254ICC050	11/11/2024	23:13	PO107864.D	10.09	4.37
AR1262ICC500	AR1262ICC500	11/11/2024	23:29	PO107865.D	10.09	4.37
AR1268ICC1000	AR1268ICC1000	11/11/2024	23:46	PO107866.D	10.09	4.37
AR1268ICC750	AR1268ICC750	11/12/2024	00:02	PO107867.D	10.09	4.37
AR1268ICC500	AR1268ICC500	11/12/2024	00:18	PO107868.D	10.09	4.37
AR1268ICC250	AR1268ICC250	11/12/2024	00:35	PO107869.D	10.09	4.37
AR1268ICC050	AR1268ICC050	11/12/2024	00:52	PO107870.D	10.09	4.37
AR1660CCC500	AR1660CCC500	11/12/2024	09:27	PO107877.D	10.09	4.37
IBLK	IBLK	11/12/2024	10:32	PO107881.D	10.09	4.37
PB164906BL	PB164906BL	11/12/2024	13:39	PO107882.D	10.09	4.38
PB164906BS	PB164906BS	11/12/2024	13:55	PO107883.D	10.09	4.37
WC-TA2-02-C	P4799-02	11/12/2024	14:11	PO107884.D	10.08	4.37
WC-TA2-03-C	P4799-06	11/12/2024	14:28	PO107885.D	10.08	4.37
AR1660CCC500	AR1660CCC500	11/12/2024	16:52	PO107892.D	10.08	4.37
IBLK	IBLK	11/12/2024	17:59	PO107896.D	10.08	4.37
RBR200035MS	P4812-01MS	11/12/2024	19:24	PO107901.D	10.08	4.37
RBR200035MSD	P4812-01MSD	11/12/2024	19:41	PO107902.D	10.08	4.37
AR1660CCC500	AR1660CCC500	11/13/2024	01:43	PO107907.D	10.08	4.37
IBLK	IBLK	11/13/2024	02:50	PO107911.D	10.08	4.37
AR1660CCC500	AR1660CCC500	11/13/2024	10:03	PO107913.D	10.09	4.37

Analytical Sequence

LBLK	LBLK	11/13/2024	10:53	PO107916.D	10.08	4.37
WC-TA1-01-C	P4799-10	11/13/2024	11:27	PO107918.D	10.08	4.37
WC-TA1-02-C	P4799-14	11/13/2024	11:44	PO107919.D	10.08	4.37
WC-TA1-03-C	P4799-18	11/13/2024	12:00	PO107920.D	10.08	4.37
AR1660CCC500	AR1660CCC500	11/13/2024	13:54	PO107926.D	10.08	4.37
LBLK	LBLK	11/13/2024	14:59	PO107930.D	10.08	4.37

Analytical Sequence

Client: ENTACT

SDG No.: P4799

Project: 540 Degraw St, Brooklyn, NY - E9309

Instrument ID: ECD_O

GC Column: ZB-MR2

ID: 0.32 (mm)

Inst. Calib. Date(s): 11/11/2024

11/11/2024

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

EPA SAMPLE NO.	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
IBLK	IBLK	11/11/2024	17:14	PO107842.D	8.64	3.64
AR1660ICC1000	AR1660ICC1000	11/11/2024	17:30	PO107843.D	8.64	3.64
AR1660ICC750	AR1660ICC750	11/11/2024	17:46	PO107844.D	8.64	3.64
AR1660ICC500	AR1660ICC500	11/11/2024	18:02	PO107845.D	8.64	3.64
AR1660ICC250	AR1660ICC250	11/11/2024	18:19	PO107846.D	8.64	3.64
AR1660ICC050	AR1660ICC050	11/11/2024	18:36	PO107847.D	8.64	3.64
AR1221ICC500	AR1221ICC500	11/11/2024	18:52	PO107848.D	8.64	3.64
AR1232ICC500	AR1232ICC500	11/11/2024	19:08	PO107849.D	8.64	3.64
AR1242ICC1000	AR1242ICC1000	11/11/2024	19:24	PO107850.D	8.64	3.64
AR1242ICC750	AR1242ICC750	11/11/2024	19:40	PO107851.D	8.64	3.64
AR1242ICC500	AR1242ICC500	11/11/2024	19:57	PO107852.D	8.64	3.64
AR1242ICC250	AR1242ICC250	11/11/2024	20:13	PO107853.D	8.64	3.64
AR1242ICC050	AR1242ICC050	11/11/2024	20:30	PO107854.D	8.64	3.64
AR1248ICC1000	AR1248ICC1000	11/11/2024	20:46	PO107855.D	8.64	3.64
AR1248ICC750	AR1248ICC750	11/11/2024	21:02	PO107856.D	8.64	3.64
AR1248ICC500	AR1248ICC500	11/11/2024	21:18	PO107857.D	8.64	3.64
AR1248ICC250	AR1248ICC250	11/11/2024	21:35	PO107858.D	8.64	3.64
AR1248ICC050	AR1248ICC050	11/11/2024	21:52	PO107859.D	8.64	3.64
AR1254ICC1000	AR1254ICC1000	11/11/2024	22:08	PO107860.D	8.64	3.64
AR1254ICC750	AR1254ICC750	11/11/2024	22:24	PO107861.D	8.64	3.64
AR1254ICC500	AR1254ICC500	11/11/2024	22:41	PO107862.D	8.64	3.64
AR1254ICC250	AR1254ICC250	11/11/2024	22:57	PO107863.D	8.64	3.64
AR1254ICC050	AR1254ICC050	11/11/2024	23:13	PO107864.D	8.64	3.64
AR1262ICC500	AR1262ICC500	11/11/2024	23:29	PO107865.D	8.64	3.64
AR1268ICC1000	AR1268ICC1000	11/11/2024	23:46	PO107866.D	8.64	3.64
AR1268ICC750	AR1268ICC750	11/12/2024	00:02	PO107867.D	8.64	3.64
AR1268ICC500	AR1268ICC500	11/12/2024	00:18	PO107868.D	8.64	3.64
AR1268ICC250	AR1268ICC250	11/12/2024	00:35	PO107869.D	8.64	3.64
AR1268ICC050	AR1268ICC050	11/12/2024	00:52	PO107870.D	8.64	3.64
AR1660CCC500	AR1660CCC500	11/12/2024	09:27	PO107877.D	8.64	3.64
IBLK	IBLK	11/12/2024	10:32	PO107881.D	8.64	3.64
PB164906BL	PB164906BL	11/12/2024	13:39	PO107882.D	8.64	3.64
PB164906BS	PB164906BS	11/12/2024	13:55	PO107883.D	8.64	3.64
WC-TA2-02-C	P4799-02	11/12/2024	14:11	PO107884.D	8.64	3.64
WC-TA2-03-C	P4799-06	11/12/2024	14:28	PO107885.D	8.64	3.64
AR1660CCC500	AR1660CCC500	11/12/2024	16:52	PO107892.D	8.64	3.64
IBLK	IBLK	11/12/2024	17:59	PO107896.D	8.64	3.64
RBR200035MS	P4812-01MS	11/12/2024	19:24	PO107901.D	8.64	3.64
RBR200035MSD	P4812-01MSD	11/12/2024	19:41	PO107902.D	8.64	3.64
AR1660CCC500	AR1660CCC500	11/13/2024	01:43	PO107907.D	8.64	3.64
IBLK	IBLK	11/13/2024	02:50	PO107911.D	8.63	3.64
AR1660CCC500	AR1660CCC500	11/13/2024	10:03	PO107913.D	8.64	3.64

Analytical Sequence

LBLK	LBLK	11/13/2024	10:53	PO107916.D	8.63	3.64
WC-TA1-01-C	P4799-10	11/13/2024	11:27	PO107918.D	8.63	3.64
WC-TA1-02-C	P4799-14	11/13/2024	11:44	PO107919.D	8.63	3.64
WC-TA1-03-C	P4799-18	11/13/2024	12:00	PO107920.D	8.63	3.64
AR1660CCC500	AR1660CCC500	11/13/2024	13:54	PO107926.D	8.63	3.64
LBLK	LBLK	11/13/2024	14:59	PO107930.D	8.63	3.64