

Report of Analysis

Client:	ENTACT		Date Collected:	10/30/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	11/08/24	
Client Sample ID:	WC-TA2-02-C		SDG No.:	P4799	
Lab Sample ID:	P4799-02		Matrix:	SOIL	
Analytical Method:	SW8082A		% Solid:	82.2	Decanted:
Sample Wt/Vol:	30.04	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO107884.D	1	11/12/24 09:10	11/12/24 14:11	PB164906

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	4.10	U	4.10	20.7	ug/kg
11104-28-2	Aroclor-1221	7.80	U	7.80	20.7	ug/kg
11141-16-5	Aroclor-1232	4.10	U	4.10	20.7	ug/kg
53469-21-9	Aroclor-1242	4.10	U	4.10	20.7	ug/kg
12672-29-6	Aroclor-1248	9.60	U	9.60	20.7	ug/kg
11097-69-1	Aroclor-1254	3.30	U	3.30	20.7	ug/kg
37324-23-5	Aroclor-1262	5.60	U	5.60	20.7	ug/kg
11100-14-4	Aroclor-1268	4.20	U	4.20	20.7	ug/kg
11096-82-5	Aroclor-1260	3.50	U	3.50	20.7	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	15.9		30 (32) - 150 (144)	80%	SPK: 20
2051-24-3	Decachlorobiphenyl	14.9		30 (32) - 150 (175)	74%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit