

Report of Analysis

Client:	ENTACT		Date Collected:	10/30/24	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	11/08/24	
Client Sample ID:	WC-TA2-02-CMSD		SDG No.:	P4799	
Lab Sample ID:	P4799-03MSD		Matrix:	TCLP	
Analytical Method:	SW8081		% Solid:	0	Decanted:
Sample Wt/Vol:	100	Units: mL	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	TCLP Pesticide	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	3510C				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL093045.D	1	11/12/24 12:20	11/13/24 18:09	PB164960

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
58-89-9	gamma-BHC (Lindane)	5.80		0.049	0.50	ug/L
76-44-8	Heptachlor	9.20	P	0.054	0.50	ug/L
1024-57-3	Heptachlor epoxide	6.20		0.090	0.50	ug/L
72-20-8	Endrin	6.50		0.043	0.50	ug/L
72-43-5	Methoxychlor	6.10		0.11	0.50	ug/L
8001-35-2	Toxaphene	1.50	U	1.50	10.0	ug/L
57-74-9	Chlordane	0.82	U	0.82	5.00	ug/L
SURROGATES						
2051-24-3	Decachlorobiphenyl	23.7		30 (43) - 150 (140)	119%	SPK: 20
877-09-8	Tetrachloro-m-xylene	22.2		30 (77) - 150 (126)	111%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit