



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

Hit Summary Sheet  
SW-846

SDG No.:

P4799

Order ID:

P4799

Client:

ENTACT

Project ID:

540 Degraw St, Brooklyn, NY - E9309

| Sample ID   | Client ID | Matrix | Parameter | Concentration        | C     | MDL | RDL | Units |
|-------------|-----------|--------|-----------|----------------------|-------|-----|-----|-------|
| Client ID : |           |        |           | Total Concentration: | 0.000 |     |     |       |



# SAMPLE DATA

A

B

C

D

## Report of Analysis

|                    |                                     |           |                    |                |           |
|--------------------|-------------------------------------|-----------|--------------------|----------------|-----------|
| Client:            | ENTACT                              |           | Date Collected:    | 10/30/24       |           |
| Project:           | 540 Degraw St, Brooklyn, NY - E9309 |           | Date Received:     | 11/08/24       |           |
| Client Sample ID:  | WC-TA2-02-C                         |           | SDG No.:           | P4799          |           |
| Lab Sample ID:     | P4799-03                            |           | Matrix:            | TCLP           |           |
| Analytical Method: | SW8081                              |           | % Solid:           | 0              | Decanted: |
| Sample Wt/Vol:     | 100                                 | Units: mL | Final Vol:         | 10000          | uL        |
| Soil Aliquot Vol:  |                                     | uL        | Test:              | TCLP Pesticide |           |
| Extraction Type:   |                                     |           | Injection Volume : |                |           |
| GPC Factor :       | 1.0                                 | PH :      |                    |                |           |
| Prep Method :      | SW3541B                             |           |                    |                |           |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PL093043.D        | 1         | 11/12/24 12:20 | 11/13/24 17:42 | PB164960      |

| CAS Number        | Parameter            | Conc. | Qualifier | MDL                 | LOQ / CRQL | Units   |
|-------------------|----------------------|-------|-----------|---------------------|------------|---------|
| <b>TARGETS</b>    |                      |       |           |                     |            |         |
| 58-89-9           | gamma-BHC (Lindane)  | 0.049 | U         | 0.049               | 0.50       | ug/L    |
| 76-44-8           | Heptachlor           | 0.054 | U         | 0.054               | 0.50       | ug/L    |
| 1024-57-3         | Heptachlor epoxide   | 0.090 | U         | 0.090               | 0.50       | ug/L    |
| 72-20-8           | Endrin               | 0.043 | U         | 0.043               | 0.50       | ug/L    |
| 72-43-5           | Methoxychlor         | 0.11  | U         | 0.11                | 0.50       | ug/L    |
| 8001-35-2         | Toxaphene            | 1.50  | U         | 1.50                | 10.0       | ug/L    |
| 57-74-9           | Chlordane            | 0.82  | U         | 0.82                | 5.00       | ug/L    |
| <b>SURROGATES</b> |                      |       |           |                     |            |         |
| 2051-24-3         | Decachlorobiphenyl   | 23.1  |           | 30 (43) - 150 (140) | 115%       | SPK: 20 |
| 877-09-8          | Tetrachloro-m-xylene | 22.1  |           | 30 (77) - 150 (126) | 110%       | SPK: 20 |

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

|                    |                                     |           |                    |                |           |
|--------------------|-------------------------------------|-----------|--------------------|----------------|-----------|
| Client:            | ENTACT                              |           | Date Collected:    | 11/01/24       |           |
| Project:           | 540 Degraw St, Brooklyn, NY - E9309 |           | Date Received:     | 11/08/24       |           |
| Client Sample ID:  | WC-TA2-03-C                         |           | SDG No.:           | P4799          |           |
| Lab Sample ID:     | P4799-07                            |           | Matrix:            | TCLP           |           |
| Analytical Method: | SW8081                              |           | % Solid:           | 0              | Decanted: |
| Sample Wt/Vol:     | 100                                 | Units: mL | Final Vol:         | 10000          | uL        |
| Soil Aliquot Vol:  |                                     | uL        | Test:              | TCLP Pesticide |           |
| Extraction Type:   |                                     |           | Injection Volume : |                |           |
| GPC Factor :       | 1.0                                 | PH :      |                    |                |           |
| Prep Method :      | SW3541B                             |           |                    |                |           |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PL093046.D        | 1         | 11/12/24 12:20 | 11/13/24 18:23 | PB164960      |

| CAS Number        | Parameter            | Conc. | Qualifier | MDL                 | LOQ / CRQL | Units   |
|-------------------|----------------------|-------|-----------|---------------------|------------|---------|
| <b>TARGETS</b>    |                      |       |           |                     |            |         |
| 58-89-9           | gamma-BHC (Lindane)  | 0.049 | U         | 0.049               | 0.50       | ug/L    |
| 76-44-8           | Heptachlor           | 0.054 | U         | 0.054               | 0.50       | ug/L    |
| 1024-57-3         | Heptachlor epoxide   | 0.090 | U         | 0.090               | 0.50       | ug/L    |
| 72-20-8           | Endrin               | 0.043 | U         | 0.043               | 0.50       | ug/L    |
| 72-43-5           | Methoxychlor         | 0.11  | U         | 0.11                | 0.50       | ug/L    |
| 8001-35-2         | Toxaphene            | 1.50  | U         | 1.50                | 10.0       | ug/L    |
| 57-74-9           | Chlordane            | 0.82  | U         | 0.82                | 5.00       | ug/L    |
| <b>SURROGATES</b> |                      |       |           |                     |            |         |
| 2051-24-3         | Decachlorobiphenyl   | 19.8  |           | 30 (43) - 150 (140) | 99%        | SPK: 20 |
| 877-09-8          | Tetrachloro-m-xylene | 21.4  |           | 30 (77) - 150 (126) | 107%       | SPK: 20 |

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

|                    |                                     |           |                    |                |           |
|--------------------|-------------------------------------|-----------|--------------------|----------------|-----------|
| Client:            | ENTACT                              |           | Date Collected:    | 11/04/24       |           |
| Project:           | 540 Degraw St, Brooklyn, NY - E9309 |           | Date Received:     | 11/08/24       |           |
| Client Sample ID:  | WC-TA1-01-C                         |           | SDG No.:           | P4799          |           |
| Lab Sample ID:     | P4799-11                            |           | Matrix:            | TCLP           |           |
| Analytical Method: | SW8081                              |           | % Solid:           | 0              | Decanted: |
| Sample Wt/Vol:     | 100                                 | Units: mL | Final Vol:         | 10000          | uL        |
| Soil Aliquot Vol:  |                                     | uL        | Test:              | TCLP Pesticide |           |
| Extraction Type:   |                                     |           | Injection Volume : |                |           |
| GPC Factor :       | 1.0                                 | PH :      |                    |                |           |
| Prep Method :      | SW3541B                             |           |                    |                |           |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PL093047.D        | 1         | 11/12/24 12:20 | 11/13/24 18:36 | PB164960      |

| CAS Number        | Parameter            | Conc. | Qualifier | MDL                 | LOQ / CRQL | Units   |
|-------------------|----------------------|-------|-----------|---------------------|------------|---------|
| <b>TARGETS</b>    |                      |       |           |                     |            |         |
| 58-89-9           | gamma-BHC (Lindane)  | 0.049 | U         | 0.049               | 0.50       | ug/L    |
| 76-44-8           | Heptachlor           | 0.054 | U         | 0.054               | 0.50       | ug/L    |
| 1024-57-3         | Heptachlor epoxide   | 0.090 | U         | 0.090               | 0.50       | ug/L    |
| 72-20-8           | Endrin               | 0.043 | U         | 0.043               | 0.50       | ug/L    |
| 72-43-5           | Methoxychlor         | 0.11  | U         | 0.11                | 0.50       | ug/L    |
| 8001-35-2         | Toxaphene            | 1.50  | U         | 1.50                | 10.0       | ug/L    |
| 57-74-9           | Chlordane            | 0.82  | U         | 0.82                | 5.00       | ug/L    |
| <b>SURROGATES</b> |                      |       |           |                     |            |         |
| 2051-24-3         | Decachlorobiphenyl   | 22.5  |           | 30 (43) - 150 (140) | 112%       | SPK: 20 |
| 877-09-8          | Tetrachloro-m-xylene | 21.5  |           | 30 (77) - 150 (126) | 108%       | SPK: 20 |

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

|                    |                                     |           |                    |                |           |
|--------------------|-------------------------------------|-----------|--------------------|----------------|-----------|
| Client:            | ENTACT                              |           | Date Collected:    | 11/05/24       |           |
| Project:           | 540 Degraw St, Brooklyn, NY - E9309 |           | Date Received:     | 11/08/24       |           |
| Client Sample ID:  | WC-TA1-02-C                         |           | SDG No.:           | P4799          |           |
| Lab Sample ID:     | P4799-15                            |           | Matrix:            | TCLP           |           |
| Analytical Method: | SW8081                              |           | % Solid:           | 0              | Decanted: |
| Sample Wt/Vol:     | 100                                 | Units: mL | Final Vol:         | 10000          | uL        |
| Soil Aliquot Vol:  |                                     | uL        | Test:              | TCLP Pesticide |           |
| Extraction Type:   |                                     |           | Injection Volume : |                |           |
| GPC Factor :       | 1.0                                 | PH :      |                    |                |           |
| Prep Method :      | SW3541B                             |           |                    |                |           |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PL093048.D        | 1         | 11/12/24 12:20 | 11/13/24 18:50 | PB164960      |

| CAS Number        | Parameter            | Conc. | Qualifier | MDL                 | LOQ / CRQL | Units   |
|-------------------|----------------------|-------|-----------|---------------------|------------|---------|
| <b>TARGETS</b>    |                      |       |           |                     |            |         |
| 58-89-9           | gamma-BHC (Lindane)  | 0.049 | U         | 0.049               | 0.50       | ug/L    |
| 76-44-8           | Heptachlor           | 0.054 | U         | 0.054               | 0.50       | ug/L    |
| 1024-57-3         | Heptachlor epoxide   | 0.090 | U         | 0.090               | 0.50       | ug/L    |
| 72-20-8           | Endrin               | 0.043 | U         | 0.043               | 0.50       | ug/L    |
| 72-43-5           | Methoxychlor         | 0.11  | U         | 0.11                | 0.50       | ug/L    |
| 8001-35-2         | Toxaphene            | 1.50  | U         | 1.50                | 10.0       | ug/L    |
| 57-74-9           | Chlordane            | 0.82  | U         | 0.82                | 5.00       | ug/L    |
| <b>SURROGATES</b> |                      |       |           |                     |            |         |
| 2051-24-3         | Decachlorobiphenyl   | 22.6  |           | 30 (43) - 150 (140) | 113%       | SPK: 20 |
| 877-09-8          | Tetrachloro-m-xylene | 20.6  |           | 30 (77) - 150 (126) | 103%       | SPK: 20 |

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

|                    |                                     |           |                    |                |           |
|--------------------|-------------------------------------|-----------|--------------------|----------------|-----------|
| Client:            | ENTACT                              |           | Date Collected:    | 11/06/24       |           |
| Project:           | 540 Degraw St, Brooklyn, NY - E9309 |           | Date Received:     | 11/08/24       |           |
| Client Sample ID:  | WC-TA1-03-C                         |           | SDG No.:           | P4799          |           |
| Lab Sample ID:     | P4799-19                            |           | Matrix:            | TCLP           |           |
| Analytical Method: | SW8081                              |           | % Solid:           | 0              | Decanted: |
| Sample Wt/Vol:     | 100                                 | Units: mL | Final Vol:         | 10000          | uL        |
| Soil Aliquot Vol:  |                                     | uL        | Test:              | TCLP Pesticide |           |
| Extraction Type:   |                                     |           | Injection Volume : |                |           |
| GPC Factor :       | 1.0                                 | PH :      |                    |                |           |
| Prep Method :      | SW3541B                             |           |                    |                |           |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PL093049.D        | 1         | 11/12/24 12:20 | 11/13/24 19:03 | PB164960      |

| CAS Number        | Parameter            | Conc. | Qualifier | MDL                 | LOQ / CRQL | Units   |
|-------------------|----------------------|-------|-----------|---------------------|------------|---------|
| <b>TARGETS</b>    |                      |       |           |                     |            |         |
| 58-89-9           | gamma-BHC (Lindane)  | 0.049 | U         | 0.049               | 0.50       | ug/L    |
| 76-44-8           | Heptachlor           | 0.054 | U         | 0.054               | 0.50       | ug/L    |
| 1024-57-3         | Heptachlor epoxide   | 0.090 | U         | 0.090               | 0.50       | ug/L    |
| 72-20-8           | Endrin               | 0.043 | U         | 0.043               | 0.50       | ug/L    |
| 72-43-5           | Methoxychlor         | 0.11  | U         | 0.11                | 0.50       | ug/L    |
| 8001-35-2         | Toxaphene            | 1.50  | U         | 1.50                | 10.0       | ug/L    |
| 57-74-9           | Chlordane            | 0.82  | U         | 0.82                | 5.00       | ug/L    |
| <b>SURROGATES</b> |                      |       |           |                     |            |         |
| 2051-24-3         | Decachlorobiphenyl   | 23.8  |           | 30 (43) - 150 (140) | 119%       | SPK: 20 |
| 877-09-8          | Tetrachloro-m-xylene | 19.9  |           | 30 (77) - 150 (126) | 100%       | SPK: 20 |

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

|                    |                                     |           |                    |                |           |
|--------------------|-------------------------------------|-----------|--------------------|----------------|-----------|
| Client:            | ENTACT                              |           | Date Collected:    |                |           |
| Project:           | 540 Degraw St, Brooklyn, NY - E9309 |           | Date Received:     | 11/12/24       |           |
| Client Sample ID:  | PB164880TB                          |           | SDG No.:           | P4799          |           |
| Lab Sample ID:     | PB164880TB                          |           | Matrix:            | TCLP           |           |
| Analytical Method: | SW8081                              |           | % Solid:           | 0              | Decanted: |
| Sample Wt/Vol:     | 100                                 | Units: mL | Final Vol:         | 10000          | uL        |
| Soil Aliquot Vol:  |                                     | uL        | Test:              | TCLP Pesticide |           |
| Extraction Type:   |                                     |           | Injection Volume : |                |           |
| GPC Factor :       | 1.0                                 | PH :      |                    |                |           |
| Prep Method :      | SW3541B                             |           |                    |                |           |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PL093042.D        | 1         | 11/12/24 12:20 | 11/13/24 17:28 | PB164960      |

| CAS Number        | Parameter            | Conc. | Qualifier | MDL                 | LOQ / CRQL | Units   |
|-------------------|----------------------|-------|-----------|---------------------|------------|---------|
| <b>TARGETS</b>    |                      |       |           |                     |            |         |
| 58-89-9           | gamma-BHC (Lindane)  | 0.049 | U         | 0.049               | 0.50       | ug/L    |
| 76-44-8           | Heptachlor           | 0.054 | U         | 0.054               | 0.50       | ug/L    |
| 1024-57-3         | Heptachlor epoxide   | 0.090 | U         | 0.090               | 0.50       | ug/L    |
| 72-20-8           | Endrin               | 0.043 | U         | 0.043               | 0.50       | ug/L    |
| 72-43-5           | Methoxychlor         | 0.11  | U         | 0.11                | 0.50       | ug/L    |
| 8001-35-2         | Toxaphene            | 1.50  | U         | 1.50                | 10.0       | ug/L    |
| 57-74-9           | Chlordane            | 0.82  | U         | 0.82                | 5.00       | ug/L    |
| <b>SURROGATES</b> |                      |       |           |                     |            |         |
| 2051-24-3         | Decachlorobiphenyl   | 23.0  |           | 30 (43) - 150 (140) | 115%       | SPK: 20 |
| 877-09-8          | Tetrachloro-m-xylene | 22.1  |           | 30 (77) - 150 (126) | 111%       | SPK: 20 |

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit



## LAB CHRONICLE

|                 |                 |                   |                                     |
|-----------------|-----------------|-------------------|-------------------------------------|
| <b>OrderID:</b> | P4799           | <b>OrderDate:</b> | 11/8/2024 4:30:00 PM                |
| <b>Client:</b>  | ENTACT          | <b>Project:</b>   | 540 Degraw St, Brooklyn, NY - E9309 |
| <b>Contact:</b> | Jarod Stanfield | <b>Location:</b>  | L31                                 |

| LabID           | ClientID           | Matrix      | Test           | Method | Sample Date     | Prep Date | Anal Date | Received        |
|-----------------|--------------------|-------------|----------------|--------|-----------------|-----------|-----------|-----------------|
| <b>P4799-02</b> | <b>WC-TA2-02-C</b> | <b>SOIL</b> |                |        | <b>10/30/24</b> |           |           | <b>11/08/24</b> |
|                 |                    |             | PCB            | 8082A  |                 | 11/12/24  | 11/12/24  |                 |
| <b>P4799-03</b> | <b>WC-TA2-02-C</b> | <b>TCLP</b> |                |        | <b>10/30/24</b> |           |           | <b>11/08/24</b> |
|                 |                    |             | TCLP Herbicide | 8151A  |                 | 11/13/24  | 11/14/24  |                 |
|                 |                    |             | TCLP Pesticide | 8081B  |                 | 11/12/24  | 11/13/24  |                 |
| <b>P4799-06</b> | <b>WC-TA2-03-C</b> | <b>SOIL</b> |                |        | <b>11/01/24</b> |           |           | <b>11/08/24</b> |
|                 |                    |             | PCB            | 8082A  |                 | 11/12/24  | 11/12/24  |                 |
| <b>P4799-07</b> | <b>WC-TA2-03-C</b> | <b>TCLP</b> |                |        | <b>11/01/24</b> |           |           | <b>11/08/24</b> |
|                 |                    |             | TCLP Herbicide | 8151A  |                 | 11/13/24  | 11/14/24  |                 |
|                 |                    |             | TCLP Pesticide | 8081B  |                 | 11/12/24  | 11/13/24  |                 |
| <b>P4799-10</b> | <b>WC-TA1-01-C</b> | <b>SOIL</b> |                |        | <b>11/04/24</b> |           |           | <b>11/08/24</b> |
|                 |                    |             | PCB            | 8082A  |                 | 11/12/24  | 11/13/24  |                 |
| <b>P4799-11</b> | <b>WC-TA1-01-C</b> | <b>TCLP</b> |                |        | <b>11/04/24</b> |           |           | <b>11/08/24</b> |
|                 |                    |             | TCLP Herbicide | 8151A  |                 | 11/13/24  | 11/14/24  |                 |
|                 |                    |             | TCLP Pesticide | 8081B  |                 | 11/12/24  | 11/13/24  |                 |
| <b>P4799-14</b> | <b>WC-TA1-02-C</b> | <b>SOIL</b> |                |        | <b>11/05/24</b> |           |           | <b>11/08/24</b> |
|                 |                    |             | PCB            | 8082A  |                 | 11/12/24  | 11/13/24  |                 |
| <b>P4799-15</b> | <b>WC-TA1-02-C</b> | <b>TCLP</b> |                |        | <b>11/05/24</b> |           |           | <b>11/08/24</b> |
|                 |                    |             | TCLP Herbicide | 8151A  |                 | 11/13/24  | 11/14/24  |                 |
|                 |                    |             | TCLP Pesticide | 8081B  |                 | 11/12/24  | 11/13/24  |                 |
| <b>P4799-18</b> | <b>WC-TA1-03-C</b> | <b>SOIL</b> |                |        | <b>11/06/24</b> |           |           | <b>11/08/24</b> |
|                 |                    |             | PCB            | 8082A  |                 | 11/12/24  | 11/13/24  |                 |
| <b>P4799-19</b> | <b>WC-TA1-03-C</b> | <b>TCLP</b> |                |        | <b>11/06/24</b> |           |           | <b>11/08/24</b> |
|                 |                    |             | TCLP Herbicide | 8151A  |                 | 11/13/24  | 11/14/24  |                 |

**LAB CHRONICLE**

|                |       |          |          |
|----------------|-------|----------|----------|
| TCLP Pesticide | 8081B | 11/12/24 | 11/13/24 |
|----------------|-------|----------|----------|

A

C

D