

Report of Analysis

Client:	BAPS North Bergen		Date Collected:	
Project:	BAPS North Bergen		Date Received:	
Client Sample ID:	VY1113SBS02		SDG No.:	P4822
Lab Sample ID:	VY1113SBS02		Matrix:	SOIL
Analytical Method:	SW8260		% Solid:	100
Sample Wt/Vol:	5	Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10
GC Column:	RXI-624	ID : 0.25	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY020294.D	1		11/13/24 19:32	VY111324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
75-71-8	Dichlorodifluoromethane	16.7		1.70	5.00	ug/Kg
74-87-3	Chloromethane	18.1		1.20	5.00	ug/Kg
75-01-4	Vinyl Chloride	18.4		0.77	5.00	ug/Kg
74-83-9	Bromomethane	17.4		1.00	5.00	ug/Kg
75-00-3	Chloroethane	19.1		1.00	5.00	ug/Kg
75-69-4	Trichlorofluoromethane	23.0		0.91	5.00	ug/Kg
76-13-1	1,1,2-Trichlorotrifluoroethane	17.9		1.10	5.00	ug/Kg
75-35-4	1,1-Dichloroethene	16.5		0.78	5.00	ug/Kg
67-64-1	Acetone	90.7		6.20	25.0	ug/Kg
75-15-0	Carbon Disulfide	13.8		1.30	5.00	ug/Kg
1634-04-4	Methyl tert-butyl Ether	18.6		0.67	5.00	ug/Kg
79-20-9	Methyl Acetate	19.1		1.80	5.00	ug/Kg
75-09-2	Methylene Chloride	16.6		3.40	10.0	ug/Kg
156-60-5	trans-1,2-Dichloroethene	16.6		0.84	5.00	ug/Kg
75-34-3	1,1-Dichloroethane	24.4		0.63	5.00	ug/Kg
110-82-7	Cyclohexane	19.8		0.69	5.00	ug/Kg
78-93-3	2-Butanone	110		5.70	25.0	ug/Kg
56-23-5	Carbon Tetrachloride	28.0		0.87	5.00	ug/Kg
156-59-2	cis-1,2-Dichloroethene	20.4		0.61	5.00	ug/Kg
74-97-5	Bromochloromethane	19.5		2.40	5.00	ug/Kg
67-66-3	Chloroform	19.9		0.67	5.00	ug/Kg
71-55-6	1,1,1-Trichloroethane	19.9		0.78	5.00	ug/Kg
108-87-2	Methylcyclohexane	22.9		0.87	5.00	ug/Kg
71-43-2	Benzene	26.6		0.72	5.00	ug/Kg
107-06-2	1,2-Dichloroethane	28.5		0.61	5.00	ug/Kg
79-01-6	Trichloroethene	23.4		0.75	5.00	ug/Kg
78-87-5	1,2-Dichloropropane	26.8		0.66	5.00	ug/Kg
75-27-4	Bromodichloromethane	26.5		0.56	5.00	ug/Kg
108-10-1	4-Methyl-2-Pentanone	140		4.40	25.0	ug/Kg
108-88-3	Toluene	23.5		0.67	5.00	ug/Kg

Report of Analysis

Client:	BAPS North Bergen		Date Collected:	
Project:	BAPS North Bergen		Date Received:	
Client Sample ID:	VY1113SBS02		SDG No.:	P4822
Lab Sample ID:	VY1113SBS02		Matrix:	SOIL
Analytical Method:	SW8260		% Solid:	100
Sample Wt/Vol:	5	Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10
GC Column:	RXI-624	ID : 0.25	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY020294.D	1		11/13/24 19:32	VY111324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
10061-02-6	t-1,3-Dichloropropene	22.9		0.60	5.00	ug/Kg
10061-01-5	cis-1,3-Dichloropropene	27.3		0.57	5.00	ug/Kg
79-00-5	1,1,2-Trichloroethane	30.0		0.84	5.00	ug/Kg
591-78-6	2-Hexanone	140		4.80	25.0	ug/Kg
124-48-1	Dibromochloromethane	27.1		0.65	5.00	ug/Kg
106-93-4	1,2-Dibromoethane	23.6		0.79	5.00	ug/Kg
127-18-4	Tetrachloroethene	29.3		0.89	5.00	ug/Kg
108-90-7	Chlorobenzene	22.8		0.74	5.00	ug/Kg
100-41-4	Ethyl Benzene	23.0		0.62	5.00	ug/Kg
179601-23-1	m/p-Xylenes	55.7		1.40	10.0	ug/Kg
95-47-6	o-Xylene	27.7		0.70	5.00	ug/Kg
100-42-5	Styrene	28.0		0.60	5.00	ug/Kg
75-25-2	Bromoform	32.3		0.81	5.00	ug/Kg
98-82-8	Isopropylbenzene	22.8		0.67	5.00	ug/Kg
79-34-5	1,1,2,2-Tetrachloroethane	22.2		1.10	5.00	ug/Kg
541-73-1	1,3-Dichlorobenzene	22.7		0.74	5.00	ug/Kg
106-46-7	1,4-Dichlorobenzene	22.3		0.80	5.00	ug/Kg
95-50-1	1,2-Dichlorobenzene	22.5		0.59	5.00	ug/Kg
96-12-8	1,2-Dibromo-3-Chloropropane	20.3		1.60	5.00	ug/Kg
120-82-1	1,2,4-Trichlorobenzene	20.1		0.79	5.00	ug/Kg
87-61-6	1,2,3-Trichlorobenzene	19.7		0.78	5.00	ug/Kg
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	61.0		70 (50) - 130 (163)	122%	SPK: 50
1868-53-7	Dibromofluoromethane	57.9		70 (54) - 130 (147)	116%	SPK: 50
2037-26-5	Toluene-d8	62.7		70 (58) - 130 (134)	125%	SPK: 50
460-00-4	4-Bromofluorobenzene	72.7	*	70 (29) - 130 (146)	145%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	239000	7.713			
540-36-3	1,4-Difluorobenzene	372000	8.615			
3114-55-4	Chlorobenzene-d5	329000	11.414			
3855-82-1	1,4-Dichlorobenzene-d4	186000	13.346			

Report of Analysis

Client:	BAPS North Bergen		Date Collected:	
Project:	BAPS North Bergen		Date Received:	
Client Sample ID:	VY1113SBS02		SDG No.:	P4822
Lab Sample ID:	VY1113SBS02		Matrix:	SOIL
Analytical Method:	SW8260		% Solid:	100
Sample Wt/Vol:	5	Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10
GC Column:	RXI-624	ID : 0.25	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY020294.D	1		11/13/24 19:32	VY111324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products