

Report of Analysis

Client:	BAPS North Bergen		Date Collected:	11/12/24	
Project:	BAPS North Bergen		Date Received:	11/12/24	
Client Sample ID:	SOIL-3		SDG No.:	P4822	
Lab Sample ID:	P4822-05		Matrix:	SOIL	
Analytical Method:	SW8260		% Solid:	92.5	
Sample Wt/Vol:	5.68	Units: g	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY020290.D	1		11/13/24 17:59	VY111324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
75-71-8	Dichlorodifluoromethane	1.60	U	1.60	4.80	ug/Kg
74-87-3	Chloromethane	1.10	U	1.10	4.80	ug/Kg
75-01-4	Vinyl Chloride	0.73	U	0.73	4.80	ug/Kg
74-83-9	Bromomethane	0.98	U	0.98	4.80	ug/Kg
75-00-3	Chloroethane	0.96	U	0.96	4.80	ug/Kg
75-69-4	Trichlorofluoromethane	0.87	U	0.87	4.80	ug/Kg
76-13-1	1,1,2-Trichlorotrifluoroethane	1.00	U	1.00	4.80	ug/Kg
75-35-4	1,1-Dichloroethene	0.74	U	0.74	4.80	ug/Kg
67-64-1	Acetone	5.90	U	5.90	23.8	ug/Kg
75-15-0	Carbon Disulfide	1.20	U	1.20	4.80	ug/Kg
1634-04-4	Methyl tert-butyl Ether	0.64	U	0.64	4.80	ug/Kg
79-20-9	Methyl Acetate	1.70	U	1.70	4.80	ug/Kg
75-09-2	Methylene Chloride	5.50	J	3.20	9.50	ug/Kg
156-60-5	trans-1,2-Dichloroethene	0.80	U	0.80	4.80	ug/Kg
75-34-3	1,1-Dichloroethane	0.60	U	0.60	4.80	ug/Kg
110-82-7	Cyclohexane	0.66	U	0.66	4.80	ug/Kg
78-93-3	2-Butanone	5.40	U	5.40	23.8	ug/Kg
56-23-5	Carbon Tetrachloride	0.83	UQ	0.83	4.80	ug/Kg
156-59-2	cis-1,2-Dichloroethene	0.58	U	0.58	4.80	ug/Kg
74-97-5	Bromochloromethane	2.30	U	2.30	4.80	ug/Kg
67-66-3	Chloroform	0.64	U	0.64	4.80	ug/Kg
71-55-6	1,1,1-Trichloroethane	0.74	U	0.74	4.80	ug/Kg
108-87-2	Methylcyclohexane	0.83	U	0.83	4.80	ug/Kg
71-43-2	Benzene	0.69	UQ	0.69	4.80	ug/Kg
107-06-2	1,2-Dichloroethane	0.58	UQ	0.58	4.80	ug/Kg
79-01-6	Trichloroethene	0.71	U	0.71	4.80	ug/Kg
78-87-5	1,2-Dichloropropane	0.63	UQ	0.63	4.80	ug/Kg
75-27-4	Bromodichloromethane	0.53	UQ	0.53	4.80	ug/Kg
108-10-1	4-Methyl-2-Pentanone	4.10	U	4.10	23.8	ug/Kg
108-88-3	Toluene	0.64	U	0.64	4.80	ug/Kg

Report of Analysis

Client:	BAPS North Bergen		Date Collected:	11/12/24	
Project:	BAPS North Bergen		Date Received:	11/12/24	
Client Sample ID:	SOIL-3		SDG No.:	P4822	
Lab Sample ID:	P4822-05		Matrix:	SOIL	
Analytical Method:	SW8260		% Solid:	92.5	
Sample Wt/Vol:	5.68	Units: g	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY020290.D	1		11/13/24 17:59	VY111324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
10061-02-6	t-1,3-Dichloropropene	0.57	U	0.57	4.80	ug/Kg
10061-01-5	cis-1,3-Dichloropropene	0.54	UQ	0.54	4.80	ug/Kg
79-00-5	1,1,2-Trichloroethane	0.80	UQ	0.80	4.80	ug/Kg
591-78-6	2-Hexanone	4.60	U	4.60	23.8	ug/Kg
124-48-1	Dibromochloromethane	0.62	UQ	0.62	4.80	ug/Kg
106-93-4	1,2-Dibromoethane	0.75	U	0.75	4.80	ug/Kg
127-18-4	Tetrachloroethene	0.85	UQ	0.85	4.80	ug/Kg
108-90-7	Chlorobenzene	0.70	U	0.70	4.80	ug/Kg
100-41-4	Ethyl Benzene	0.59	U	0.59	4.80	ug/Kg
179601-23-1	m/p-Xylenes	1.30	UQ	1.30	9.50	ug/Kg
95-47-6	o-Xylene	0.67	UQ	0.67	4.80	ug/Kg
100-42-5	Styrene	0.57	UQ	0.57	4.80	ug/Kg
75-25-2	Bromoform	0.77	UQ	0.77	4.80	ug/Kg
98-82-8	Isopropylbenzene	0.64	U	0.64	4.80	ug/Kg
79-34-5	1,1,2,2-Tetrachloroethane	1.00	U	1.00	4.80	ug/Kg
541-73-1	1,3-Dichlorobenzene	0.70	U	0.70	4.80	ug/Kg
106-46-7	1,4-Dichlorobenzene	0.76	U	0.76	4.80	ug/Kg
95-50-1	1,2-Dichlorobenzene	0.56	U	0.56	4.80	ug/Kg
96-12-8	1,2-Dibromo-3-Chloropropane	1.50	U	1.50	4.80	ug/Kg
120-82-1	1,2,4-Trichlorobenzene	0.75	U	0.75	4.80	ug/Kg
87-61-6	1,2,3-Trichlorobenzene	0.74	U	0.74	4.80	ug/Kg
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	52.1		70 (50) - 130 (163)	104%	SPK: 50
1868-53-7	Dibromofluoromethane	54.8		70 (54) - 130 (147)	110%	SPK: 50
2037-26-5	Toluene-d8	63.7		70 (58) - 130 (134)	127%	SPK: 50
460-00-4	4-Bromofluorobenzene	40.2		70 (29) - 130 (146)	80%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	152000	7.713			
540-36-3	1,4-Difluorobenzene	316000	8.622			
3114-55-4	Chlorobenzene-d5	305000	11.414			
3855-82-1	1,4-Dichlorobenzene-d4	79500	13.347			

Report of Analysis

Client:	BAPS North Bergen		Date Collected:	11/12/24	
Project:	BAPS North Bergen		Date Received:	11/12/24	
Client Sample ID:	SOIL-3		SDG No.:	P4822	
Lab Sample ID:	P4822-05		Matrix:	SOIL	
Analytical Method:	SW8260		% Solid:	92.5	
Sample Wt/Vol:	5.68	Units: g	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY020290.D	1		11/13/24 17:59	VY111324

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products