

Report of Analysis

Client:	ENTACT		Date Collected:	11/13/24	
Project:	North Point		Date Received:	11/13/24	
Client Sample ID:	EX-4-TPH-5		SDG No.:	P4839	
Lab Sample ID:	P4839-21		Matrix:	SOIL	
Analytical Method:	8015D DRO		% Solid:	84.8	Decanted:
Sample Wt/Vol:	30.04	Units: g	Final Vol:	1	mL
Soil Aliquot Vol:		uL	Test:	Diesel Range Organics	
Extraction Type:			Injection Volume :		
GPC Factor :		PH :			
Prep Method :	SW3541				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
FF015088.D	100	11/16/24 08:20	11/18/24 16:15	PB165028

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
DRO	DRO	1010000		21800	196000	ug/kg
SURROGATES						
16416-32-3	Tetracosane-d50	0.00	*	37 - 130	0%	SPK: 20

Comments:

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 P = Indicates >25% difference for detected concentrations between the two GC columns
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.
 () = Laboratory InHouse Limit