

284 Sheffield Street, Mountainside, New Jersey 07092, Phone: 908 789 8900,

Date Collected:

Date Received:

SDG No.:

Matrix:

% Solid:

Final Vol:

Injection Volume:

Test:

11/13/24

11/13/24

P4839

SOIL

86.4

5

Decanted:

mL

Gasoline Range Organics

Prep Batch ID

Fax: 908 789 8922

g

Report of Analysis

Client: ENTACT

Project: North Point

Client Sample ID: EX-9-TPH-11

Lab Sample ID: P4839-03

Analytical Method: 8015D GRO

Sample Wt/Vol: 7.49 Units:

Soil Aliquot Vol: uL

1

GPC Factor: PH:

Prep Method:

Extraction Type:

File ID/Qc Batch: Dilution:

: Date Analyzed

FB031239.D 250 11/18/24 13:18 FB111824

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS GRO	GRO	38500		1490	8690	ug/kg
SURROGATES 98-08-8	Alpha,Alpha,Alpha-Trifluorot	o 23.3		50 - 150	117%	SPK: 20

Comments:

U = Not Detected

LOO = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit