

Instrument :

FID_B

ClientSampleId :

EX-9-TPH-14

riteres

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB11182
Data File : FB031240.D
Signal(s) : FID2B.CH
Acq On : 18 Nov 2024 13:45
Sample : P4839-06 500X
Misc : 7.23G/5.00 ML ME0H
ALS Vial : 6 Sample Multiplier: 1

Reviewed By :Yogesh Patel 11/19/2024

Supervised By :Ankita Jodhani 11/19/2024

Integration File: SAMPLE.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB102824.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.717	4.520	4.861	BV	15527	1144504	67.49%	5.688%
2	5.711	5.525	5.801	PV	1637	168352	9.93%	0.837%
3	5.968	5.801	6.226	VV	5332	585217	34.51%	2.908%
4	6.385	6.226	6.561	VV	9708	671420	39.59%	3.337%
5	6.901	6.561	6.982	PV	10826	781346	46.08%	3.883%
6	7.139	6.982	7.277	VV	14888	1635693	96.46%	8.129%
7	7.425	7.277	7.578	VV	16955	1571274	92.66%	7.808%
8	7.754	7.578	7.979	VV	11757	1035675	61.07%	5.147%
9	8.077	7.979	8.168	VV	1672	120363	7.10%	0.598%
10	8.257	8.168	8.353	VV	1873	127454	7.52%	0.633%
11	8.557	8.353	8.678	VV	5735	673305	39.71%	3.346%
12	8.804	8.678	8.973	VV	11712	963712	56.83%	4.789%
13	9.165	8.973	9.262	VV	9610	844908	49.82%	4.199%
14	9.385	9.262	9.544	VV	20091	1695769	100.00%	8.427%
15	9.648	9.544	9.957	VV	10683	1116732	65.85%	5.550%
16	10.013	9.957	10.080	VV	487	28986	1.71%	0.144%
17	10.304	10.080	10.414	VV	8098	643112	37.92%	3.196%
18	10.459	10.414	10.597	VV	2242	179988	10.61%	0.894%
19	10.686	10.597	10.732	VV	1628	102964	6.07%	0.512%
20	10.792	10.732	10.870	VV	1988	124391	7.34%	0.618%
21	10.962	10.870	11.080	VV	2179	190742	11.25%	0.948%
22	11.166	11.080	11.475	VV	2669	245010	14.45%	1.218%
23	11.608	11.475	11.639	VV	1162	71256	4.20%	0.354%
24	11.876	11.639	11.985	VV	9972	798506	47.09%	3.968%
25	12.093	11.985	12.241	VV	7201	424506	25.03%	2.110%
26	12.337	12.241	12.457	VV	1174	72460	4.27%	0.360%
27	12.524	12.457	12.574	PV	69	3221	0.19%	0.016%
28	12.759	12.574	12.900	VV	5375	324171	19.12%	1.611%
29	13.056	12.900	13.126	VV	4439	305802	18.03%	1.520%
30	13.183	13.126	13.259	VV	3566	196054	11.56%	0.974%
31	13.304	13.259	13.433	VV	1424	102699	6.06%	0.510%
32	13.532	13.433	13.637	VV	2126	127805	7.54%	0.635%
33	13.803	13.637	13.886	VV	827	84137	4.96%	0.418%
34	13.918	13.886	13.981	VV	392	16968	1.00%	0.084%
35	14.176	13.981	14.314	VV	5266	547007	32.26%	2.718%
36	14.420	14.314	14.483	VV	2964	163194	9.62%	0.811%

rteres							
37	14.535	14.483	14.652	VV	2221	115657	6.82% 0.575%
38	14.696	14.652	14.762	VV	144	5407	
39	14.834	14.762	14.895	PV	304	15650	
40	15.064	14.895	15.135	VV	2463	149359	
41	15.229	15.135	15.333	VV	7503	414739	24.57% 1.734%
42	15.430	15.333	15.464	VV	6496	310560	18.57% 1.109%
43	15.504	15.464	15.635	VV	6882	348841	20.57% 1.734%
44	15.663	15.635	15.733	VV	490	20384	1.20% 0.101%
45	15.793	15.733	15.858	VV	447	19009	1.12% 0.094%
46	15.952	15.858	16.086	VV	2139	112319	6.62% 0.558%
47	16.198	16.086	16.315	VV	7521	400194	23.60% 1.989%
48	16.394	16.315	16.482	VV	3494	223076	13.15% 1.109%
49	16.519	16.482	16.549	VV	945	35687	2.10% 0.177%
50	16.595	16.549	16.734	VV	1145	63051	3.72% 0.313%

Sum of corrected areas: 20122636

FB102824.M Tue Nov 19 00:15:50 2024

Instrument :
FID_B
ClientSampleId :
EX-9-TPH-14

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 11/19/2024
Supervised By :Ankita Jodhani 11/19/2024