

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB111824\
Data File : FB031238.D
Signal(s) : FID2B.CH
Acq On : 18 Nov 2024 12:40
Sample : BSF1118S1
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 4 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB102824.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.720	4.582	4.900	BBA	14650	1105575	76.25%	13.563%
2	7.425	7.219	7.647	PV	15017	1357726	93.64%	16.656%
3	7.755	7.647	7.822	VV	7218	405399	27.96%	4.973%
4	7.894	7.822	8.086	VV	9507	522360	36.03%	6.408%
5	8.794	8.626	9.063	BV	8657	499856	34.47%	6.132%
6	10.623	10.509	11.025	VV	27784	1449910	100.00%	17.787%
7	13.060	12.921	13.121	PV	8905	420004	28.97%	5.153%
8	13.193	13.121	13.433	VV	17478	895441	61.76%	10.985%
9	13.921	13.708	14.051	BV	16646	834433	57.55%	10.237%
10	16.197	16.066	16.344	PV	14979	660688	45.57%	8.105%

Sum of corrected areas: 8151391

FB102824.M Tue Nov 19 00:13:28 2024