

## Cover Page

**Order ID :** P4845

**Project ID :** Scotia, NY - Annual Testing

**Client :** EA Engineering Science & Technology

### Lab Sample Number

P4845-01  
P4845-02  
P4845-03  
P4845-04  
P4845-05  
P4845-06  
P4845-07  
P4845-08  
P4845-09  
P4845-10  
P4845-11  
P4845-12  
P4845-13  
P4845-14  
P4845-15  
P4845-16  
P4845-17  
P4845-18  
P4845-19  
P4845-20  
P4845-21  
P4845-22  
P4845-23  
P4845-24

### Client Sample Number

FSND-MW-27-20241112  
FSND-MW-B-3-20241112  
FSND-MW-36-20241112  
FSND-MW-22R-20241112  
FSND-MW-23-20241112  
FSND-MW-23-20241112MS  
FSND-MW-23-20241112MSD  
FSND-MW-35-20241112  
FSND-RB-1-20241111  
FSND-RB-2-20241112  
FSND-MW-33-20241112  
FSND-MW-31-20241112  
FSND-MW-9-20241111  
FSND-MW-5-20241111  
FSND-MW-12R-20241111  
FSND-MW-DUP-01-20241111  
FSND-MW-17-20241111  
FSND-FD-2-20241111  
FSND-GEP-2-20241111  
FSND-MW-14-20241111  
FSND-MW-13-20241112  
FSND-MW-11R-20241112  
FSND-MW-18-20241112  
FSND-MW-20-20241112

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : \_\_\_\_\_

Date: 11/29/2024

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

## **CASE NARRATIVE**

### **EA Engineering Science & Technology**

**Project Name: Scotia, NY - Annual Testing**

**Project # N/A**

**Chemtech Project # P4845**

**Test Name: VOC-TCLVOA-10**

#### **A. Number of Samples and Date of Receipt:**

24 Water samples were received on 11/14/2024.

#### **B. Parameters**

According to the Chain of Custody document, the following analyses were requested: VOC-TCLVOA-10. This data package contains results for VOC-TCLVOA-10.

#### **C. Analytical Techniques:**

The analysis performed on instrument MSVOA\_N were done using GC column RXI-624SIL MS 30m 0.25mm 1.4 um. Cat#13868. The analysis of VOC-TCLVOA-10 was based on method 8260D.

#### **D. QA/ QC Samples:**

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria.

The Internal Standards Areas met the acceptable requirements.

The Retention Times were acceptable for all samples.

The MS recoveries met the requirements for all compounds .

The MSD recoveries met the acceptable requirements .

The RPD met criteria .

The Blank Spike for { VN1122WBS01 } with File ID: VN085014.D met requirements for all samples except for 1,1,2-Trichloroethane[120%] is failing high but no positive hit in associate sample therefore no corrective action taken.

The Blank analysis did not indicate the presence of lab contamination.

The %RSD is greater than 20% in the Initial Calibration method (82N103024W.M) for Methyl Acetate, Acetone, Chloroethane, Chloromethane these compounds are passing on Linear Regression while, 1,4-Dichlorobenzene this compound is passing on Quadratic Regression.

The %RSD is greater than 20% in the Initial Calibration method (82N112224W.M) for Methyl Acetate this compound is passing on Linear Regression.

The Continuous Calibration File ID VN084884.D met the requirements except for Carbon Tetrachloride, Dibromochloromethane, o-Xylene, Trichlorofluoromethane and Chloroethane are failing high but no positive hit in associate sample therefore no corrective action taken.



284 Sheffield Street, Mountainside, NJ 07092  
Phone: 908 789 8900 Fax: 908 789 8922

The Continuous Calibration File ID VN084935.D met the requirements except for 1,2,4-Trichlorobenzene and Carbon Disulfide is failing marginally low therefore no corrective action taken.

The Continuous Calibration File ID VN084960.D met the requirements except for 2-Hexanone and 4-Methyl-2-Pentanone are failing high but no positive hit in associate sample therefore no corrective action taken.

The Continuous Calibration File ID VN085035.D met the requirements except for Acetone is failing marginally high therefore no corrective action taken.  
The Tuning criteria met requirements.

Samples FSND-MW-27-20241112, FSND-MW-22R-20241112, FSND-MW-33-20241112, FSND-GEP-2-20241111 and FSND-MW-13-20241112 were diluted due to high concentrations.

**E. Additional Comments:**

The Sample #FSND-MW-35-20241112 , FSND-MW-9-20241111, FSND-MW-11R-20241112 , FSND-MW-18-20241112 have the concentration of target compound below Method detection limits, therefore it is not reported as Hit in Form1.

Trip Blank was not provided with this set of samples.

The not QT review data is reported in the Miscellaneous.

Please use %D calculated based on Avg RF and CCRF for all compounds using Average Response Factor when the %RSD value for a compound is <20% for the Initial Calibration curve and use %D calculated based on Amount added and Calculated amount for all compounds using Linear Regression when the %RSD value for a compound is > 20% for the Initial Calibration curve for SW-846 analysis.

**F. Manual Integration Comments:**

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

---

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature\_\_\_\_\_

## DATA REPORTING QUALIFIERS- ORGANIC

For reporting results, the following “Results Qualifiers” are used:

|       |   |
|-------|---|
| Value | If the result is a value greater than or equal to the detection limit, report the value   |
| U     | Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. “10 U”. This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.   |
| ND    | Indicates the analyte was analyzed for, but not detected  |
| J     | Indicates an estimated value. This flag is used:<br>(1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.)<br>(2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3 ug/L was calculated report as 3 J. This flag is used when similar situation arise on any organic parameter i.e. Pest, PCB and others. |
| B     | Indicates the analyte was found in the blank as well as the sample report as “12 B”.  |
| E     | Indicates the analyte ‘s concentration exceeds the calibrated range of the instrument for that specific analysis.   |
| D     | This flag identifies all compounds identified in an analysis at a secondary dilution factor.  |
| P     | This flag is used for Pesticide/PCB target analyte when there is >25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form 1 and flagged with a “P”.  |
| N     | This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.  |
| A     | This flag indicates that a Tentatively Identified Compound is a suspected aldol-condensation product.   |
| Q     | Indicates the LCS did not meet the control limits requirements  |

## APPENDIX A

### QA REVIEW GENERAL DOCUMENTATION

Project #: P4845

Completed

For thorough review, the report must have the following:

#### GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

#### COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

#### CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

#### ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: SOHIL JODHANI

Date: 11/29/2024