

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX112124\
 Data File : VX043923.D
 Acq On : 20 Nov 2024 19:16
 Operator : JC/MD
 Sample : VSTDICV050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 ICVVX112124

Quant Time: Nov 21 07:05:02 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X112024W.M
 Quant Title : SW846 8260
 QLast Update : Thu Nov 21 07:00:56 2024
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	50.000	50.000	0.0	78	0.00
2 T	Dichlorodifluoromethane	50.000	62.046	-24.1	89	0.00
3 P	Chloromethane	50.000	55.867	-11.7	84	0.00
4 C	Vinyl Chloride	50.000	55.940	-11.9#	94	0.00
5 T	Bromomethane	50.000	69.459	-38.9#	102	0.00
6 T	Chloroethane	50.000	58.791	-17.6	102	0.00
7 T	Trichlorofluoromethane	50.000	69.274	-38.5#	105	0.00
8 T	Diethyl Ether	50.000	64.776	-29.6#	101	0.00
9 T	1,1,2-Trichlorotrifluoroeth	50.000	53.013	-6.0	83	0.00
10 T	Methyl Iodide	50.000	51.664	-3.3	78	0.00
11 T	Tert butyl alcohol	250.000	283.818	-13.5	93	0.00
12 CM	1,1-Dichloroethene	50.000	53.599	-7.2#	80	0.00
13 T	Acrolein	250.000	272.556	-9.0	81	0.00
14 T	Allyl chloride	50.000	58.343	-16.7	83	0.00
15 T	Acrylonitrile	250.000	276.221	-10.5	83	0.00
16 T	Acetone	250.000	265.748	-6.3	85	0.00
17 T	Carbon Disulfide	50.000	54.052	-8.1	84	0.00
18 T	Methyl Acetate	50.000	54.593	-9.2	86	0.00
19 T	Methyl tert-butyl Ether	50.000	57.868	-15.7	87	0.00
20 T	Methylene Chloride	50.000	51.368	-2.7	82	0.00
21 T	trans-1,2-Dichloroethene	50.000	55.548	-11.1	84	0.00
22 T	Diisopropyl ether	50.000	58.005	-16.0	87	0.00
23 T	Vinyl Acetate	250.000	314.256	-25.7#	91	0.00
24 P	1,1-Dichloroethane	50.000	56.478	-13.0	86	0.00
25 T	2-Butanone	250.000	288.244	-15.3	86	0.00
26 T	2,2-Dichloropropane	50.000	57.127	-14.3	87	0.00
27 T	cis-1,2-Dichloroethene	50.000	54.236	-8.5	83	0.00
28 T	Bromochloromethane	50.000	54.265	-8.5	84	0.00
29 T	Tetrahydrofuran	250.000	284.374	-13.7	86	0.00
30 C	Chloroform	50.000	57.044	-14.1#	87	0.00
31 T	Cyclohexane	50.000	52.818	-5.6	83	0.00
32 T	1,1,1-Trichloroethane	50.000	58.048	-16.1	87	0.00
33 S	1,2-Dichloroethane-d4	50.000	58.016	-16.0	89	0.00
34 I	1,4-Difluorobenzene	50.000	50.000	0.0	76	0.00
35 S	Dibromofluoromethane	50.000	54.792	-9.6	82	0.00
36 T	1,1-Dichloropropene	50.000	53.685	-7.4	84	0.00
37 T	Ethyl Acetate	50.000	59.057	-18.1	90	0.00
38 T	Carbon Tetrachloride	50.000	56.086	-12.2	87	0.00
39 T	Methylcyclohexane	50.000	52.543	-5.1	81	0.00
40 TM	Benzene	50.000	53.028	-6.1	80	0.00
41 T	Methacrylonitrile	50.000	59.928	-19.9	87	0.00
42 TM	1,2-Dichloroethane	50.000	58.882	-17.8	90	0.00
43 T	Isopropyl Acetate	50.000	60.266	-20.5	92	0.00
44 TM	Trichloroethene	50.000	48.004	4.0	82	0.00
45 C	1,2-Dichloropropane	50.000	53.869	-7.7#	82	0.00
46 T	Dibromomethane	50.000	57.366	-14.7	87	0.00
47 T	Bromodichloromethane	50.000	58.559	-17.1	84	0.00
48 T	Methyl methacrylate	50.000	56.995	-14.0	89	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX112124\
 Data File : VX043923.D
 Acq On : 20 Nov 2024 19:16
 Operator : JC/MD
 Sample : VSTDICV050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 ICVVX112124

Quant Time: Nov 21 07:05:02 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X112024W.M
 Quant Title : SW846 8260
 QLast Update : Thu Nov 21 07:00:56 2024
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	1000.000	1161.399	-16.1	120	0.00
50 S	Toluene-d8	50.000	55.587	-11.2	80	0.00
51 T	4-Methyl-2-Pentanone	250.000	296.806	-18.7	88	0.00
52 CM	Toluene	50.000	57.032	-14.1#	81	0.00
53 T	t-1,3-Dichloropropene	50.000	59.078	-18.2	83	0.00
54 T	cis-1,3-Dichloropropene	50.000	56.813	-13.6	84	0.00
55 T	1,1,2-Trichloroethane	50.000	58.565	-17.1	82	0.00
56 T	Ethyl methacrylate	50.000	60.268	-20.5	82	0.00
57 T	1,3-Dichloropropane	50.000	58.860	-17.7	81	0.00
58 T	2-Chloroethyl Vinyl ether	250.000	280.598	-12.2	82	0.00
59 T	2-Hexanone	250.000	313.432	-25.4#	88	0.00
60 T	Dibromochloromethane	50.000	62.789	-25.6#	84	0.00
61 T	1,2-Dibromoethane	50.000	57.509	-15.0	82	0.00
62 S	4-Bromofluorobenzene	50.000	60.492	-21.0	81	0.00
63 I	Chlorobenzene-d5	50.000	50.000	0.0	77	0.00
64 T	Tetrachloroethene	50.000	51.529	-3.1	79	0.00
65 PM	Chlorobenzene	50.000	52.143	-4.3	78	0.00
66 T	1,1,1,2-Tetrachloroethane	50.000	54.848	-9.7	81	0.00
67 C	Ethyl Benzene	50.000	54.424	-8.8#	80	0.00
68 T	m/p-Xylenes	100.000	108.500	-8.5	78	0.00
69 T	o-Xylene	50.000	55.404	-10.8	79	0.00
70 T	Styrene	50.000	56.236	-12.5	78	0.00
71 P	Bromoform	50.000	49.198	1.6	83	0.00
72 I	1,4-Dichlorobenzene-d4	50.000	50.000	0.0	77	0.00
73 T	Isopropylbenzene	50.000	53.117	-6.2	81	0.00
74 T	N-amyl acetate	50.000	51.587	-3.2	90	0.00
75 P	1,1,2,2-Tetrachloroethane	50.000	54.391	-8.8	82	0.00
76 T	1,2,3-Trichloropropane	50.000	53.071	-6.1	82	0.00
77 T	Bromobenzene	50.000	51.501	-3.0	78	0.00
78 T	n-propylbenzene	50.000	54.835	-9.7	81	0.00
79 T	2-Chlorotoluene	50.000	54.025	-8.0	81	0.00
80 T	1,3,5-Trimethylbenzene	50.000	53.291	-6.6	80	0.00
81 T	trans-1,4-Dichloro-2-butene	50.000	48.469	3.1	80	0.00
82 T	4-Chlorotoluene	50.000	53.165	-6.3	80	0.00
83 T	tert-Butylbenzene	50.000	51.719	-3.4	78	0.00
84 T	1,2,4-Trimethylbenzene	50.000	53.283	-6.6	79	0.00
85 T	sec-Butylbenzene	50.000	52.682	-5.4	79	0.00
86 T	p-Isopropyltoluene	50.000	52.472	-4.9	78	0.00
87 T	1,3-Dichlorobenzene	50.000	50.841	-1.7	78	0.00
88 T	1,4-Dichlorobenzene	50.000	49.126	1.7	78	0.00
89 T	n-Butylbenzene	50.000	53.527	-7.1	81	0.00
90 T	Hexachloroethane	50.000	46.087	7.8	85	0.00
91 T	1,2-Dichlorobenzene	50.000	48.926	2.1	78	0.00
92 T	1,2-Dibromo-3-Chloropropane	50.000	45.200	9.6	83	0.00
93 T	1,2,4-Trichlorobenzene	50.000	48.719	2.6	76	0.00
94 T	Hexachlorobutadiene	50.000	47.658	4.7	80	0.00
95 T	Naphthalene	50.000	50.468	-0.9	77	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX112124\
Data File : VX043923.D
Acq On : 20 Nov 2024 19:16
Operator : JC/MD
Sample : VSTDICV050
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
ICVVX112124

Quant Time: Nov 21 07:05:02 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X112024W.M
Quant Title : SW846 8260
QLast Update : Thu Nov 21 07:00:56 2024
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	50.000	49.248	1.5	76	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6