

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF111924\
 Data File : BF140468.D
 Acq On : 19 Nov 2024 12:54
 Operator : RC/JU
 Sample : P4852-01
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 COMP-1

Quant Time: Nov 19 13:18:02 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF111324.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Nov 13 14:40:06 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.869	152	154847	20.000	ng	-0.01
21) Naphthalene-d8	8.151	136	579716	20.000	ng	0.00
39) Acenaphthene-d10	9.904	164	318630	20.000	ng	-0.01
64) Phenanthrene-d10	11.392	188	582083	20.000	ng	-0.01
76) Chrysene-d12	14.051	240	316058	20.000	ng	0.00
86) Perylene-d12	15.568	264	288064	20.000	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.504	112	698864	77.059	ng	0.01
7) Phenol-d6	6.510	99	926760	75.424	ng	0.00
23) Nitrobenzene-d5	7.434	82	609652	54.793	ng	0.00
42) 2,4,6-Tribromophenol	10.698	330	242538	76.546	ng	0.00
45) 2-Fluorobiphenyl	9.222	172	1113906	56.199	ng	-0.01
79) Terphenyl-d14	12.980	244	1035213	56.854	ng	0.00
Target Compounds						
						Qvalue
19) n-Nitroso-di-n-propyla...	7.434	70	78859	10.626	ng	# 77
25) Isophorone	7.434	82	603616	30.610	ng	# 66
51) 2,6-Dinitrotoluene	9.904	165	40709	8.598	ng	# 22
57) 2,4-Dinitrotoluene	9.904	165	40709	6.533	ng	# 20
63) Azobenzene	10.616	77	66467	3.168	ng	# 1
67) 4-Bromophenyl-phenylether	10.698	248	15021	2.582	ng	# 1
71) Phenanthrene	11.422	178	87171	3.188	ng	98
75) Fluoranthene	12.610	202	142825	4.656	ng	99
78) Pyrene	12.839	202	117198	4.335	ng	98
81) Benzo(a)anthracene	14.039	228	47602	2.292	ng	98
83) Chrysene	14.074	228	40634	2.144	ng	97
88) Benzo(b)fluoranthene	15.127	252	59834	3.175	ng	98
89) Benzo(k)fluoranthene	15.127	252	59834	3.887	ng	# 97
90) Benzo(a)pyrene	15.498	252	31910	2.181	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF111924\
Data File : BF140468.D
Acq On : 19 Nov 2024 12:54
Operator : RC/JU
Sample : P4852-01
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
COMP-1

Quant Time: Nov 19 13:18:02 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF111324.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Nov 13 14:40:06 2024
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.869 min Scan# 813
Delta R.T. -0.012 min
Lab File: BF140468.D
Acq: 19 Nov 2024 12:54




Instrument :
BNA_F
ClientSampleId :
COMP-1


Tgt Ion:152 Resp: 154847
Ion Ratio Lower Upper
152 100
150 154.7 127.4 191.0
115 60.5 47.4 71.2



#5
2-Fluorophenol
Concen: 77.059 ng
RT: 5.504 min Scan# 580
Delta R.T. 0.012 min
Lab File: BF140468.D
Acq: 19 Nov 2024 12:54

Tgt Ion:112 Resp: 698864
Ion Ratio Lower Upper
112 100
64 60.0 49.2 73.8
63 31.2 25.6 38.4









#7
Phenol-d6
Concen: 75.424 ng
RT: 6.510 min Scan# 71
Delta R.T. 0.006 min
Lab File: BF140468.D
Acq: 19 Nov 2024 12:54




Instrument :
BNA_F
ClientSampleId :
COMP-1


Tgt Ion: 99 Resp: 926760
Ion Ratio Lower Upper
99 100
42 17.9 15.1 22.7
71 34.5 27.9 41.9



#19
n-Nitroso-di-n-propylamine
Concen: 10.626 ng
RT: 7.434 min Scan# 908
Delta R.T. 0.141 min
Lab File: BF140468.D
Acq: 19 Nov 2024 12:54

Tgt Ion: 70 Resp: 78859
Ion Ratio Lower Upper
70 100
42 46.3 46.8 70.2#
101 0.0 7.5 11.3#
130 1.9 16.3 24.5#









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.151 min Scan# 1030
Delta R.T. -0.006 min
Lab File: BF140468.D
Acq: 19 Nov 2024 12:54




Instrument :
BNA_F
ClientSampleId :
COMP-1


Tgt Ion:136 Resp: 579716
Ion Ratio Lower Upper
136 100
137 10.9 8.7 13.1
54 7.7 6.5 9.7
68 6.3 5.0 7.6



#23
Nitrobenzene-d5
Concen: 54.793 ng
RT: 7.434 min Scan# 908
Delta R.T. -0.006 min
Lab File: BF140468.D
Acq: 19 Nov 2024 12:54

Tgt Ion: 82 Resp: 609652
Ion Ratio Lower Upper
82 100
128 43.0 33.3 49.9
54 47.9 39.8 59.8









#25
Isophorone
Concen: 30.610 ng
RT: 7.434 min Scan# 90
Delta R.T. -0.265 min
Lab File: BF140468.D
Acq: 19 Nov 2024 12:54




Instrument :
BNA_F
ClientSampleId :
COMP-1


Tgt Ion: 82 Resp: 603616
Ion Ratio Lower Upper
82 100
95 0.0 5.9 8.9#
138 0.0 13.4 20.2#



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.904 min Scan# 1328
Delta R.T. -0.012 min
Lab File: BF140468.D
Acq: 19 Nov 2024 12:54

Tgt Ion:164 Resp: 318630
Ion Ratio Lower Upper
164 100
162 99.4 79.8 119.8
160 44.4 35.4 53.0





#42

2,4,6-Tribromophenol

Concen: 76.546 ng

RT: 10.698 min Scan# 1463

Delta R.T. -0.006 min

Lab File: BF140468.D

Acq: 19 Nov 2024 12:54

Instrument :

BNA_F

ClientSampleId :

COMP-1





Tgt Ion:330 Resp: 242538

Ion Ratio Lower Upper

330 100

332 96.8 75.9 113.9

141 32.7 26.9 40.3



#45

2-Fluorobiphenyl

Concen: 56.199 ng

RT: 9.222 min Scan# 1212

Delta R.T. -0.012 min

Lab File: BF140468.D

Acq: 19 Nov 2024 12:54




Tgt Ion:172 Resp: 1113906


Ion Ratio Lower Upper

172 100

171 35.6 28.5 42.7

170 23.6 19.1 28.7









#51
2,6-Dinitrotoluene
Concen: 8.598 ng
RT: 9.904 min Scan# 11
Delta R.T. 0.206 min
Lab File: BF140468.D
Acq: 19 Nov 2024 12:54




Instrument :
BNA_F
ClientSampleId :
COMP-1


Tgt Ion:165 Resp: 40709
Ion Ratio Lower Upper
165 100
63 1.1 47.6 71.4#
89 0.9 48.1 72.1#



#57
2,4-Dinitrotoluene
Concen: 6.533 ng
RT: 9.904 min Scan# 1328
Delta R.T. -0.200 min
Lab File: BF140468.D
Acq: 19 Nov 2024 12:54

Tgt Ion:165 Resp: 40709
Ion Ratio Lower Upper
165 100
63 1.1 39.4 59.0#
89 0.9 62.4 93.6#
182 0.0 2.1 3.1#





#63

Azobenzene

Concen: 3.168 ng

RT: 10.616 min Scan# 1449

Delta R.T. -0.000 min

Lab File: BF140468.D

Acq: 19 Nov 2024 12:54

Instrument :

BNA_F

ClientSampleId :

COMP-1

Tgt Ion: 77 Resp: 66467





Ion Ratio Lower Upper

77 100

182 76.2 4.6 44.6#

105 146.8 0.9 40.9#

51 37.2 8.3 48.3



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.392 min Scan# 1581

Delta R.T. -0.012 min

Lab File: BF140468.D

Acq: 19 Nov 2024 12:54




Tgt Ion: 188 Resp: 582083


Ion Ratio Lower Upper

188 100

94 9.9 7.6 11.4

80 10.6 8.0 12.0









#67
4-Bromophenyl-phenylether
Concen: 2.582 ng
RT: 10.698 min Scan# 1463
Delta R.T. -0.247 min
Lab File: BF140468.D
Acq: 19 Nov 2024 12:54




Instrument :
BNA_F
ClientSampleId :
COMP-1


Tgt Ion:248 Resp: 15021
Ion Ratio Lower Upper
248 100
250 201.2 77.9 116.9#
141 512.7 61.8 92.6#



#71
Phenanthrene
Concen: 3.188 ng
RT: 11.422 min Scan# 1586
Delta R.T. -0.006 min
Lab File: BF140468.D
Acq: 19 Nov 2024 12:54

Tgt Ion:178 Resp: 87171
Ion Ratio Lower Upper
178 100
176 18.0 15.5 23.3
179 15.2 12.4 18.6









#75
Fluoranthene
Concen: 4.656 ng
RT: 12.610 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF140468.D
Acq: 19 Nov 2024 12:54




Instrument :
BNA_F
ClientSampleId :
COMP-1


Tgt Ion:202 Resp: 142825
Ion Ratio Lower Upper
202 100
101 10.5 0.0 30.7
203 17.0 0.0 37.7



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.051 min Scan# 2033
Delta R.T. -0.000 min
Lab File: BF140468.D
Acq: 19 Nov 2024 12:54

Tgt Ion:240 Resp: 316058
Ion Ratio Lower Upper
240 100
120 10.7 8.8 13.2
236 25.7 20.9 31.3









#78
Pyrene
Concen: 4.335 ng
RT: 12.839 min Scan# 1827
Delta R.T. -0.006 min
Lab File: BF140468.D
Acq: 19 Nov 2024 12:54




Instrument :
BNA_F
ClientSampleId :
COMP-1


Tgt Ion:202 Resp: 117198
Ion Ratio Lower Upper
202 100
200 19.2 16.2 24.2
203 18.4 14.2 21.4



#79
Terphenyl-d14
Concen: 56.854 ng
RT: 12.980 min Scan# 1851
Delta R.T. -0.006 min
Lab File: BF140468.D
Acq: 19 Nov 2024 12:54

Tgt Ion:244 Resp: 1035213
Ion Ratio Lower Upper
244 100
212 7.1 5.8 8.8
122 10.8 8.8 13.2









#81
Benzo(a)anthracene
Concen: 2.292 ng
RT: 14.039 min Scan# 2031
Delta R.T. -0.000 min
Lab File: BF140468.D
Acq: 19 Nov 2024 12:54




Instrument :
BNA_F
ClientSampleId :
COMP-1


Tgt Ion:228 Resp: 47602
Ion Ratio Lower Upper
228 100
226 28.1 22.2 33.4
229 21.0 15.8 23.6



#83
Chrysene
Concen: 2.144 ng
RT: 14.074 min Scan# 2037
Delta R.T. -0.006 min
Lab File: BF140468.D
Acq: 19 Nov 2024 12:54

Tgt Ion:228 Resp: 40634
Ion Ratio Lower Upper
228 100
226 28.4 24.5 36.7
229 20.6 16.0 24.0





#86

Perylene-d12

Concen: 20.000 ng

RT: 15.568 min Scan# 21

Delta R.T. 0.012 min

Lab File: BF140468.D

Acq: 19 Nov 2024 12:54

Instrument :

BNA_F

ClientSampleId :

COMP-1





Tgt Ion:264 Resp: 288064

Ion Ratio Lower Upper

264 100

260 23.1 19.2 28.8

265 21.7 17.1 25.7



#88

Benzo(b)fluoranthene

Concen: 3.175 ng

RT: 15.127 min Scan# 2216

Delta R.T. 0.012 min

Lab File: BF140468.D

Acq: 19 Nov 2024 12:54




Tgt Ion:252 Resp: 59834


Ion Ratio Lower Upper

252 100

253 22.7 17.5 26.3

125 11.3 8.0 12.0





#89

Benzo(k)fluoranthene

Concen: 3.887 ng

RT: 15.127 min Scan# 21

Delta R.T. -0.024 min

Lab File: BF140468.D

Acq: 19 Nov 2024 12:54

Instrument :

BNA_F

ClientSampleId :

COMP-1





Tgt Ion:252 Resp: 59834

Ion Ratio Lower Upper

252 100

253 22.7 17.3 25.9

125 11.3 7.4 11.2#



#90

Benzo(a)pyrene

Concen: 2.181 ng

RT: 15.498 min Scan# 2279

Delta R.T. 0.006 min

Lab File: BF140468.D

Acq: 19 Nov 2024 12:54

Tgt Ion:252 Resp: 31910

Ion Ratio Lower Upper

252 100

253 21.7 17.8 26.6

125 12.3 8.4 12.6

