

Report of Analysis

Client:	Kleinfelder	Date Collected:	
Project:	Webster School	Date Received:	
Client Sample ID:	VD1118SBS01	SDG No.:	P4852
Lab Sample ID:	VD1118SBS01	Matrix:	SOIL
Analytical Method:	SW8260	% Solid:	100
Sample Wt/Vol:	5 Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOCMS Group1
GC Column:	RTX-VMS ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VD080061.D	1		11/18/24 11:22	VD111824

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
156-59-2	cis-1,2-Dichloroethene	20.3		0.61	5.00	ug/Kg
71-55-6	1,1,1-Trichloroethane	20.6		0.78	5.00	ug/Kg
71-43-2	Benzene	20.8		0.72	5.00	ug/Kg
79-01-6	Trichloroethene	20.5		0.75	5.00	ug/Kg
108-88-3	Toluene	21.3		0.67	5.00	ug/Kg
100-41-4	Ethyl Benzene	19.3		0.62	5.00	ug/Kg
1330-20-7	Total Xylenes	59.2		2.10	15.0	ug/Kg
98-82-8	Isopropylbenzene	19.9		0.67	5.00	ug/Kg
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	48.0		50 - 163	96%	SPK: 50
1868-53-7	Dibromofluoromethane	50.2		54 - 147	100%	SPK: 50
2037-26-5	Toluene-d8	50.0		58 - 134	100%	SPK: 50
460-00-4	4-Bromofluorobenzene	50.4		29 - 146	101%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	185000	7.875			
540-36-3	1,4-Difluorobenzene	285000	8.781			
3114-55-4	Chlorobenzene-d5	278000	11.581			
3855-82-1	1,4-Dichlorobenzene-d4	144000	13.516			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products