

Report of Analysis

Client:	Kleinfelder	Date Collected:	11/13/24
Project:	Webster School	Date Received:	11/14/24
Client Sample ID:	COMP-2RE	SDG No.:	P4852
Lab Sample ID:	P4852-02RE	Matrix:	SOIL
Analytical Method:	SW8260	% Solid:	81.4
Sample Wt/Vol:	4.7 Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOCMS Group1
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY020378.D	1		11/21/24 11:49	VY112124

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
156-59-2	cis-1,2-Dichloroethene	0.80	U	0.80	6.50	ug/Kg
71-55-6	1,1,1-Trichloroethane	1.00	U	1.00	6.50	ug/Kg
71-43-2	Benzene	0.94	U	0.94	6.50	ug/Kg
79-01-6	Trichloroethene	0.98	U	0.98	6.50	ug/Kg
108-88-3	Toluene	0.88	U	0.88	6.50	ug/Kg
100-41-4	Ethyl Benzene	0.81	U	0.81	6.50	ug/Kg
1330-20-7	Total Xylenes	2.71	U	2.71	19.6	ug/Kg
98-82-8	Isopropylbenzene	0.88	U	0.88	6.50	ug/Kg
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	50.2		50 - 163	100%	SPK: 50
1868-53-7	Dibromofluoromethane	48.7		54 - 147	97%	SPK: 50
2037-26-5	Toluene-d8	46.6		58 - 134	93%	SPK: 50
460-00-4	4-Bromofluorobenzene	43.1		29 - 146	86%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	60100	7.713			
540-36-3	1,4-Difluorobenzene	106000	8.615			
3114-55-4	Chlorobenzene-d5	91000	11.42			
3855-82-1	1,4-Dichlorobenzene-d4	32400	13.352			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products