

Report of Analysis

Client:	Tetra Tech		Date Collected:	11/14/24	
Project:	Ocean County Landfill 2024		Date Received:	11/14/24	
Client Sample ID:	PH2-BOT-008		SDG No.:	P4860	
Lab Sample ID:	P4860-07		Matrix:	Solid	
Analytical Method:	NJEPH		% Solid:	96.8	
Sample Wt/Vol:	30.01	Units: g	Final Vol:	2000	uL
Soil Aliquot Vol:		uL	Test:	EPH	
Prep Method :					

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FG014864.D	1	11/16/24	11/19/24	PB165032

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C12	Aliphatic C9-C12	0.39	U	0.39	1.03	mg/kg
Aliphatic C12-C16	Aliphatic C12-C16	0.25	U	0.25	0.69	mg/kg
Aliphatic C16-C21	Aliphatic C16-C21	0.31	U	0.31	1.03	mg/kg
Aliphatic C21-C28	Aliphatic C21-C28	0.83	U	0.83	1.38	mg/kg
Aliphatic C28-C40	Aliphatic C28-C40	1.86	U	1.86	2.07	mg/kg
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	40.7		40 - 140	81%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	0.00		40 - 140	0%	SPK: 50

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	P4860-07	Acq On:	19 Nov 2024 11:19
Client Sample ID:	PH2-BOT-008	Operator:	YP\AJ
Data file:	FG014864.D	Misc:	
Instrument:	FID_G	ALS Vial:	22
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.218	6.839	42066	0.304	300	ug/ml
Aliphatic C12-C16	6.840	10.283	406458	2.9	200	ug/ml
Aliphatic C16-C21	10.284	13.654	55291	0.411	300	ug/ml
Aliphatic C21-C28	13.655	17.319	0	0	400	ug/ml
Aliphatic C28-C40	17.320	22.248	0	0	600	ug/ml
Aliphatic EPH	3.218	22.248	503815	3.616		ug/ml
ortho-Terphenyl (SURR)	0.000	0.000	0	0		ug/ml
1-chlorooctadecane (SURR)	13.386	13.386	4521780	40.69		ug/ml
Aliphatic C9-C28	3.218	17.319	503815	3.615	1200	ug/ml