

Report of Analysis

Client:	Tetra Tech		Date Collected:		
Project:	Ocean County Landfill 2024		Date Received:		
Client Sample ID:	PB165046BS		SDG No.:	P4860	
Lab Sample ID:	PB165046BS		Matrix:	SOIL	
Analytical Method:	SW8081		% Solid:	100	Decanted:
Sample Wt/Vol:	30.03	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	Pesticide-TCL	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL093139.D	1	11/18/24 08:20	11/19/24 13:52	PB165046

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
319-84-6	alpha-BHC	17.0		0.18	1.70	ug/kg
319-85-7	beta-BHC	17.1		0.49	1.70	ug/kg
319-86-8	delta-BHC	14.4		0.47	1.70	ug/kg
58-89-9	gamma-BHC (Lindane)	16.7		0.19	1.70	ug/kg
76-44-8	Heptachlor	18.1		0.17	1.70	ug/kg
309-00-2	Aldrin	16.4		0.14	1.70	ug/kg
1024-57-3	Heptachlor epoxide	17.0		0.23	1.70	ug/kg
959-98-8	Endosulfan I	17.7		0.17	1.70	ug/kg
60-57-1	Dieldrin	17.6		0.15	1.70	ug/kg
72-55-9	4,4-DDE	18.1		0.13	1.70	ug/kg
72-20-8	Endrin	18.7		0.16	1.70	ug/kg
33213-65-9	Endosulfan II	17.8		0.30	1.70	ug/kg
72-54-8	4,4-DDD	18.1		0.19	1.70	ug/kg
1031-07-8	Endosulfan Sulfate	16.8		0.13	1.70	ug/kg
50-29-3	4,4-DDT	17.6		0.17	1.70	ug/kg
72-43-5	Methoxychlor	17.4		0.38	1.70	ug/kg
53494-70-5	Endrin ketone	17.1		0.22	1.70	ug/kg
7421-93-4	Endrin aldehyde	16.8		0.39	1.70	ug/kg
5103-71-9	alpha-Chlordane	17.7		0.17	1.70	ug/kg
5103-74-2	gamma-Chlordane	17.8		0.19	1.70	ug/kg
8001-35-2	Toxaphene	5.20	U	5.20	33.0	ug/kg
SURROGATES						
2051-24-3	Decachlorobiphenyl	16.4		30 (10) - 150 (148)	82%	SPK: 20
877-09-8	Tetrachloro-m-xylene	20.1		30 (10) - 150 (159)	101%	SPK: 20

Report of Analysis

Client:	Tetra Tech		Date Collected:		
Project:	Ocean County Landfill 2024		Date Received:		
Client Sample ID:	PB165046BS		SDG No.:	P4860	
Lab Sample ID:	PB165046BS		Matrix:	SOIL	
Analytical Method:	SW8081		% Solid:	100	Decanted:
Sample Wt/Vol:	30.03	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	Pesticide-TCL	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL093139.D	1	11/18/24 08:20	11/19/24 13:52	PB165046

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit