

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL111924\
 Data File : PL093153.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 19 Nov 2024 16:56
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 19 23:12:49 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102824.M
 Quant Title : GC Extractables
 QLast Update : Mon Oct 28 18:58:23 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.536	2.774	133.4E6	150.6E6	54.431	55.328
28)	SA Decachlor...	9.055	7.914	91515137	146.4E6	47.551	53.648
Target Compounds							
2)	A alpha-BHC	3.993	3.277	186.6E6	227.2E6	55.017	56.933
3)	MA gamma-BHC...	4.325	3.608	176.8E6	219.4E6	54.225	56.858
4)	MA Heptachlor	4.914	3.946	154.5E6	209.7E6	51.444	55.571
5)	MB Aldrin	5.255	4.226	152.7E6	207.2E6	50.863	56.618
6)	B beta-BHC	4.523	3.907	75484067	91149868	52.221	55.368
7)	B delta-BHC	4.770	4.136	168.1E6	221.9E6	53.709	57.736
8)	B Heptachlo...	5.682	4.729	137.6E6	187.4E6	49.832	56.072
9)	A Endosulfan I	6.068	5.098	124.2E6	165.3E6	49.634	54.136
10)	B gamma-Chl...	5.938	4.979	130.8E6	190.0E6	49.162	56.518
11)	B alpha-Chl...	6.017	5.042	131.2E6	185.7E6	49.545	55.822
12)	B 4,4'-DDE	6.190	5.231	120.4E6	185.8E6	50.806	57.660
13)	MA Dieldrin	6.343	5.363	131.3E6	189.7E6	49.811	56.792
14)	MA Endrin	6.573	5.639	111.5E6	164.7E6	48.969	56.930
15)	B Endosulfa...	6.793	5.933	112.3E6	161.7E6	47.092	57.074
16)	A 4,4'-DDD	6.708	5.787	95270537	149.3E6	49.632	59.960
17)	MA 4,4'-DDT	7.023	6.037	99773301	146.8E6	48.205	54.737
18)	B Endrin al...	6.923	6.112	91573522	128.7E6	48.762	55.771
19)	B Endosulfa...	7.157	6.336	104.8E6	151.4E6	48.272	56.153
20)	A Methoxychlor	7.499	6.613	54340385	78897883	47.667	55.249
21)	B Endrin ke...	7.642	6.841	119.5E6	173.4E6	49.333	56.498
22)	Mirex	8.116	7.022	89481714	136.7E6	45.154	52.390
24)	Chlordane-2	5.255f	4.366	152.7E6	2471259	1331.996	19.953 #
25)	Chlordane-3	5.938	4.979	130.8E6	190.0E6	335.120	523.865 #
26)	Chlordane-4	6.017	5.042	131.2E6	185.7E6	274.479	530.752 #
27)	Chlordane-5	0.000	5.933	0	161.7E6	N.D.	1275.216 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL111924\
Data File : PL093153.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 19 Nov 2024 16:56
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 19 23:12:49 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL102824.M
Quant Title : GC Extractables
QLast Update : Mon Oct 28 18:58:23 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.536 min
Delta R.T.: -0.004 min
Response: 133367831
Conc: 54.43 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.774 min
Delta R.T.: -0.004 min
Response: 150556256
Conc: 55.33 ng/ml




#2 alpha-BHC

R.T.: 3.993 min
Delta R.T.: -0.003 min
Response: 186593351
Conc: 55.02 ng/ml



#2 alpha-BHC


R.T.: 3.277 min
Delta R.T.: -0.003 min
Response: 227171717
Conc: 56.93 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.325 min
Delta R.T.: -0.003 min
Response: 176750385
Conc: 54.23 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.608 min
Delta R.T.: -0.003 min
Response: 219440626
Conc: 56.86 ng/ml




#4 Heptachlor

R.T.: 4.914 min
Delta R.T.: -0.003 min
Response: 154493714
Conc: 51.44 ng/ml



#4 Heptachlor


R.T.: 3.946 min
Delta R.T.: -0.003 min
Response: 209720688
Conc: 55.57 ng/ml



#5 Aldrin


R.T.: 5.255 min
Delta R.T.: -0.002 min
Response: 152665179
Conc: 50.86 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.226 min
Delta R.T.: -0.004 min
Response: 207234283
Conc: 56.62 ng/ml




#6 beta-BHC

R.T.: 4.523 min
Delta R.T.: -0.002 min
Response: 75484067
Conc: 52.22 ng/ml



#6 beta-BHC


R.T.: 3.907 min
Delta R.T.: -0.003 min
Response: 91149868
Conc: 55.37 ng/ml



#7 delta-BHC


R.T.: 4.770 min
Delta R.T.: -0.002 min
Response: 168101694
Conc: 53.71 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.136 min
Delta R.T.: -0.003 min
Response: 221886916
Conc: 57.74 ng/ml




#8 Heptachlor epoxide

R.T.: 5.682 min
Delta R.T.: -0.002 min
Response: 137606033
Conc: 49.83 ng/ml



#8 Heptachlor epoxide


R.T.: 4.729 min
Delta R.T.: -0.003 min
Response: 187358273
Conc: 56.07 ng/ml



#9 Endosulfan I


R.T.: 6.068 min
Delta R.T.: -0.002 min
Response: 124151521
Conc: 49.63 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.098 min
Delta R.T.: -0.003 min
Response: 165286162
Conc: 54.14 ng/ml




#10 gamma-Chlordane

R.T.: 5.938 min
Delta R.T.: -0.003 min
Response: 130802647
Conc: 49.16 ng/ml



#10 gamma-Chlordane


R.T.: 4.979 min
Delta R.T.: -0.003 min
Response: 189996783
Conc: 56.52 ng/ml



#11 alpha-Chlordane


R.T.: 6.017 min
Delta R.T.: -0.002 min
Response: 131202268
Conc: 49.55 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.042 min
Delta R.T.: -0.003 min
Response: 185664208
Conc: 55.82 ng/ml




#12 4,4'-DDE

R.T.: 6.190 min
Delta R.T.: -0.003 min
Response: 120369677
Conc: 50.81 ng/ml



#12 4,4'-DDE


R.T.: 5.231 min
Delta R.T.: -0.003 min
Response: 185756366
Conc: 57.66 ng/ml



#13 Dieldrin


R.T.: 6.343 min
Delta R.T.: -0.002 min
Response: 131275773
Conc: 49.81 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.363 min
Delta R.T.: -0.003 min
Response: 189702027
Conc: 56.79 ng/ml




#14 Endrin

R.T.: 6.573 min
Delta R.T.: -0.001 min
Response: 111484709
Conc: 48.97 ng/ml



#14 Endrin


R.T.: 5.639 min
Delta R.T.: -0.003 min
Response: 164700077
Conc: 56.93 ng/ml



#15 Endosulfan II


R.T.: 6.793 min
Delta R.T.: -0.002 min
Response: 112259473
Conc: 47.09 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.933 min
Delta R.T.: -0.003 min
Response: 161707601
Conc: 57.07 ng/ml




#16 4,4'-DDD

R.T.: 6.708 min
Delta R.T.: -0.001 min
Response: 95270537
Conc: 49.63 ng/ml



#16 4,4'-DDD


R.T.: 5.787 min
Delta R.T.: -0.002 min
Response: 149305087
Conc: 59.96 ng/ml



#17 4,4'-DDT


R.T.: 7.023 min
Delta R.T.: 0.000 min
Response: 99773301
Conc: 48.21 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.037 min
Delta R.T.: -0.003 min
Response: 146817664
Conc: 54.74 ng/ml




#18 Endrin aldehyde

R.T.: 6.923 min
Delta R.T.: -0.001 min
Response: 91573522
Conc: 48.76 ng/ml



#18 Endrin aldehyde


R.T.: 6.112 min
Delta R.T.: -0.003 min
Response: 128678569
Conc: 55.77 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.157 min
Delta R.T.: 0.000 min
Response: 104766421
Conc: 48.27 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.336 min
Delta R.T.: -0.002 min
Response: 151436548
Conc: 56.15 ng/ml




#20 Methoxychlor

R.T.: 7.499 min
Delta R.T.: 0.000 min
Response: 54340385
Conc: 47.67 ng/ml



#20 Methoxychlor


R.T.: 6.613 min
Delta R.T.: -0.002 min
Response: 78897883
Conc: 55.25 ng/ml



#21 Endrin ketone


R.T.: 7.642 min
Delta R.T.: 0.000 min
Response: 119525551
Conc: 49.33 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.841 min
Delta R.T.: -0.002 min
Response: 173381887
Conc: 56.50 ng/ml




#22 Mirex

R.T.: 8.116 min
Delta R.T.: 0.000 min
Response: 89481714
Conc: 45.15 ng/ml



#22 Mirex


R.T.: 7.022 min
Delta R.T.: -0.003 min
Response: 136690754
Conc: 52.39 ng/ml



#24 Chlordane-2


R.T.: 5.255 min
Delta R.T.: 0.024 min
Response: 152665179
Conc: 1332.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 4.366 min
Delta R.T.: 0.013 min
Response: 2471259
Conc: 19.95 ng/ml




#25 Chlordane-3

R.T.: 5.938 min
Delta R.T.: -0.003 min
Response: 130802647
Conc: 335.12 ng/ml



#25 Chlordane-3


R.T.: 4.979 min
Delta R.T.: -0.003 min
Response: 189996783
Conc: 523.86 ng/ml



#26 Chlordane-4


R.T.: 6.017 min
Delta R.T.: -0.006 min
Response: 131202268
Conc: 274.48 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 5.042 min
Delta R.T.: -0.003 min
Response: 185664208
Conc: 530.75 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.872 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 5.933 min
Delta R.T.: -0.007 min
Response: 161707601
Conc: 1275.22 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.055 min
Delta R.T.: 0.000 min
Response: 91515137
Conc: 47.55 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.914 min
Delta R.T.: -0.002 min
Response: 146417376
Conc: 53.65 ng/ml