

Report of Analysis

Client:	Tetra Tech		Date Collected:	11/14/24	
Project:	Ocean County Landfill 2024		Date Received:	11/14/24	
Client Sample ID:	PH2-BOT-006		SDG No.:	P4860	
Lab Sample ID:	P4860-09		Matrix:	SOIL	
Analytical Method:	SW8260		% Solid:	97.5	
Sample Wt/Vol:	6.28	Units: g	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY020390.D	1		11/21/24 16:30	VY112124

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
75-71-8	Dichlorodifluoromethane	1.30	U	1.30	4.10	ug/Kg
74-87-3	Chloromethane	0.95	U	0.95	4.10	ug/Kg
75-01-4	Vinyl Chloride	0.63	U	0.63	4.10	ug/Kg
74-83-9	Bromomethane	0.84	U	0.84	4.10	ug/Kg
75-00-3	Chloroethane	0.82	U	0.82	4.10	ug/Kg
75-69-4	Trichlorofluoromethane	0.74	U	0.74	4.10	ug/Kg
76-13-1	1,1,2-Trichlorotrifluoroethane	0.87	U	0.87	4.10	ug/Kg
75-35-4	1,1-Dichloroethene	0.64	U	0.64	4.10	ug/Kg
67-64-1	Acetone	5.10	U	5.10	20.4	ug/Kg
75-15-0	Carbon Disulfide	1.00	U	1.00	4.10	ug/Kg
1634-04-4	Methyl tert-butyl Ether	0.55	U	0.55	4.10	ug/Kg
79-20-9	Methyl Acetate	1.50	U	1.50	4.10	ug/Kg
75-09-2	Methylene Chloride	2.80	U	2.80	8.20	ug/Kg
156-60-5	trans-1,2-Dichloroethene	0.69	U	0.69	4.10	ug/Kg
75-34-3	1,1-Dichloroethane	0.51	U	0.51	4.10	ug/Kg
110-82-7	Cyclohexane	0.56	U	0.56	4.10	ug/Kg
78-93-3	2-Butanone	4.60	U	4.60	20.4	ug/Kg
56-23-5	Carbon Tetrachloride	0.71	U	0.71	4.10	ug/Kg
156-59-2	cis-1,2-Dichloroethene	0.50	U	0.50	4.10	ug/Kg
74-97-5	Bromochloromethane	2.00	U	2.00	4.10	ug/Kg
67-66-3	Chloroform	0.55	U	0.55	4.10	ug/Kg
71-55-6	1,1,1-Trichloroethane	0.64	U	0.64	4.10	ug/Kg
108-87-2	Methylcyclohexane	0.71	U	0.71	4.10	ug/Kg
71-43-2	Benzene	0.59	U	0.59	4.10	ug/Kg
107-06-2	1,2-Dichloroethane	0.50	U	0.50	4.10	ug/Kg
79-01-6	Trichloroethene	0.61	U	0.61	4.10	ug/Kg
78-87-5	1,2-Dichloropropane	0.54	U	0.54	4.10	ug/Kg
75-27-4	Bromodichloromethane	0.46	U	0.46	4.10	ug/Kg
108-10-1	4-Methyl-2-Pentanone	3.60	U	3.60	20.4	ug/Kg
108-88-3	Toluene	0.55	U	0.55	4.10	ug/Kg

Report of Analysis

Client:	Tetra Tech	Date Collected:	11/14/24
Project:	Ocean County Landfill 2024	Date Received:	11/14/24
Client Sample ID:	PH2-BOT-006	SDG No.:	P4860
Lab Sample ID:	P4860-09	Matrix:	SOIL
Analytical Method:	SW8260	% Solid:	97.5
Sample Wt/Vol:	6.28 Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY020390.D	1		11/21/24 16:30	VY112124

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
10061-02-6	t-1,3-Dichloropropene	0.49	U	0.49	4.10	ug/Kg
10061-01-5	cis-1,3-Dichloropropene	0.47	U	0.47	4.10	ug/Kg
79-00-5	1,1,2-Trichloroethane	0.69	U	0.69	4.10	ug/Kg
591-78-6	2-Hexanone	3.90	U	3.90	20.4	ug/Kg
124-48-1	Dibromochloromethane	0.53	U	0.53	4.10	ug/Kg
106-93-4	1,2-Dibromoethane	0.65	U	0.65	4.10	ug/Kg
127-18-4	Tetrachloroethene	0.73	U	0.73	4.10	ug/Kg
108-90-7	Chlorobenzene	0.60	U	0.60	4.10	ug/Kg
100-41-4	Ethyl Benzene	0.51	U	0.51	4.10	ug/Kg
179601-23-1	m/p-Xylenes	1.10	U	1.10	8.20	ug/Kg
95-47-6	o-Xylene	0.57	U	0.57	4.10	ug/Kg
100-42-5	Styrene	0.49	U	0.49	4.10	ug/Kg
75-25-2	Bromoform	0.66	U	0.66	4.10	ug/Kg
98-82-8	Isopropylbenzene	0.55	U	0.55	4.10	ug/Kg
79-34-5	1,1,2,2-Tetrachloroethane	0.90	U	0.90	4.10	ug/Kg
541-73-1	1,3-Dichlorobenzene	0.60	U	0.60	4.10	ug/Kg
106-46-7	1,4-Dichlorobenzene	0.65	U	0.65	4.10	ug/Kg
95-50-1	1,2-Dichlorobenzene	0.48	U	0.48	4.10	ug/Kg
96-12-8	1,2-Dibromo-3-Chloropropane	1.30	U	1.30	4.10	ug/Kg
120-82-1	1,2,4-Trichlorobenzene	0.65	U	0.65	4.10	ug/Kg
87-61-6	1,2,3-Trichlorobenzene	0.64	U	0.64	4.10	ug/Kg
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	57.4		70 (50) - 130 (163)	115%	SPK: 50
1868-53-7	Dibromofluoromethane	50.5		70 (54) - 130 (147)	101%	SPK: 50
2037-26-5	Toluene-d8	48.3		70 (58) - 130 (134)	97%	SPK: 50
460-00-4	4-Bromofluorobenzene	52.6		70 (29) - 130 (146)	105%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	141000	7.707			
540-36-3	1,4-Difluorobenzene	274000	8.616			
3114-55-4	Chlorobenzene-d5	262000	11.414			
3855-82-1	1,4-Dichlorobenzene-d4	106000	13.346			

Report of Analysis

Client:	Tetra Tech		Date Collected:	11/14/24	
Project:	Ocean County Landfill 2024		Date Received:	11/14/24	
Client Sample ID:	PH2-BOT-006		SDG No.:	P4860	
Lab Sample ID:	P4860-09		Matrix:	SOIL	
Analytical Method:	SW8260		% Solid:	97.5	
Sample Wt/Vol:	6.28	Units: g	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY020390.D	1		11/21/24 16:30	VY112124

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products