

SOP ID : M9012B-Total, Amenable and Reactive Cyanide-20

SDG No : N/A

Start Digest Date: 11/15/2024 Time : 10:20 Temp : N/A

Matrix : WATER

End Digest Date: 11/15/2024 Time : 11:50 Temp : N/A

Pipette ID : N/A

Balance ID : N/A

Hood ID : HOOD#1

Digestion tube ID : M5595

Block Thermometer ID : N/A

Block ID : MC-1,MC-2

Filter paper ID : N/A

Prep Technician Signature: NP

Weigh By : N/A

pH Meter ID : N/A

Supervisor Signature: 12

Standard Name	MLS USED	STD REF. # FROM LOG
PBW	50.0ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.25N NaOH	50.0ML	WP108640
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

LAB SAMPLE ID	CLIENT SAMPLE ID	Comment

Extraction Conformance/Non-Conformance Comments:

N/A

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
11.15.2024, 12:00	NF(WC)	NF(WC)
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Vol (ml)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/ Nitrite	Comment	Prep Pos
P4812-03	270	50	50	N/A	N/A	N/A	N/A	N/A	N/A
P4812-03DUP	270DUP	50	50	N/A	N/A	N/A	N/A	N/A	N/A
P4813-01	416	50	50	N/A	N/A	N/A	N/A	N/A	N/A
P4813-04	419	50	50	N/A	N/A	N/A	N/A	N/A	N/A
P4861-01	WC-11-A-202411	50	50	N/A	N/A	N/A	N/A	N/A	N/A
P4871-01	WC-10-A-202411	50	50	N/A	N/A	N/A	N/A	N/A	N/A
PB165009BL	PBW009	50	50	N/A	N/A	N/A	N/A	N/A	N/A