

SOP ID : M9030B-Sulfide-12

SDG No : N/A

Matrix : WATER

Pipette ID : WC

Balance ID : N/A

Hood ID : HOOD#1

Block ID : MC-1,

Weigh By : N/A

Start Digest Date: 11/18/2024 Time : 16:35 Temp : N/A

End Digest Date: 11/18/2024 Time : 18:05 Temp : N/A

Digestion tube ID : M5595

Filter paper ID : N/A

pH Meter ID : N/A

Block Thermometer ID : N/A

Prep Technician Signature: RM

Supervisor Signature: 12

Standard Name	MLS USED	STD REF. # FROM LOG
PBW	50.0ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.5M ZINC ACETATE	5.0ML	WP108780
FORMALDEHYDE	2.0ML	W2725
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

N/A

11/18/2024 RM

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Vol (ml)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/ Nitrite	Comment	Prep Pos
P4861-01	WC-11-A-202411	50	50	N/A	N/A	N/A	N/A	N/A	N/A
P4861-01DUP	WC-11-A-202411DUP	50	50	N/A	N/A	N/A	N/A	N/A	N/A
P4871-01	WC-10-A-202411	50	50	N/A	N/A	N/A	N/A	N/A	N/A
P4890-01	#3711	50	50	N/A	N/A	N/A	N/A	N/A	N/A
P4890-02	D3617	50	50	N/A	N/A	N/A	N/A	N/A	N/A
P4890-03	D3690	50	50	N/A	N/A	N/A	N/A	N/A	N/A
PB165069BL	PBW069	50	50	N/A	N/A	N/A	N/A	N/A	N/A