

Analytical Sequence

Client: AECOM	SDG No.: P4871
Project: Meeker Ave Plumes Superfund Site RI FS	Instrument ID: ECD_L
GC Column: ZB-MR2	ID: 0.32 (mm) Inst. Calib. Date(s): 10/28/2024 10/28/2024

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

EPA SAMPLE NO.	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
LBLK	LBLK	10/28/2024	13:55	PL092652.D	9.05	3.54
PEM	PEM	10/28/2024	14:16	PL092653.D	9.06	3.55
RESCHK	RESCHK	10/28/2024	14:29	PL092654.D	9.05	3.54
PSTDICCC100	PSTDICCC100	10/28/2024	14:43	PL092655.D	9.05	3.54
PSTDICCC075	PSTDICCC075	10/28/2024	14:56	PL092656.D	9.05	3.54
PSTDICCC050	PSTDICCC050	10/28/2024	15:09	PL092657.D	9.05	3.54
PSTDICCC025	PSTDICCC025	10/28/2024	15:23	PL092658.D	9.05	3.54
PSTDICCC005	PSTDICCC005	10/28/2024	15:36	PL092659.D	9.05	3.54
PCHLORICC500	PCHLORICC500	10/28/2024	16:16	PL092662.D	9.06	3.54
PTOXICC500	PTOXICC500	10/28/2024	17:23	PL092667.D	9.05	3.54
LBLK	LBLK	11/18/2024	13:05	PL093110.D	9.06	3.54
PEM	PEM	11/18/2024	13:19	PL093111.D	9.06	3.54
PSTDCCC050	PSTDCCC050	11/18/2024	13:32	PL093112.D	9.06	3.54
PB165053BL	PB165053BL	11/18/2024	16:36	PL093126.D	9.06	3.54
PB165053BS	PB165053BS	11/18/2024	16:49	PL093127.D	9.06	3.54
PB165019TB	PB165019TB	11/18/2024	17:02	PL093128.D	9.05	3.54
WC-11-A-202411MS	P4861-01MS	11/18/2024	17:29	PL093130.D	9.06	3.54
WC-11-A-202411MSD	P4861-01MSD	11/18/2024	17:42	PL093131.D	9.06	3.54
WC-10-A-202411	P4871-01	11/18/2024	17:55	PL093132.D	9.06	3.54
LBLK	LBLK	11/18/2024	18:08	PL093133.D	9.06	3.54
PSTDCCC050	PSTDCCC050	11/18/2024	18:21	PL093134.D	9.06	3.54

Analytical Sequence

Client: AECOM	SDG No.: P4871
Project: Meeker Ave Plumes Superfund Site RI FS	Instrument ID: ECD_L
GC Column: ZB-MR1	ID: 0.32 (mm) Inst. Calib. Date(s): 10/28/2024 10/28/2024

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

EPA SAMPLE NO.	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
LBLK	LBLK	10/28/2024	13:55	PL092652.D	7.92	2.78
PEM	PEM	10/28/2024	14:16	PL092653.D	7.92	2.78
RESCHK	RESCHK	10/28/2024	14:29	PL092654.D	7.92	2.78
PSTDICC100	PSTDICC100	10/28/2024	14:43	PL092655.D	7.92	2.78
PSTDICC075	PSTDICC075	10/28/2024	14:56	PL092656.D	7.92	2.78
PSTDICC050	PSTDICC050	10/28/2024	15:09	PL092657.D	7.92	2.78
PSTDICC025	PSTDICC025	10/28/2024	15:23	PL092658.D	7.92	2.78
PSTDICC005	PSTDICC005	10/28/2024	15:36	PL092659.D	7.92	2.78
PCHLORICC500	PCHLORICC500	10/28/2024	16:16	PL092662.D	7.92	2.78
PTOXICC500	PTOXICC500	10/28/2024	17:23	PL092667.D	7.92	2.78
LBLK	LBLK	11/18/2024	13:05	PL093110.D	7.92	2.78
PEM	PEM	11/18/2024	13:19	PL093111.D	7.92	2.78
PSTDCCC050	PSTDCCC050	11/18/2024	13:32	PL093112.D	7.92	2.78
PB165053BL	PB165053BL	11/18/2024	16:36	PL093126.D	7.92	2.78
PB165053BS	PB165053BS	11/18/2024	16:49	PL093127.D	7.92	2.78
PB165019TB	PB165019TB	11/18/2024	17:02	PL093128.D	7.92	2.78
WC-11-A-202411MS	P4861-01MS	11/18/2024	17:29	PL093130.D	7.93	2.79
WC-11-A-202411MSD	P4861-01MSD	11/18/2024	17:42	PL093131.D	7.92	2.78
WC-10-A-202411	P4871-01	11/18/2024	17:55	PL093132.D	7.92	2.78
LBLK	LBLK	11/18/2024	18:08	PL093133.D	7.92	2.78
PSTDCCC050	PSTDCCC050	11/18/2024	18:21	PL093134.D	7.92	2.78