


ORIGIN ID: DAYA (916) 804-5338
MATT HARTMAN
EA ENGINEERING SCIENCE & TECH
170 E MAIN ST
SUITE #4
DONNELSVILLE, OH 45319
UNITED STATES US

SHIP DATE: 14NOV24
ACTWT: 50.00 LB
CAP: 253267503/NET/4535
DIMS: 24x12x12 IN
BILL SENDER

TO **MOHAMMAD AHMED**
ALLIANCE TECHNICAL GROUP LLC
284 SHEFFIELD STREET

MOUNTAINSIDE NJ 07092

(908) 789-9900 REF: 15785-32-0134-CP-A,14
INV: DEPT: 2173




Handwritten signature and date: 11/15/24 0920 L.C.C.

TRKG# 7799 6701 7584
0201

FRI - 15 NOV 10:30A
PRIORITY OVERNIGHT

NF KBCA

07092
NJ-US EWR



58CJ5/582E/C6C4

After printing this label:

CONSIGNEE COPY - PLEASE PLACE IN FRONT OF POUCH

1. Fold the printed page along the horizontal line.
2. Place label in shipping pouch and affix it to your shipment.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our Service Guide. Written claims must be filed within strict time limits, see current FedEx Service Guide.

ORIGIN ID: DAYA (916) 804-6338
MATT HARTMAN
EA ENGINEERING SCIENCE & TECH
170 E MAIN ST
SUITE #4
DOWNEYVILLE, OH 45319

SHIP DATE: 15NOV24
ACTWGT: 50.00 LB
CAD: 253267503/INLET4535
DIMS: 24x12x12 IN

BILL SENDER

TO MOHAMMAD AHMED

ALLIANCE TECHNICAL GROUP LLC
284 SHEFFIELD STREET

MOUNTAINSIDE NJ 07092

(908) 789-9300

REF: 15785-32-0134-CF-A.14

INV:

DEPT: 2173



FedEx
Express


J244024081001uv

TRK# 7799 8241 6111

SATURDAY 12:00P
PRIORITY OVERNIGHT

X0 KBCA

07092
NJ-US EWR



After printing this label:

CONSIGNEE COPY - PLEASE PLACE IN FRONT OF POUCH

1. Fold the printed page along the horizontal line.
2. Place label in shipping pouch and affix it to your shipment.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our Service Guide. Written claims must be filed within strict time limits, see current FedEx Service Guide.

Login Summary Report

Order ID :	P4878	Order Date :	11/16/2024 9:05:00 AM	Project Mgr :	Deepak
Client :	USEPA CLP SMO	Project :	51878	Report Type :	USEPA CLP
Contact :	Anita Kapadia	Receive Date :	11/16/2024 9:05:00 AM	EDD Type :	EPA CLP
Date Sign Off :	11/20/2024 10:45:06 AM				

Sample ID	Client ID	Matrix	Sampling Date	Test	Test Group	Method	TAT Days	Fax Due Date	HC Due Date
P4878-01	E29Z2	Water	11/14/2024		DM				
				Mercury		SFAM_HG	15	12/09/2024	12/09/2024
				Metals CLP MS		SFAM_MS	15	12/09/2024	12/09/2024
P4878-02	E29Z4	Water	11/14/2024		DM				
				Mercury		SFAM_HG	15	12/09/2024	12/09/2024
				Metals CLP MS		SFAM_MS	15	12/09/2024	12/09/2024
P4878-03	E29Z6	Water	11/14/2024		DM				
				Mercury		SFAM_HG	15	12/09/2024	12/09/2024
				Metals CLP MS		SFAM_MS	15	12/09/2024	12/09/2024
P4878-04	E29Z8	Water	11/14/2024		DM				
				Mercury		SFAM_HG	15	12/09/2024	12/09/2024
				Metals CLP MS		SFAM_MS	15	12/09/2024	12/09/2024
P4878-05	E2A14	Water	11/14/2024		DM,DUP				
				Mercury		SFAM_HG	15	12/09/2024	12/09/2024
				Metals CLP MS		SFAM_MS	15	12/09/2024	12/09/2024
P4878-06	E2A00	Water	11/14/2024		DM				
				Mercury		SFAM_HG	15	12/09/2024	12/09/2024
				Metals CLP MS		SFAM_MS	15	12/09/2024	12/09/2024
P4878-07	E2A02	Water	11/15/2024		DM				
				Mercury		SFAM_HG	15	12/09/2024	12/09/2024
				Metals CLP MS		SFAM_MS	15	12/09/2024	12/09/2024
P4878-08	E2A02D	Water	11/15/2024		DM				
				Mercury		SFAM_HG	15	12/09/2024	12/09/2024
				Metals CLP MS		SFAM_MS	15	12/09/2024	12/09/2024
P4878-09	E2A02S	Water	11/15/2024		DM				
				Mercury		SFAM_HG	15	12/09/2024	12/09/2024
				Metals CLP MS		SFAM_MS	15	12/09/2024	12/09/2024
P4878-10	E2A04	Water	11/15/2024		DM				
				Mercury		SFAM_HG	15	12/09/2024	12/09/2024
				Metals CLP MS		SFAM_MS	15	12/09/2024	12/09/2024

P4878-11	E2A06	Water	11/15/2024		DM				
				Mercury		SFAM_HG	15	12/09/2024	12/09/2024
				Metals CLP MS		SFAM_MS	15	12/09/2024	12/09/2024
P4878-12	E2A08	Water	11/15/2024		DM				
				Mercury		SFAM_HG	15	12/09/2024	12/09/2024
				Metals CLP MS		SFAM_MS	15	12/09/2024	12/09/2024
P4878-13	E2A10	Water	11/15/2024		DM				
				Mercury		SFAM_HG	15	12/09/2024	12/09/2024
				Metals CLP MS		SFAM_MS	15	12/09/2024	12/09/2024

WORKLIST(Hardcopy Internal Chain)

Worklist Name : PB165158

Worklist ID : 185637

Department : Digestion

Date : 11-21-2024 08:47:11

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P4878-01	E29Z2	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	Q12	11/14/2024	SFAM_MS
P4878-02	E29Z4	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	Q12	11/14/2024	SFAM_MS
P4878-03	E29Z6	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	Q12	11/14/2024	SFAM_MS
P4878-04	E29Z8	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	Q12	11/14/2024	SFAM_MS
P4878-05	E2A14	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	Q12	11/14/2024	SFAM_MS
P4878-06	E2A00	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	Q12	11/14/2024	SFAM_MS
P4878-07	E2A02	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	Q12	11/14/2024	SFAM_MS
P4878-08	E2A02D	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	Q12	11/15/2024	SFAM_MS
P4878-09	E2A02S	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	Q12	11/15/2024	SFAM_MS
P4878-10	E2A04	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	Q12	11/15/2024	SFAM_MS
P4878-11	E2A06	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	Q12	11/15/2024	SFAM_MS
P4878-12	E2A08	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	Q12	11/15/2024	SFAM_MS
P4878-13	E2A10	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	Q12	11/15/2024	SFAM_MS

Date/Time 11/21/24 9:00

Raw Sample Received by: gpcnet dig

Raw Sample Relinquished by: gpcnet dig

Date/Time 11/21/24 10:15

Raw Sample Received by: gpcnet dig

Raw Sample Relinquished by: gpcnet dig

WORKLIST(Hardcopy Internal Chain)

WorkList Name : P4878_HgW

WorkList ID : 185753

Department : Digestion

Date : 11-25-2024 12:00:14

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P4878-01	E29Z2	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	Q12	11/14/2024	SFAM_HG
P4878-02	E29Z4	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	Q12	11/14/2024	SFAM_HG
P4878-03	E29Z6	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	Q12	11/14/2024	SFAM_HG
P4878-04	E29Z8	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	Q12	11/14/2024	SFAM_HG
P4878-05	E2A14	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	Q12	11/14/2024	SFAM_HG
P4878-06	E2A00	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	Q12	11/14/2024	SFAM_HG
P4878-07	E2A02	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	Q12	11/14/2024	SFAM_HG
P4878-08	E2A02D	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	Q12	11/15/2024	SFAM_HG
P4878-09	E2A02S	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	Q12	11/15/2024	SFAM_HG
P4878-10	E2A04	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	Q12	11/15/2024	SFAM_HG
P4878-11	E2A06	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	Q12	11/15/2024	SFAM_HG
P4878-12	E2A08	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	Q12	11/15/2024	SFAM_HG
P4878-13	E2A10	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	Q12	11/15/2024	SFAM_HG

Date/Time 11/26/24 9:15
 Raw Sample Received by: MS - DIG. LAB
 Raw Sample Relinquished by: MS - DIG. LAB

Date/Time 11/26/24 12:15
 Raw Sample Received by: MS - DIG. LAB
 Raw Sample Relinquished by: MS - DIG. LAB