

SOP ID : M200.7-Trace Elements-22, MSFAM01.1-Trace Metals-2

SDG No : MBHH78,MBHHE1

Matrix : WATER

Pipette ID: ICP A

Balance ID : N/A

Filter paper ID : N/A

pH Strip ID : M6069

Hood ID : #3

Block ID: 1. HOT BLOCK #1 2. N/A

Start Digest Date: 11/18/2024 **Time :** 15:20 **Temp :** 95 °C

End Digest Date: 11/18/2024 **Time :** 17:25 **Temp :** 95 °C

Digestion tube ID: M5595

Block thermometer ID: MET-DIG. #1

Dig Technician Signature: JGP

Supervisor Signature: JB

Temp : 1. 95°C 2. N/A

Standard Name	MLS USED	STD REF. # FROM LOG
LCSW	0.50	MP83141
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
1:1 HNO3	1.00	MP81119
1:1 HCL	0.50	MP82127
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

HOT BLOCK #1 CELL #50 TEMP. : 95 C

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
11/18/24 18:00	JGP / Met dig	JB (N/A dig)
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	pH	Initial Vol (ml)	Final Vol (ml)	Color Before	Color After	Clarity Before	Clarity After	Comment	Prep Pos
P4880-22	MBHH97	<2	50	50	Colorless	Colorless	Clear	Clear	N/A	1
P4907-18	MBHHF0	<2	50	50	Colorless	Colorless	Clear	Clear	N/A	2
P4907-19	MBHHF1	<2	50	50	Colorless	Colorless	Clear	Clear	N/A	3
PB165068BL	PBW068	<2	50	50	Colorless	Colorless	Clear	Clear	N/A	4
PB165068BS	LCS068	<2	50	50	Colorless	Colorless	Clear	Clear	MP83141	5