

Report of Analysis

| | | | |
|--------------------|---------------------------|--------------------|----------|
| Client: | Chemtech Consulting Group | Date Collected: | 11/15/24 |
| Project: | Weekly Storage Blanks | Date Received: | 11/15/24 |
| Client Sample ID: | PCB-GPC2-BLANK | SDG No.: | P4886 |
| Lab Sample ID: | P4886-13 | Matrix: | SOIL |
| Analytical Method: | SFAM_PCB | % Solid: | 100 |
| Sample Wt/Vol: | 10 Units: g | Final Vol: | 5000 uL |
| Soil Aliquot Vol: | uL | Test: | PCB |
| Extraction Type: | | Injection Volume : | |
| GPC Factor : | 2.0 | PH : | |
| Prep Method : | | | |

| | | | | |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed | Prep Batch ID |
| PQ069469.D | 1 | 11/18/24 10:24 | 11/19/24 12:20 | PB165057 |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units(Dry Weight) |
|-------------------|----------------------|-------|-----------|----------|------------|-------------------|
| TARGETS | | | | | | |
| 12674-11-2 | Aroclor-1016 | 4.50 | U | 4.50 | 100 | ug/kg |
| 11104-28-2 | Aroclor-1221 | 5.40 | U | 5.40 | 100 | ug/kg |
| 11141-16-5 | Aroclor-1232 | 5.40 | U | 5.40 | 100 | ug/kg |
| 53469-21-9 | Aroclor-1242 | 5.40 | U | 5.40 | 100 | ug/kg |
| 12672-29-6 | Aroclor-1248 | 5.40 | U | 5.40 | 100 | ug/kg |
| 11097-69-1 | Aroclor-1254 | 5.40 | U | 5.40 | 100 | ug/kg |
| 11096-82-5 | Aroclor-1260 | 5.40 | U | 5.40 | 100 | ug/kg |
| 37324-23-5 | Aroclor-1262 | 5.40 | U | 5.40 | 100 | ug/kg |
| 11100-14-4 | Aroclor-1268 | 5.40 | U | 5.40 | 100 | ug/kg |
| SURROGATES | | | | | | |
| 877-09-8 | Tetrachloro-m-xylene | 0 | * | 30 - 150 | % | SPK: 20 |
| 2051-24-3 | Decachlorobiphenyl | 0 | * | 30 - 150 | % | SPK: 40 |

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit